

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Charles Hoffman Operator Well No.: (2) 281-CH

LOCATION: Elevation: 1370' Quadrangle: Philippi
District: Pleasant County: Barbour
Latitude: 39.22307 Feet South of 39 Deg. 13 Min. 23.0360 Sec.
Longitude: -80.12436 Feet West of 80 Deg. 07 Min. 27.7125 Sec.

Well Type: OIL _____ GAS X

Company Diversified Production LLC Coal Operator CoalQuest Development, LLC
414 Summer Street or Owner 100 Tygart Drive
Charleston, WV 25301 Grafton, WV 26345
Agent Charles Duckworth Coal Operator _____
Permit Issued Date 12/04/2023 or Owner _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Barbour ss:

Matthew Yearsley and Ralph Harman being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 7th day of September, 2024, and the well was plugged and filled in the following manner:

| TYPE | FROM | TO | PIPE REMOVED | LEFT |
|------------------------------------|-------|---------|------------------------------------------|-------|
| Expandable Cement with Gas Blocker | 4570' | 2500' | 4 1/2" Casing - 2100' | 2607' |
| Expandable Cement | 2500' | 1347' | 8 5/8" Casing - Milled 27' (930' - 957') | 1291' |
| Thixotropic Cement | 1347' | 1211' | 10 3/4" Casing - 0' | 187' |
| Thixotropic Cement with Green Dye | 1211' | 740' | 16" Conductor Casing - 0' | 5' |
| Expandable Cement | 740' | Surface | | |
| | | | | |
| | | | | |

Description of monument: 77" of 7" casing with Company Name, Well #, API #, and Date Completed and that the work of plugging and filling said well was completed on the 19th day of September, 2024.

And further deponents saith not. Matthew A. Yearsley
Ralph Harman



Sworn and subscribe before me this 25th day of September, 2024

My commission expires: August 17, 2025 [Signature]
Notary Public

Affidavit reviewed by the Office of Oil and Gas: Randall M. Kirchberg Digitally signed by Randall M. Kirchberg Date: 2024.09.26 13:21:44 -0400 Title: OOG Inspector

10/18/2024

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

WEST VIRGINIA LAND RESOURCES, INC.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WEST VIRGINIA LAND RESOURCES, INC.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
R.L. ENSIMGER (EST)
Lease or Property Owner
10100 Schneiter Circle, Anchorage, AK 99507
Address

WEST VIRGINIA LAND RESOURCES, INC.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
Big Run W.VA 7.5'
Well Location
GRANT
District
WETZEL
County
7340
Well No.
GEO. W. ENSIMINGER
Farm

STATE INSPECTOR SUPERVISING PLUGGING Steve McCoy Stephen Mccoy Digitally signed by Stephen Mccoy
Date: 2024.09.24 09:06:32 -0400
AFFIDAVIT

STATE OF WEST VIRGINIA,
County of WETZEL ss:

MATTHEW A. YEARSLEY and DELBERT MOORE being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by West Virginia Land Resources, Inc. well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 30th day of July, 2024 and that the well was plugged in the following manner:

| Sand or Zone Record Formation | Filling Material | Casing/Tubing Size | Casing Pulled | Casing Left In |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|
| Cleaned a 12 1/4" hole from surface to 324'. Reduced hole to 9 7/8" and cleaned 9 7/8" hole from 324' to 548'. Top of 8 5/8" casing was found at 548'. Reduced hole to a 6 1/4" and cleaned a 6 1/4" hole through the 8 5/8" casing from 548' to 1250'. Removed 588' of 8 5/8" casing from 548' to 1136'. Cleaned a 9 7/8" hole from 548' to 1136'. Cleaned a 9 7/8" hole through the Pittsburgh Coal 1020.5' to 1027.5'. Cut 8 5/8" casing at 1227.5' and 1177.5'. A diligent effort was made to remove the remaining 8 5/8" casing by pulling 150% of the string weight. All attempts were unsuccessful. Left an unknown amount of 8 5/8" casing in the hole below 1136'. Cemented hole from 1250' to surface as follows: Cemented hole from 1250' to 820' with 215 sacks of Thixotropic Cement with Green Dye and Gas Blocker Additive. Cemented hole from 820' to surface with 500 sacks of Expandable Cement. Cement did circulate at the surface. A total of 715 sacks of cement were used to fill the hole from 1250' to the surface. | 8 5/8" Casing | 588' | Unknown | |
| | | 16" Conductor Casing | 0' | 20' |
| Coal Seams | | Description of Monument | | |
| <u>Pittsburgh</u> | <u>1020.5' - 1027.5'</u> | 77" of 7" casing w/ company name, well #, API # and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level. | | |

... and that the work of plugging and filling said well was completed on the 13th day of August, 2024

And further deponents saith not.

Matthew A. Yearsley

Matthew A. Yearsley


Delbert Moore

Delbert Moore

Sworn to and subscribed before me this 6th day of September

Christopher Willis
Notary Public

My commission expires:
June 8, 2027



Permit No. 47-103-03674
Well No. 7340
Latitude: 39° 31' 19.03"N
Longitude: -80° 31' 27.54"W

10/18/2024