

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Friday, May 25, 2018 WELL WORK PERMIT Horizontal 6A / New Drill

ARSENAL RESOURCES LLC 6031 WALLACE ROAD EXTENSION SUITE 603

WEXFORD, PA 15090

Re: Permit approval for HOWDERSHELT BCH 204 47-001-03358-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: Farm Name: U.S. WELL NUMBER: Horizontal 6A Date Issued: 5/25/2018

Promoting a healthy environment.



PERMIT CONDITIONS 4700103358

API Number:

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:

PERMIT CONDITIONS 4700 103358

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

.

API NO. 47-001 - 03358

OPERATOR WELL NO. Howdershelt BCH 204 Well Pad Name: Howdershelt BCH

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operate	or: <u>Arsena</u>	al Resour	ces	494519412	Barbour	Cove	Nestorville
				Operator ID	County	District	Quadrangle
2) Operator's W	Vell Numbe	r: Howde	ershelt BCH	1 204 Well Pac	l Name: How	vdershelt B	СН
3) Farm Name/	Surface Ow	ner: Melvi	n & Renee Hov	vdershelt Public Roa	d Access: CI	R 38	
4) Elevation, cu	urrent groun	d: <u>155</u>	3.0 E	Elevation, proposed	post-construc	tion: <u>1558</u> .	0
5) Well Type	(a) Gas Other	<u>X</u>	Oil	Unde	erground Stor	age	
	(b)If Gas	Shallow Horizon		Deep			-
6) Existing Pad	l: Yes or No				_		
7) Proposed Ta	rget Format	ion(s), De	-	cipated Thickness a Bottom- 7608.0ft, Antic	-		ated Pressure- 0.5 psi/ft
8) Proposed To	tal Vertical	Depth: 7	7594' TVD ((Lateral), 7707' TV	D (Pilot Hole)	
9) Formation a		_		us (Lateral), Hunter			
10) Proposed T	otal Measur	ed Depth	15599'				
11) Proposed H	lorizontal L	eg Length	: <u>7606.05</u>	'			
12) Approxima	ite Fresh Wa	ater Strata	Depths:	950'			
13) Method to 114) Approximation			-	Offsetting Well Water Dep	ths(001-01564, 00	1-01782, 001-01	784, 001-03054, 001-03058)
15) Approxima	te Coal Sea	m Depths	Upper Freepo	rt 163', Lower Freeport 195',	Upper Kittanning 25	55', Middle Kittann	ing 344', Lower Kittanning 364'
16) Approxima	te Depth to	Possible `	Void (coal n	nine, karst, other):	None Known	۱ <u> </u>	
17) Does Propo directly overlyi					N	Io None Kr	nown
(a) If Yes, pro	vide Mine	Info: Na	ime:				RECEIVED
•		De	pth:				Office of Oil and Gas
		Se	am:				DEC 28 2017
		Ov	vner:				WV Department of Environmental Protection

API NO. 47-_____ OPERATOR WELL NO. Howdershelt BCH 204 Well Pad Name: Howdershelt BCH

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

TYPE	<u>Size</u> (in)	<u>New</u> or <u>Used</u>	Grade	<u>Weight per ft.</u> (lb/ft)	<u>FOOTAGE: For</u> <u>Drilling (ft)</u>	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	24	New	H-40	94	80	80	CTS
Fresh Water	13.375	New	J-55	54.5	1,025	1,025	CTS
Coal							
Intermediate	9.625	New	J-55	40	2,000	2,000	CTS
Production	5.5	New	P-110	20	15,599	15,599	TOC @1,850
Tubing							
Liners							

Lement T. Suyalah 12-13-17

ТҮРЕ	Size (in)	<u>Wellbore</u> <u>Diameter (in)</u>	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	<u>Burst Pressure</u> (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
Conductor	24	36			0	Туре 1, 3% СаСі2	1.2
Fresh Water	13.375	17.5	0.38	2,730	900	Class A, 3% CaCl2	1.2
Coal							
Intermediate	9.625	12.25	0.395	3,950	1,500	Class A, 3% CoCl2	1.29
Production	5.5	8.5-8.75	0.361	12,640	9,500	Class A/50:50 Poz	1.29/1.34
Tubing					5,000		
Liners					N/A		

PACKERS

Kind:				
Sizes:				
Depths Set:	· · · ·			
			в	ECEIVED

Office of Oil and Gas

DEC 28 2017

WV Department of Environmental Protection Page 2 of 3 05/25/2018

API NO. 47-____-OPERATOR WELL NO. Howdershelt BCH 204 Well Pad Name: Howdershelt BCH

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

The well will be started with a conductor rig drilling a 36" hole to Conductor programmed depth then running 24" casing and circulating cement back to surface. The conductor rig will move out and the drilling rig will move in and rig up. The drilling rig will then spud a 17 ½" hole and drill to fresh water casing (Surface) to the programmed depth, Run 13- 3/8" casing and cement to surface. The rig will continue drilling a 12- ¼" intermediate hole to the programmed depth, run 9-5/8" casing and cement to surface. The rig with then continue to drill an 8- ¾" hole to a designed pilot hole depth, then trip out of hole to run wireline logs. A cement kick-off plug will then be set from bottom of the pilot hole to the designed KOP. We will then drill off the cement plug and start drilling the curve and lateral section to the programmed total measured depth, run 5 ½" casing and cement according to the program.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The well will be completed using a plug and perforation method and stimulated with a slickwater and sand slurry. The anticipated maximum rate will be 90 bpm and the maximum pressure will be 9,500 psi.

		RECEIVED Office of Oil and Gas
21) Total Area to be disturbed, including roads, stockpile area, pits, etc	:., (acres): 10.9	DEC 28 2017
22) Area to be disturbed for well pad only, less access road (acres): $\frac{6}{2}$.8	WV Department of Environmental Protection
23) Describe centralizer placement for each casing string:		

23) Describe centralizer placement for each casing string:

24"- No centralizers, 13 3/8" – one bow spring centralizer on every other joint, 9 5/8" – one bow spring centralizer every third joint from TD to surface, 5 $\frac{1}{2}$ " – one semi rigid centralizer on every joint from TD of casing to end of curve. Then every other joint to KOP. Every third joint from KOP to 2,100'; there will be no centralizers from 2,100 to surface.

24) Describe all cement additives associated with each cement type:

24" will be grouted from surface. The 13 3/8" casing will be cemented to surface with Class A cement and no greater than 3% CaCl (calcium chloride). The 9 5/8" casing will be cemented to surface with Class A cement, & no greater than 3% calcium chloride. The 5 1/2" production string will be cemented back to 1,850' (+/- 150' above the casing shoe for the 9 5/8") with Type 1 or Class A and 50/50 Poz cement retarded (to extend pumpability) cellophane flaked for fluid loss, Bentonite gel as an extender (increased pumpability and fluid loss), a defoaming agent to decrease cement foaming during mixing to insure the cement is of proper weight to placement and possibly gypsum gas blocking additive to aid in blocking/gas migration (in combination with other additive mentioned here, helps cement achieve a "right angle" set) during the plastic phase of the cement set-up.

25) Proposed borehole conditioning procedures:

Top holes will be drilled with fresh water to KOP. At KOP, the wellbore will be loaded with synthetic oil based mud, barite-weighted mud system with such properties as to build a filter-cake on the face to the bore-hole. This will provide lubricity as well as stabilizing the well bore. We will begin rotating the drill string and mud will be circulated upon reaching TD until no further cuttings are observed coming across the shaker screens. Once clean mud is circulated back to surface, we will pull three stands of drill pipe, load the hole, pull three stands and load the hole. The weight indicator on the rig will be monitored for any occurrences of drag and if any, additional hole cleaning efforts will be applied to that section of the well.

*Note: Attach additional sheets as needed.



WW-6B (10/14)



Purpose

The purpose of this pad-specific Hydraulic Fracturing Monitoring Plan is to identify and notify conventional well operators near Arsenal Resources hydraulic fracturing in Barbour County, WV prior to hydraulic fracturing at the following ARSENAL RESOURCES wells on the Howdershelt BCH 204 Pad.

Due to the apparent presence of unique geological conditions, the potential for communication between deep geologic zones exists in this area. This potential communication, via natural gas, water, or both, may occur between hydraulically fractured wells in the Marcellus formation (approximately 7,600'TVD) and existing conventional natural gas wells in partially-depleted, relatively high permeability reservoirs at depths shallower than the Marcellus.

ARSENAL RESOURCES has determined there are no existing active or inactive wells within the 500' offset of the Howdershelt BCH 204 wellbore.

<u> </u>	Howdershelt 204				
CEMENT ADDITIVES					
	Name	Purpose			
Additive #1:	Bentonite	Helping fluid loss, reducing free water			
Additive #2:	Calcium Chloride	Accelerator for low temp application			
Additive #3:	Celloflake	Loss circulation additive			
Additive #4:	Gypsum	Used for thixotropic properties			
Additive #5:	Lignosulfonate	Low temp cement retarder			
Additive #6:	Naphthalene Based	Used to improve rheological properties of cement			
	Dispersant				
Additive #7:	Cellulose	Help with fluid loss			

RECEIVED Office of Oil and Gas

~

DEC 28 2017

WV Department of Environmental Protection

05/25/2018

	ENAL		Arsenal Resour Howdershelt BCI	H 204	
	JACES		Casing Desig Directional Plan #	1 QES	
Other Names: Surface Location:	N/A TBD			County: State:	Barbour West Virginia
Bottom Hole Location:	TBD			AFE #: RKB:	XX API#: XX
Total Depth:	15,599 MD (ft) 7,594 TVD (ft)			Ground Level:	1,558
Logs	Significant Formations (TVD)	Depth (ft) MD	Depth (ft) TVD	Hole Size	Casing and Mud Directional & Surveys Cement Drlg /Csg Point
None	Section 1		Drive Pipe		
10.00		80	80	24" 94# H-40 STC 17 1/2" (PDC)	Floc Water
None	Section 2		Floc	Cen	nent: Class A 489 Sacks w/ 30% Excess
					Surface (top off if needed) nent volumes are estimates
Possible CBL after coment job		1,025	1,025	13 3/8" 54.5# J-55 STC	Vertical
None	Section 3		Floc	12 1/4" (PDC)	Floc Water
				TOC: Su	nent: Class A 678 Sacks w/ 50% Excess rface (top off if needed) sent volumes are estimates
Possible				1	
BL after cement job		2,000	2,000	9 5/8" 40# J-55 LTC	Vertical
	Section 4		Floc	Mud Data Floc Water Floc Water 11.5- 12.0 ppg SOBM	From To 80 2000 2000 (3.992 6.992 15.599
				Bit Data 17-1/2" & 12 1/4" PDC 8-3/4" (PDC) 8-1/2" (PDC) Directional Data	Fram Te 60 2,000 2000 7,992 7,992 15,599 See Directional Plan
			ОВМ		
	Big Lime		1,295		
	1st Elk Siltstone		4,425		
	Tully Lime		7,165		
	Purcell (Limestone)		7,569		
	Lower Marcellus		7,572	Cement: Type 1 1.2 ft3/sack +10% Exs in Ol All cem	H = 2637 sacks TOC: 1,850 ft rent volumes are estimates
	15,599 MD 7594 TVD				
					5 1/2" 20# P-110 VAR
Revision	1		Note: Not drawn to so	alo	Cement Outside Casing

RECEIVED Office of Oil and Gas

DEC 28 2017

WV Department of Environmental Protection



My com

FLUIDS/ CUTTING	GS DISPOSAL & RECLAMATION PLAN
Operator Name_ Arsenal Resources	OP Code 494519412
Watershed (HUC 10) Brushy Fork	Quadrangle Nestorville
Do you anticipate using more than 5,000 bbls of water Will a pit be used? Yes No If so, please describe anticipated pit waste: Will a synthetic liner be used in the pit? Yes Proposed Disposal Method For Treated Pit W	No If so, what ml.?
Land Application	IC Permit Number
Reuse (at API Number	
Off Site Disposal (Supply f Other (Explain	form WW-9 for disposal location)

API Number 47 -

Additives to be used in drilling medium? Bentonite, Soap & Polymer sticks, Soda Ash, Sodium Bicarbonate, Defoamer, Base Oil, Emulsifiers, Lime Bartite

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Landfill

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Advanced Disposal Services & Chestnut Valley Landfill

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. RECEIVED

Company Official Signature Mulles	Office of Oil and Gas	
Company Official (Typed Name) William Veigel	DEC 28 2017	
Subscribed and sworn before me this 15th day of December	WV Department of Environmental Protection , 20_17_	
My commission expires March 5, 2022	Notary Public OFFICIAL SEAL MOTARY PUBLIC STATION VEST VIOLINIA DEBCIE ROUPE 05/25/2018	

Form	WW-9
TOUL	11 11 -2

Arsenal Resources

Operator's Well No. Howdershelt BCH 204

45

Proposed Revegetation Treatm	nent: Acres Disturbed _1	0.9 Prevegetation pH	6.8 Average
Lime 2.67	Tons/acre or to corre	ect to pH 6.4	
Fertilizer type <u>10-2</u>	0-20		
Fertilizer amount 10	00	lbs/acre	
Mulch 3-4		_Tons/acre	
		Seed Mixtures	
Ten	aporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Orchard Grass	129	Orchard Grass	129
Rye	93	Rye	93
Clover	24	Clover	24

Attach:

Timothy

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions ($L \times W \times D$) of the pit, and dimensions ($L \times W$), and area in acreage, of the land application area.

Timothy

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Emand L. Layout

45

Comments: Re-seed and mulch all disturbed areas as soon as reasonably possible

per regulation. Upgrade erosion and sediment control measures where needed

per the West Virginia Erosion and Sediment Control Field Manual.

	<u>_</u>		RECEIVED Office of Oil and Gas
Title: OILFGAS INSPECTOR	Date:	12-13-17	DEC 28 2017
Field Reviewed?) No		WV Department of

Environmental Protection

05/25/2018



SITE SAFETY PLAN

Howdershelt BCH #204 WELL PAD

911 Address:

WV State Route 38


Imered L. Hoyalds 12-13-17

RECEIVED Office of Oil and Gas

DEC 28 2017

WV Department of Environmental Protection

> 1 05/25/2018



WW-6A1 (5/13) Operator's Well No. Howdershelt BCH 204

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or	Grantor Losson ato	Grantaa Lassaa ata	Rovalty	Book/Page
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royany	DOOK/Fage

See Attached

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- · WV Division of Water and Waste Management
- · WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Arsenal Resources	V
By:	William Veigel	ist
Its:	Designated Agent	

Page 1 of 9

05/25/2018

Letter Designation/Number Designation on Plat	Grantor, Lessor, Assignor, etc.	Grantee, Lessee, Assignee, etc.	Royalty	Book/Page	Acreage
	Melvin Howdershelt and Grace				
А	Renee Howdershelt	R.P. Land Company, LLC	0.18	160/272	233.96
	R.P. Land Company, LLC	Mar Key, LLC		157/100	
	John R. Adams and Martha V.				
В	Adams, husband and wife	Mar Key, LLC	0.15	161/115	109.0012875
В	Paul D. Adams, single	Mar Key, LLC	0.15	161/113	109.0012875
	Rommel Family Trust, c/o Sandra J.				
С	Rommel, Trustee	R.P. Land Company, LLC	0.18	160/100	172.02
	R.P. Land Company, LLC	Mar Key, LLC		157/100	

Attachment to WW-6A1, Howdershelt BCH 204

Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Mountaineer Keystone LLC, a West Virginia limited liability company ("Mountaineer Keystone"), PDC Mountaineer, LLC, a Delaware limited liability company ("PDC"), and PDC Mountaineer Holdings, LLC, a Delaware limited liability company ("PDC"), and PDC October 15, 2014. (the "Effective Date") and sets forth the terms pursuant to which Mountaineer Keystone will drill, complete and operate the Wells (as defined below) on behalf of PDC and PDC Holdings. Mountaineer Keystone, PDC, and PDC Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Mountaineer Keystone on the one hand or PDC and PDC Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- 2. Authorization to Operate: PDC and PDC Holdings authorize Mountaineer Keystone to undertake and perform, on PDC and PDC Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by PDC or PDC Holdings. PDC, PDC Holdings and Mountaineer Keystone are affiliates with a common parent. Mountaineer Keystone was formed to operate oil and gas leasehold acreage held by PDC, PDC Holdings and certain other affiliates. Mountaineer Keystone agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by PDC or PDC Holdings from time to time as directed by PDC or PDC Holdings
- 3. No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]

05/25/2018

:

:

IN WITNESS WHEREOF, Mountaineer Kcystone, PDC, and PDC Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

MOUNTAINEER KEYSTONE LLC

By: Name: Solers Title: CEO

PDC MOUNTAINEER, LLC By: Name: R.L. + Kacl

Title: Caro

PDC MOUNTAINEER HOLDINGS, LLC

By: Name:

Title: Caro

US_ACTIVE-117670392

Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Arsenal Resources LLC, a West Virginia limited liability company ("Arsenal"), River Ridge Energy, LLC, a Delaware limited liability company ("River Ridge"), and River Ridge Energy, Holdings, LLC, a Delaware limited liability company ("River Ridge Holdings"), is effective as of March 1, 2017. (the "Effective Date") and sets forth the terms pursuant to which Arsenal will drill, complete and operate the Wells (as defined below) on behalf of River Ridge and River Ridge Holdings. Arsenal, River Ridge, and River Ridge Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Arsenal on the one hand or River Ridge and River Ridge Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- 2. Authorization to Operate: River Ridge and River Holdings authorize Arsenal to undertake and perform, on River Ridge and River Ridge Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons thereform with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by River Ridge or River Ridge Holdings. River Ridge, River Ridge Holdings and Arsenal are affiliates with a common parent. Arsenal was formed to operate oil and gas leasehold acreage held by River Ridge, River Ridge Holdings and certain other affiliates. Arsenal agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by River Ridge or River Ridge Holdings from time to time as directed by River Ridge or River Ridge Holdings from time to time as directed by River Ridge or River Ridge Holdings (collectively, the "Wells").
- 3. No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]

IN WITNESS WHEREOF, Arsenal, River Ridge, and River Ridge Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

ARSENAL RESOURCES LLC

Bv: Name: Joel E. Symonds

Title: Vice President - Land

RIVER RIDGE ENERGY, LLC

By: Name: Joel E. Symonds

Name: Joel E. Symonds Title: Vice President - Land

RIVER RIDGE HOLDINGS, LLC

By Name: Joel E. Symonds

Title: Vice President - Land

West Virginia Secretary of State — Online Data Services

Business and Licensing

Online Data Services Help

Business Organization Detail

NOTICE: The West Virginia Secretary of State's Office makes every reasonable effort to ensure the accuracy of information. However, we make no representation or warranty as to the correctness or completeness of the information. If information is missing from this page, it is not in the The West Virginia Secretary of State's database.

MAR KEY LLC

Organization Information								
Org Type	Effective Date	Established Date	Filing Date	Charter	Class	Sec Type	Termination Date	Termination Reason
LLC Limited Liability Company	7/11/2011		7/11/2011	Domestic	Profit			

Business Purpose	2111 - Mining, Quarrying, Oil & Gas Extraction - Oil and Gas Extraction - Crude Oil and Natural Gas Extraction	Capital Stock	
Charter County		Control Number	99Q1F
Charter State	w	Excess Acres	
At Will Term	Α	Member Managed	MBR
At Will Term Years		Par Value	

Authorized Shares	

Addresses		
Туре	Address	
Designated Office Address	65 PROFESSIONAL PLACE SUITE 200 BRIDGEPORT, WV, 26330	
Mailing Address	6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090 USA	
Notice of Process Address	CORPORATION SERVICE COMPANY 209 WEST WASHINGTON STREET CHARLESTON, WV, 25302	
Principal Office Address	6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090 USA	
Гуре	Address	

Officers			
Туре	Name/Address		
Member	ARSENAL RESOURCES ENERGY LLC 6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090		
Organizer	PAUL M HERZING 560 EPSILON DR. PITTSBURGH, PA, 15238 USA		
Туре	Name/Address		

Annual Reports		
Date filed		
	05/25/201	8

WV SOS - Business and Licensing - Corporations - Online Data Services 7 0 0 1 0 3 3P5 68 of 3

3/30/2017	1
6/20/2016	
6/30/2015	
4/28/2014	
6/28/2013	
5/8/2012	
Date filed	

For more information, please contact the Secretary of State's Office at 304-558-8000.

Tuesday, November 28, 2017 - 9:44 AM

© 2017 State of West Virginia





December 14, 2017

Mr. James Martin, Chief of Oil and Gas West Virginia Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

RE: Ownership of Roadways; Howdershelt Pad

Dear Mr. Martin:

In preparation of filing a permit application for the above referenced well, the Title Department of Arsenal Resources has conducted a thorough title examination in order to determine the ownership of the oil and gas underlying all roadways crossed by the proposed wells. The findings of the title examination show that some of the roadways crossed by the proposed wells are owned in fee by the West Virginia Department of Transportation, Division of Highways and that some are only right of ways. If owned in fee by the West Virginia Department of Transportation, Division of Transportation, Division of Highways, a lease covering its interest in the roadway or roadways has been properly obtained and provided in the application materials. If a right of way only, the oil and gas underlying such roadway or roadways is owned by the adjoining landowners and is also covered by the leaseholds provided in the application materials.

If you have any questions, concerns or need further information, please do not hesitate to contact me at the address listed below.

Sincerely,

Ryan Brode

Title Attorney

6031 Wallace Road Ext, Suite 300 Wexford, PA 15090 P: 724-940-1100 F: 800-428-0981 www.arsenairesources.com



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification: 12-15-12

**				
Notice	has	been	given	

API No. 47-	-
Operator's Well No.	Howdershelt BCH 204
Well Pad Name: Ho	wdershelt BCH

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	LEEMANAR Ea	sting:	597124.1	
County:	Barbour	UTM NAD 83	orthing:	4339237.6	
District:	Cove	Public Road Access:		CR 38	
Quadrangle:	Nestorville	Generally used farm	name:	Howdershelt	
Watershed:	Brushy Fork				

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following: *PLEASE CHECK ALL THAT APPLY	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or ■ NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
■ 2. NOTICE OF ENTRY FOR PLAT SURVEY or □ NO PLAT SURVEY WAS CONDUCTED	RECEIVED
□ 3. NOTICE OF INTENT TO DRILL OF INTER NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED OF	RECEIVED/ NOT REQUIRED
U WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
4. NOTICE OF PLANNED OPERATION	RECEIVED
■ 5. PUBLIC NOTICE	RECEIVED
■ 6. NOTICE OF APPLICATION	RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

WW-6AC (1/12)

Certification of Notice is hereby given:

THEREFORE, I William Veigel

, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	Arsenal Resources // /////////////////////////////////	Address:	6031 Wallace Road Extension, Suite 300
By:	William Veigel		Wexford, PA 15090
Its:	Designated Agent	Facsimile:	304-848-9134
Telephone:	724-940-1218	Email:	kdavis@arsenalresources.com

NOTARY SEAL	Subscribed and sworn before me this 15th day of	December 2017
NOTARY PUBLIC STATE OF WEST VIRGINIA DEBBIE ROUPE	Deblie House	Notary Public
SIB FAUST STREET FAIRMONT, WY 23554 My commission expires March 5, 2022	My Commission Expires March 5, o	2022

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6A (9-13)

APINO. 47- 47.00 103358

OPERATOR WELL NO. Howdershelt BCH 204 Well Pad Name: Howdershelt BCH

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 12-15-17 Date Permit Application Filed: 12-27-17

Notice of:

PERMIT FOR ANY
CERTIFICATE OF APPROVAL FOR THE
CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice	WSSP Notice	E&S Plan Notice	Well Plat Notice	is hereby provided to:
--------------------	-------------	-----------------	------------------	------------------------

SURFACE OWNER(s)	COAL OWNER OR LESSEE
Name: Melvin and Renee Howdershelt	Name: See Attached
Address: 306 Stony Run Road	Address:
Moatsville, WV 26405	
Name:	COAL OPERATOR
Address:	Name:
	Address:
SURFACE OWNER(s) (Road and/or Other Disturbance)	
Name: Melvin and Renee Howdershelt	SURFACE OWNER OF WATER WELL
Address: 306 Stony Run Road	AND/OR WATER PURVEYOR(s)
Moatsville, WV 26405	Name: See Attached
Name:	Address:
Address:	
	OPERATOR OF ANY NATURAL GAS STORAGE FIEL
□ SURFACE OWNER(s) (Impoundments or Pits)	Name:
Name:	Address:
Address:	
	*Please attach additional forms if necessary

API NO. 47-OPERATOR WELL NO. Howdershelt BCH 204 Well Pad Name: Howdershelt BCH

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va, Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief'a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Location Restrictions

Pursuant to W, Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A (8-13)



OPERATOR WELL NO. Howdershelt BCH 204 Well Pad Name: Howdershelt BCH

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13) API NO. 47- -OPERATOR WELL NO. Howdershelt BCH 204

Well Pad Name: Howdershelt BCH

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

WW-6A			
(8-13)			
		/	7
		1/	/
	ereby given by:	un sol	
Well Operation		may	
Telephone:	724-940-1218		
	@arsenalresources.com		

4700 103358 API NO. 47-____

OPERATOR WELL NO. Howdershelt BCH 204 Well Pad Name: Howdershelt BCH

Address: 60	031 Wallace Road Extension, Suite 300	
Wexford, PA	15090	
Facsimile:	304-848-9134	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

STATE STATE	OFFICIAL SEAL
	NOTARY PUBLIC
141 3 3 M	STATE OF WEST VIRGINIA
	DEBBIE ROUPE
1. (22) 22. / - /	548 FAUST STREET
Re Carl	FAIRMONT, WV 26554
Decrimentor 1	My commission expires March 5, 2022 🤰

Subscribed and sworn befo	ore me this 15th day of	December 2017
Delilue	Roupe	Notary Public
My Commission Expires_	March 5.	2022

Howdershelt BCH

Drill Site (Surface)

Melvin & Renee Howdershelt 306 Stony Run Road Moatsville, WV 26405

Road (Surface)

Melvin & Renee Howdershelt 306 Stony Run Road Moatsville, WV 26405

Drill Site – Coal

Melvin & Renee Howdershelt 306 Stony Run Road Moatsville, WV 26405

Blackhawk Land and Resources, LLC 3328 Summit Square Place, Suite 180 Lexington, KY 40509

Drill Site – Oil & Gas

Melvin & Renee Howdershelt 306 Stony Run Road Moatsville, WV 26405

Water Purveyors

Melvin & Renee Howdershelt 306 Stony Run Road Moatsville, WV 26405 Bradley & Desiree Howdershelt 2527 Mountaineer Road Moatsville, WV 26405


Eric V. Howdershelt c/o Adam & Jessica McLean 2469 Mountaineer Road Moatsville, WV 26405

Glenn J. Moore et ux 2781 Mountaineer Road Moatsville, WV 26405

Ira G. & Carol Hovatter / 1838 Kasson Road Moatsville, WV 26405

New Hope Valley Church/ RR 2 Box 87C Philippi, WV 26416

William Thomas Owens / 2851 Mountaineer Road Moatsville, WV 26405





Possible Water Purveyors within 1,500 feet of Howdershelt Pad

MAP	PARCEL	OWNER	IN CARE OF	ADDRESS
15	13	MOORE J GLENN ET UX		2781 MOUNTAINEER RD , MOATSVILLE , WV 26405
18	8	MOORE J GLENN		2781 MOUNTAINEER RD , MOATSVILLE , WV 26405
18	9	OWENS THOMAS WILLIAM		2851 MOUNTAINEER RD , MOATSVILLE , WV 26405
18	10	OWENS THOMAS WILLIAM		2851 MOUNTAINEER RD , MOATSVILLE , WV 26405
19	38	HOVATTER IRA G & CAROL HWS (TOD)		1838 KASSON RD , MOATSVILLE , WV 26405
19	38.1	NEW HOPE VALLEY UM CHURCH		, xx , xx
19	40	HOWDERSHELT LIVING TRUST MELVIN & GRACE HOWDERSHELT	TRUSTEES	305 STONY RN , MOATSVILLE , WV 26405
19	40.1	HOWDERSHELT LIVING TRUST MELVIN & RENEE HOWDERSHELT	TRUSTEES	305 STONY RN , MOATSVILLE , WV 26405
19	41	HOWDERSHELT LIVING TRUST MELVIN & RENEE HOWDERSHELT	TRUSTEES	306 STONY RN , MOATSVILLE , WV 26405
19	41.1	HOWDERSHELT BRADLEY & DESIREE WS		2527 MOUNTAINEER RD , MOATSVILLE , WV 26405
19	41.4	HOWDERSHELT V ERIC	C/O ADAM & JESSICA MCLEAN WS	2469 MOUNTAINEER RD , MOATSVILLE , WV 26405
19	42	NEW HOPE VALLEY CHURCH		RR , PHILIPPI , WV 26416

WW-6A3 (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry Date of Notice: (6-8-17) Date of Planned Entry: 6-15-17

Delivery method pursuant to West Virginia Code § 22-6A-10a

PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

SURFACE OWNER(s)	COAL OWNER OR LESSEE	
Name: Melvin and Renee Howdershelt	Name: See Attached	
Address: 306 Stony Run Road	Address:	
Moatsville, WV 26405		
Name:		V
Address:	MINERAL OWNER(s)	v
	Name: Melvin and Renee Howdershelt	
Name:	Address: 306 Stony Run Road	
Address:	Moatsville, WV 25405	
	*please attach additional forms if necessary	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	West Virginia	Approx. Latitude & Longitude:	39.197459, -79.764113	
County:	Barbour	Public Road Access:	CR 38	
District:	Cove	Watershed:	Brushy Fork	
Quadrangle:	Nestorville	Generally used farm name:	Howdershelt	
4				

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

Well Operator:	Arsenal Resources	Address:	6031 Wallace Road Extension, Suite 300	
Telephone:	724-940-1218		Wexford, PA 15090	
Email:	kdavis@arsenalresources.com	Facsimile:	304-848-9134	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

00103358

Operator Well No. Howdershelt BCH 204

Howdershelt BCH Attachment for Notice of Entry for Plat Survey

/

Drill Site – Coal

Melvin & Renee Howdershelt / 306 Stony Run Road Moatsville, WV 26405

Blackhawk Land and Resources, LLC 3328 Summit Square Place, Suite 180 Lexington, KY 40509

05/25/2018

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 12 - 15 - 17 Date Permit Application Filed: 12 - 27 - 17

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	HAND
RETURN RECEIPT REOUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: Melvin and Renee Howdershelt		Name:	
Address: 306 Stony Run Road	/	Address:	
Moatsville, WV 26405			
	-		

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	UTM NAD 83 Ea	asting:	597124.1	
County:	Barbour	UIMINAD 83 N	orthing:	4339237.6	
District:	Cove	Public Road Access	:	CR 38	
Quadrangle:	Nestorville	Generally used farm	name:	Howdershelt	
Watershed:	Brushy Fork				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator:	Arsenal Resources	Address:	6031 Wallace Road Extension, Suite 300	
Telephone:	724-940-1218		Wexford, PA 15090	
Email:	kdavis@arsenalresources.com	Facsimile:	304-848-9134	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6AW (1-12)

4700103358

API NO. 47- 077 -OPERATOR WELL NO. See Attached Well Pad Name: Howdershell BCH

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

I, <u>Bradley & Destree Howdershelt</u>, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through ______, including the erosion and sediment control plan, if required, and the well plat, all for proposed well work on the tract of land as follows:

State:	West Virginia	UTA NAD 92	Easting:	See Atlached	
County:	Barbour	UTM NAD 83	Northing:	See Attached	
District:	Cove	Public Road Access:	Route 38		
Quadrangle:	Nestorville	Generally used far	rm name:	Melvin and Ranee Howdershelt	
Watershed:	Brushy Fork of Teler Creek				

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERSON
Signature: July Hinditot
Print Name: Bradles Howdershelt Date: 12-35-17
FOR EXECUTION BY A CORPORATION, ETC. Company:
By: Its:
Signature:
Date:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>deprivacyofficer@wv.gov</u>.

RECEIVED Office of Oil and Gas

FEB 1 85/25/2018 WV Department of Environmental Protection

WW-6AW (1-12) API NO. 47-077 OPERATOR WELL NO. See Attached Well Pad Name: Howdershelt BCH

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

I, Glenn J. Meore et ux ______, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through ______, including the erosion and sediment control plan, if required, and the well plat, all for proposed well work on the tract of land as follows:

State:	West Virginia	UTM NAD 83	Easting:	See Attached	
County:	Barbour	UIM NAD 83	Northing:	See Attached	
District:	Соув	Public Road Acc	Public Road Access:	Route 38	
Quadrangle:	Nestorville	Generally used fa	arm name:	Melvin and Renee Howdershelt	
Watershed:	Brushy Fork of Teter Creek				

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
□ SURFACE OWNER	Signature: Josse Lilen moore
□ SURFACE OWNER (Road and/or Other Disturbance)	Print Name TESSE GEN MODELE Date: PERFORMENT
□ SURFACE OWNER (Impoundments/Pits)	
COAL OWNER OR LESSEE	FOR EXECUTION BY A CORPORATION, ETC. Company:
COAL OPERATOR	By: Its:
I WATER PURVEYOR	Signature:
OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

FEB 1 2 2018 05/25/2018 WV Department of Environmental Protection WW-6AW (1-12)

4700103358

API NO. 47-077 -OPERATOR WELL NO. See Attached Well Pad Name: Howdenshelt BCH

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

1, <u>New Hope Valley Church</u>, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through ______, including the erosion and sediment control plan, if required, and the well plat, all for proposed well work on the tract of land as follows:

State:	Wast Virginia	UTM NAD 83	Easting:	See Attached	
County:	Barbour	UTM NAD 83	Northing:	See Attached	
District: Cove		Public Road Access:		Route 38	
Quadrangle:	Nestorville	Generally used fa	arm name:	Melvin and Renee Howdershelt	
Watershed:	Brushy Fork of Teter Creek				

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
SURFACE OWNER	Signature:
SURFACE OWNER (Road and/or Other Disturbance)	Print Name:
□ SURFACE OWNER (Impoundments/Pits)	
COAL OWNER OR LESSEE	FOR EXECUTION BY A CORPORATION, ETC. Company: New Hope Valley Church
COAL OPERATOR	By: <u>Ronald Wartin</u> Its: <u>Truste & M</u>
WATER PURVEYOR	Signature:
OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>deprivacyofficer@wv.gov</u>.

RECEIVED Office of Oil and Gas

FEB 05/25/2018

WV Department of Environmental Protection

WW-6AW (1-12)

API NO. 47-077 OPERATOR WELL NO. See Attached Well Pad Name: Howdershett BCH

4700103358

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

I, <u>Melvin &/or Grace Howdenshelt</u>, hereby state that I have read the Instructions to Persons Named on Page WW-6A and the associated provisions listed above, and that I have received copies of a Notice of Application, an Application for a Well Work Permit on Form WW-6A and attachments consisting of pages one (1) through ______, including the erosion and sediment control plan, if required, and the well plat, all for proposed well work on the tract of land as follows:

State:	West Virginia	East	ting:	See Attached	
County:	Barbour	UTM NAD 83 Nor	thing:	See Attached	
District:	Cove	Public Road Access:	-	Route 38	
Quadrangle:	Nestorville	Generally used farm n	ame:	Melvin and Renee Howdershelt	
Watershed:	Brushy Fork of Tater Creek				

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

*Please check the box that applies	FOR EXECUTION BY A NATURAL PERSON
SURFACE OWNER	Signature: Mahry Howdershet
SURFACE OWNER (Road and/or Other Disturbance)	Print Name: Melvin Havdenshelt Date: 12-26 17
□ SURFACE OWNER (Impoundments/Pits)	FOR EXECUTION BY A CORPORATION, ETC.
COAL OWNER OR LESSEE	Company:
COAL OPERATOR	By: Its:
WATER PURVEYOR	Signature:
□ OPERATOR OF ANY NATURAL GAS STORAGE FIELD	Date:

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

FEB 1 2 25/2018

WV Department of Environmental Protection

47 - 001 - 03358



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

May 23, 2018

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

> Jill M. Newman Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Howdershelt Pad and Tank Site, Barbour County

Howdershelt BCH 204 Well Site

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permits #07-2018-0253 & 07-2018-0252 for the subject site to ARSENAL Resources for access to the State Road for the well site located off of WV Route 38 in Barbour County.

The operator has signed a DISTRICT WIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT for DOH District 7 and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.


Very Truly Yours,


Dany K. Clayton


Gary K. Clayton Regional Maintenance Engineer Central Office Oil &Gas Coordinator

Cc: Kelly Davis ARSENAL Resources CH, OM, D-7 File

Howdershelt 204				
FRACTURING ADDITIVES				
	PURPOSE	TRADE NAME	CAS #	
Additive #1:	Friction Reducer	WFRA-405	Proprietary	
Additive #2:	Scale Inhibitor	SI-1000	7440-21-3	
Additive #3:	Biocide	BIOCLEAR 2000	25314-61-8	
Additive #4:	Gelling Agent	LGC-15	9000-30-0	
Additive #5:	Corrosion Inhibitor	AI-300	111-76-2	
Additive #6:	Gel Breaker	AP-One	7727-54-0	
Additive #7:	Acid	HCI - 7.5%	7647-01-0	







-0 EN EN 5

0

-

0

0