

New Location...
 Drill Deeper.....
 Abandonment.....

Company	Pure Oil Co.
Address	Newark, Ohio
Farm	L.R. & P.
Tract "A" Acres	1951
Lease No.	227
Well (Farm) No.	13
Serial No.	450
Elevation (Spirit Level)	1407
Quadrangle	Peytona
County	Boone
District	Sherman
Engineer	J. B. Hunter
Engineer's Registration No.	Ohio-2912
File No.	
Drawing No.	
Date	9-20-55
Scale	1" = 200'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. B00-258-A
 Now 5-2188

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

680

Quadrangle Regina
Permit No. 258-A

WELL RECORD

Oil or Gas Well Oil
(KIND)


Company The Pure Oil Company
Address Box 551, Newark, Ohio
LaFollette, Robson & Prichard
Farm Tract "A" Acres 1,951
Location (waters) _____
Well No. 13 Elev. 1407
District Sherman County Boone
The surface of tract is owned in fee by LaFollette, Robson, Prichard, et. al.
Mineral rights are owned by Same
Address _____
Drilling commenced 3/14/21
Drilling completed 6/4/21
Date Shot 9-24-21 From 3074 To 3095
2-16-24 From 3081 To 3095
With 1st 60 qts, 2nd 120 qts.
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil 40 bbls., 1st 24 hrs.
Fresh water 245 feet 615 feet
Salt water 1578' 1715' feet 2060' feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer <u>Disc Packer</u>
16			
13			
10	<u>898'</u>	<u>898'</u>	Size of <u>5 3/16" x 6 1/4"</u>
8 1/2	<u>1780'</u>	<u>1780'</u>	
6 1/2	<u>2423'</u>	<u>2423'</u>	Depth set <u>2402'</u>
5 3/16			
3		<u>3092'</u>	Perf. top _____ Perf. bottom _____
2			Perf. top _____ Perf. bottom _____
Liners Used			

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 10 FEET 72 INCHES
85 FEET 60 INCHES 240 FEET 60 INCHES
610 FEET 60 INCHES 865 FEET 60 INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			0	10			Will the 40 bbls go with the original or the workover 2-16-24? It would be a W.W. would it?
Coal			10	16			
Slate			16	20			
Sand			20	50			
Slate			50	85			
Coal			85	90			
Slate & shell			90	125			
Sand			125	150			
Slate			150	195			
Sand			195	240			
Coal			240	245	Water	245'	
Slate			245	325			
Sand			325	400			
Slate			400	495			
Lime & shells			495	535			
Slate			535	610			
Coal			610	615	Water	615'	
Slate			615	685			
Sand			685	700			
Lime			700	760			
Sand			760	865			
Coal			865	870			
Shale			870	885			
Lime			885	890			
Slate			890	925			
Lime			925	950			
Sand			950	1025			
Slate			1025	1060			
Sand			1060	1110			
Slate			1110	1150			
Sand			1150	1285			
Slate			1285	1316			
Grampus hard			1316	1428			
Slate & shells			1428	1563			
Salt sand - hard			1563	1745	Water	1578' H.F. 1715'	
Slate & Shells			1745	2033			
Maxon sand			2033	2150	Water	2060'	
Red rock			2150	2175			
Slate			2175	2215			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red rock			2215	2240			
Slate			2240	2302			
Little Lime			2302	2386			
Big Lime			2386	2616			
Big Injun - red			2616	2640			
Slate & shell			2640	2817			
Weir sand			2817	2893			
Slate & shell			2893	3049			
Berea Grit			3049	3096	Oil & Gas	3077 - 3095	
TOTAL DEPTH				3100			

Date September 2, 1955, 18

APPROVED THE PURE OIL COMPANY, Owner

By Guy J. Andersen
(Title)

Division Superintendent