

New Location
 Drill Deeper
 Abandonment (7679)

Map Sheet: T-1-W Square 593 W 60 FB. 584 P1-2 + 536 P2

Company HOPE NATURAL GAS CO.
 Address CLARKSBURG, W. VA.
 Farm GEO. P. ALDERSON
 Tract _____ Acres 303 Lease No. 46358
 Well (Farm) No. _____ Serial No. 7679
 Elevation (Spirit Level) 814
 Quadrangle PEYTONA
 County BOONE District SHERMAN
 Engineer W.M. Bowers
 Engineer's Registration No. 900
 File No. _____ Drawing No. _____
 Date JUNE 14, 1943 Scale 1" = 800'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. B00-103-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

5/16 ✓

WELL RECORD

Permit No. 103-A


Oil or Gas Well (KIND)

Company Hope Natural Gas Company.
 Address 445 West Main St. Clarksburg, W. Va.
 Farm George F. Alderson Acres 303
 Location (waters) _____
 Well No. 7679 Elev. 814
 District Sherman County Boone
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced 9-29-1925
 Drilling completed 12-25-1925
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water 1020 1430 feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	385	385	Size of
8 1/4	1482	Pulled	
6 5/8	1745	1745	Depth set
5 3/16			
3			Perf. top
2	2415	Pulled	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED Not cemented SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 110 FEET 24" INCHES
170 FEET 48 INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
							Correcting report sent in June 14th.
Sand gravel			0	22			
slate			22	110			
Coal			110	122			
slate			112	130			
sand			130	145			
slate			145	170			
Coal			170	174			
slate shell			174	300			
Sand			300	352			



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

516 ✓

WELL RECORD

Permit No. 103-A

Oil or Gas Well (KIND)

Company Hope Natural Gas Company
 Address 445 West Main St. Clarksburg, W. Va.
 Farm George P. Alderson Acres 303
 Location (waters)
 Well No. 7679 Elev. 814
 District Sherman County Boone
 The surface of tract is owned in fee by
 Address
 Mineral rights are owned by
 Address
 Drilling commenced 9-29-1925
 Drilling completed 12-23-1925
 Date Shot From To
 With
 Open Flow /10ths Water in Inch
 /10ths Merc. in Inch
 Volume Cu. Ft.
 Rock Pressure lbs. hrs.
 Oil bbls., 1st 24 hrs.
 Fresh water feet feet
 Salt water 1020-1430 feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	385	385	Size of
8 1/4	1482	Pulled	
6 5/8	1745	1745	Depth set
5 3/16			
3			Perf. top
2	2415	Pulled	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED Not cemented SIZE No. Ft. Date

COAL WAS ENCOUNTERED AT None recorded FEET INCHES FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate			352	370			
Sand			370	380			
Slate			380	385			
Lime			385	415			
Slate			415	520			
Sand			520	535			
Slate			535	600			
Sand			600	820			
Slate Shell			820	950			
Sand ()			950	1105			
Slate shell			1105	1145	(water,	1020'	
Sand ()			1145	1230	gas)	1190'	
Slate			1230	1240			
Sand			1240	1270			
Slate shell			1270	1300			
Sand ()			1300	1475	water,	1430'	
Lime			1475	1490			
Red rock			1490	1500			
Lime			1500	1520			
Slate shell			1520	1635			
Lime			1635	1675			
Slate			1675	1678			
Lime			1678	1685			
Slate			1685	1690			
Big Lime ()			1690	1915	gas,	1852- 1858'	
Injun			1915	1975			
Slate shell			1975	2370			
Brown shale			2370	2382			
Berea sand			2382	2407			
Slate			2407	2415			
Total depth				2415			

