

- New Location
- Drill Deeper
- Abandonment

Company Owens, Libbey-Owens Gas Dept.
 Address 4158 Charleston 4 W.Va.
 Farm Boone-Kanawha Land & Mining Co.
 Tract _____ Acres 1986 Lease No. 50
 Well (Farm) No. 7 & 8 Serial No. 168 & 210
 Elevation (Spirit Level) 7-872.5 Top 6"
8-910.5 Top 8"
 Quadrangle Peytona
 County Boone District Peytona
 Engineer T.S. Flournoy
 Engineer's Registration No. 269
 File No. _____ Drawing No. _____
 Date Jul. 12, 1949 Scale 1" = 1000'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. B00-166-A-#7
B00-167-A-#8

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.

NW

70006

BOONE-KANAWHA LAND & MINING CO. NO. 8 (210) WELL.

Boone 167A

Peytona District, Boone County, W. Va.
By Owens, Libbey-Owens Gas Dept., Box 4158, Charleston, W. Va.
Abandoned under permit Boo-.....?.....@quadrangle. No plat yet.
Elevation, 910-1/8' L.
On 1986 acres.

~~169-A~~ ?

Surface and minerals owned by Boon-Kanawha Land & mining Co.,
First Huntington National Bank, Huntington, W. Va.

Drilling commenced April 18, 1925; completed May 19, 1925.

Volume, 338,000 cu. ft.

Rock pressure, 338 lbs. (?)

Water at 215-220. Hole full salt water at 710'.

13" casing, 16'; 8 1/4", 524' (381' left in); 6 5/8", 1187'; 2" tubing, 1356'.

Anchor packer, 6 5/8" x 2 x 16", set at 1195'.

Gas well. Record to Dept. of Mines stamped Feb. 26, 1959.

Record to RCT from Mrs. Griffith July 23, 1959. Old File No. 728.

	Top.	Bottom.
Clay	0	16
Sand	16	30
Slate	30	40
Sand	40	240
Slate and shells	240	320
Sand	320	520
Slate	520	525
Sand	525	590
Slate	590	610
Sand	610	680
Slate	680	710
Salt Sand	710	965
Slate	965	1065
Maxton Sand	1065	1120
Little Lime	1120	1160
Pencil Cave	1160	1167
Big Lime (gas, 1252-1257'; gas, 1300-1305')	1167	1355
Big Injun Sand	1355	1395
Slate and shells	1395	1808
Brown shale	1808	1819
Berea Sand	1819	1827
Slate	1827	1838
Total depth		1838
Hole filled up to		1358



778 ✓

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Project

Quadrangle _____

Permit No. ~~B10-169-A~~ 167A

WELL RECORD

Oil or Gas Well **GAS**
(KIND)

Company Owens-Libby Owens Gas Dept.
Address Charleston, W. Va.
Farm Boone-Kanawha Land & Mining Co. Acres 1986
Location (waters) _____
Well No. 6LO 210 Farm #8 Elev. 910-1-8"
District Peytona County Boone
The surface of tract is owned in fee by B.*K. Land & Mining Co. Address 1st. Ht'gn. Natl. Bldg.
Mineral rights are owned by Same Address Huntington, W. Va.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			Anchor
13	16	16	Size of <u>6-5/8" x 2 x 16</u>
10	1		Depth set <u>1195</u>
8 1/4	524	371	Perf. top _____
6 3/4	1187	1187	Perf. bottom _____
5 3/16	1356	1356	Perf. top _____
3			Perf. bottom _____
2	1356	1356	
Liners Used			


Drilling commenced 4-16-25
Drilling completed 5-19-25
Date Shot _____ From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume 338 M Cu. Ft.
Rock Pressure 338 lbs. hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____
WELL FRACTURED _____

CASING CEMENTED	SIZE	No. Ft.	Date
COAL WAS ENCOUNTERED AT			
FEET	INCHES	FEET	INCHES
FEET	INCHES	FEET	INCHES

RESULT AFTER TREATMENT
ROCK PRESSURE AFTER TREATMENT
Fresh Water _____ Feet Salt Water _____ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay			0	16			
Sand			16	30			
Slate			30	40			
Sand			40	240	Water	215-220	
Slate & Shells			240	320			
Sand			320	520			
Slate			520	525			
Sand			525	590			
Sand			590	610			
Slate			610	680			
Sand			680	710			
Slate			710	965	Salt Water	710 (hole full)	
Salt Sand			965	1065			
Slate			1065	1120			
Maxton Sand			1120	1160			
Little Lime			1160	1167			
Pencil Cave			1167	1355	Gas	1252-1257	105M
Big Lime			1355	1395	Gas	1300-1305	
Injun Sand			1395	1808			
Slate & Shells			1808	1819			
Brown Shale			1819	1827			
Berea Sand							(Hole filled up to 1358')
Slate			1827	1838			
Total Depth				1838			

JUL 23 1959



(over)