


0 1 2 3 Latitude 38° 05' +

1
2
3 Longitude 81° 35'

LaFollette, Robson & Prichard
Tract "B"
5000[±]



0.28 S
0.63 W

New Location
Drill Deeper
Abandonment

Company The Pure Oil Co.
Address Newark Ohio
Farm Robson & Prichard
Tract _____ Acres 1504.9 Lease No. 220
Well (Farm) No. 3 Serial No. 298
Elevation (Spirit Level) 726
Quadrangle Peyton
County Boone District Sherman
Engineer J. H. Hunter
Engineer's Registration No. Ohio-2912
File No. _____ Drawing No. _____
Date 8-10-29 Scale 1" = 400'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. B00-168-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.



591 ✓

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. 168-A Oil or Gas Well Oil (KIND)

Company The Pure Oil Company
Address Box 551 - Newark, Ohio
Farm Robson & Prichard Acres 1504.9
Location (waters) Big Coal River
Well No. 5 Elev. 726'
District Sherman County Boone
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced 2-28-24
Drilling completed 4-27-24
Date Shot 4-28-24 From 2395 To 2409
With 60 Qts.
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil I.P. 3.0 Bbls. bbls., 1st 24 hrs.
Fresh water 45' feet 375' feet
Salt water 375+ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13 1/2	31'	31'	
10	335'	335'	Size of
8 1/4	1160'	1160'	
6 5/8	1732'	1732'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 60 FEET 36 INCHES
160 FEET 48 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			0	60	Water	45'	
Coal			60	63			
Sand			63	85			
Slate			85	100			
Sand			100	125			
Slate			125	160			
Coal			160	164			
Slate			164	170			
Sand			170	290			
Lime Shls			290	375	Gas	312'	
Sand			375	390	Salt Wtr	375'	
Lime Shls			390	408			
Sand			408	445			
Lime			445	500			
Sand			500	570			
Grampus			570	700			
Slate			700	800			
Salt Sand			800	1160			
Lime Shls			1160	1375			
Maxon Sand			1375	1455			
Red Rock			1455	1475			
Lime Shls			1475	1500			
Red Rock			1500	1520			
Slate & shls			1520	1665			
Little Lime			1665	1694			
Pencil Cave			1694	1700			
Big Lime			1700	1925			
Big Injun			1925	1965			
Slate & shls			1965	2090			
Weir Sand			2090	2140			
Slate & shls			2140	2368			
Brown Shale			2368	2374			
Berea Sand			2374	2409			
		Oil	2394		Gas	2394	
		Gas	2409				
Slate			2409	2412			
TOTAL DEPTH				2412			

Handwritten circled 'C'

