



3.71 W  
4.98

New Location  
Drill Deeper.....  
Abandonment..... X

✓ SEP - 8 1942

Company UNITED FUEL GAS CO.  
 Address CHARLESTON, W.VA.  
 Farm H. J. WADE  
 Tract Acres 20 Lease No. 27147  
 Well (Farm) No. 1 Serial No. 3820  
 Elevation (Spirit Level) 1055.0  
 Quadrangle GASSAWAY  
 County BRAXTON District BIRCH  
 Engineer \_\_\_\_\_  
 Engineer's Registration No. 659  
 File No. 96-81 Drawing No. \_\_\_\_\_  
 Date AUG. 28, 1942 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. BRAX-44-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

H. J. WADE No. 1 (3820) - UNITED FUEL GAS CO. - BRAX-44-A

Birch District, Briston County, W. Va.

By United Fuel Gas Co.

On 20 acres; lease no. 5203.

Drilling commenced Dec. 20, 1926; completed, Jan. 20, 1927.

8 1/2" casing, 200' (galied); 6" casing, 795'; 2" tubing, 1654'.

Test before shot, 7/10ths water in 2". Well was not shot.

No.....in Gas Report.

	Top.	Bottom.	Thickness.
Rock, lime, and slate	0	440	440
Slate and shells	440	550	110
Little Runhart Sand	550	600	50
Slate and shells	600	610	210
Sand and slate	610	680	70
Slate and shells	680	900	20
Lime	900	976	76
Sand	976	1000	24
Lime	1000	1090	90
Sand	1090	1102	12
Shale	1102	1196	94
Lime	1196	1202	6
Sand	1202	1300	98
Slate and shells	1300	1554	254
Hard sand	1554	1580	26
Slate	1580	1606	26
Lime -	1606	1633	27
Baxton Sand	1633	1654	21
Total depth		1654	

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

107

WELL RECORD

Permit No. 44-A

Oil or Gas Well GAS  
(KIND)

Company United Fuel Gas Company  
 Address Charleston, W. Va.  
 Farm H. J. Wade Acres 20  
 Location (waters) Left Fork of West Fork  
 Well No. 3820 Elev. 1055.00  
 District Birch County Braxton  
 The surface of tract is owned in fee by H. J. Wade  
 Address Parkersburg, W. Va.  
 Mineral rights are owned by Same  
 Address \_\_\_\_\_  
 Drilling commenced December 20, 1926  
 Drilling completed January 20, 1927  
 Date Shot Not Shot From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
 Volume 353,000 Cu. Ft.  
 Rock Pressure 475 lbs. 24 hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water No Record feet \_\_\_\_\_ feet  
 Salt water No Record feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4	<u>200</u>	<u>Pulled</u>	
6 5/8	<u>795</u>	<u>795</u>	Depth set
5 3/16			
3			Perf. top
2		<u>1654</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock				240			
Lime			240	300			
Red Rock			300	350			
Slate			350	390			
Lime			390	440			
Slate and Shells			440	550			
Little Dunkard			550	600			
Slate			600	620			
Lime			620	660			
Slate and Shells			660	675			
Lime			675	775			
Slate and Shells			775	810			
Sand			810	850			
Slate			850	860			
Sand			860	880			
Slate and Shells			880	900			
Lime			900	976			
Sand			976	1000			
Lime			1000	1090			
Sand			1090	1102			
Shale			1102	1196			
Lime			1196	1202			
Sand			1202	1300			
Slate and Shells			1300	1554			
Hard Sand			1554	1580			
Slate			1580	1606			
Lime			1606	1633			
Maxon Sand			1633	1654	<u>Gas</u>	<u>1638-1652</u>	<u>Pay</u>
Total Depth				1654			

