

Company Pittsburgh E. W. Va. Gas Co.
 Address Clarksburg, W. Va.
 Farm MARY J. CLAWSON ET VIR
 Tract _____ Acres 146 Lease No. 15369
 Well (Farm) No. 2 Serial No. 7135
 Elevation (Spirit Level) 834' L
 Quadrangle Burnsville S.W. 23
 County Braxton District Salt Lick
 Engineer Kenneth B. Moore
 Engineer's Registration No. _____
 File No. DV-28-P-13 Drawing No. _____
 Date Aug. 28, 1946 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. BRAX-61-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

AL



185

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. 61-A


Oil or Gas Well "GAS"
(KIND)

Company Pittsburgh & West Va Gas Company.
 Address Clarksburg, West Va.,
 Farm M. A. Clawson Acres 146
 Location (waters) Burnsville S/W, 2-2
 Well No. 7133 Elev. 834'
 District Salt Lick County Brockton
 The surface of tract is owned in fee by Frank K. McPherson
 Address Burnsville, W. Va.
 Mineral rights are owned by Frank K. McPherson, Agt.
 Address Burnsville, W. Va.,
 Drilling commenced January 12th, 1917
 Drilling completed April 8th, 1917
 Date Shot From To
 With
 Open Flow /10ths Water in Inch
 /10ths Merc. in Inch
 Volume Cu. Ft.
 Rock Pressure lbs. hrs.
 Oil bbls., 1st 24 hrs.
 Fresh water feet feet
 Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	131'	131'	Size of
8 1/4	1000'	1000'	
6 5/8	1642'	None.	Depth set
5 3/16	1745'	1745'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock	Red	Soft	0	15			
Line	Light	Hard	15	45			
Slate	Dark	Soft	45	145			
Line	Light	Hard	145	170			
Red Rock	Red	Soft	170	200			
Slate	Dark	"	200	240			
Line	Light	Hard	240	260			
Slate	"	Soft	260	295			
Little Dunkard	"	Hard	295	440			
Line	Dark	"	440	540			
Gas Sand	"	"	540	585			
Slate	"	Soft	585	595			
1st. Salt Sand	Light	Hard	595	730			
Slate&Shells			730	790			
2nd. Salt Sand	Light	Hard	790	840			
Slate&Shells	Hard	Soft	840	970			
Sand	Dark	Hard	970	1000			
Slate&Shells		Hard&Soft	1000	1070			
Sand	Dark	Hard	1070	1085			
Slate&Shells			1085	1165			
Sand	Light	Hard	1165	1220			
Slate	Dark	Soft	1220	1235			
Sand	"	Hard	1235	1340	Sh. Gas	1275'	
Slate	"	Soft	1340	1350			
Line	"	Hard	1350	1450			
Slate	"	Soft	1450	1530			
Big Line	Light	Hard	1530	1670			
Big Injun	"	"	1670	1840			
Slate&Shells	Blue	"	1840	1970			
Line		"	1970	1990			
Slate&Shells			1990	2165			
Gordon Stray			2165	2184	Gas	2167'	
Slate		Soft	2184	2192			
Gordon Sand			2192	2205			
Un-recorded			2205	2217			
Total Depth.				2217			



AUG 20 1947

COMPANY

Abandoned

Record of Well No. 7133 Located on M.J. Clawson Farm No 27 1916
 Salt Lick District Brocton County W Va State
 Division K District No. 13 Drilled under Well Order 743
 Rig built by Jno Craig Began Jan 1917 Completed Jan 1917
 Well drilled by W McParham Began Jan 12 1917 Completed April 8 1917
 Depth of Well 2217 feet Size of Hole 5 1/16 Producing Gas
 Elev: 834

CASED WITH

REMARKS

AMOUNT	SIZE	KIND	REMARKS
16'	13	Wood	
131'	10	Case	
1000'	8 1/4	"	
1642'	6 7/8	"	Too small 6 7/8 Reckling
1745'	5 1/16	"	RHP
2217'	2"	Subg	5 1/16 x 2 1/2 inch 11 7/16 x 2 1/4" of anchor

COAL VEINS

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Big Linn	1580	1670				
Big Sycamore	1670	1840				
Garden Stray	2160	2184		2167		14/10 11 3" on completion 2 1/16 11 3" on 355 Mc
Garden sand	2192	2200				

Check tools at 1640 could not fish out and drilled by three Run 6 7/8 Case without packer to case off tools later Run 5" and on completion of well 6 7/8 was pulled.

FIRST PRESSURE TEST IN 5 1/16" CASING

REMARKS

30 Sec. 5 lbs.
 1 Min. 10 "
 2 " 20 30/40
 5 " 50 "
 10 " 100 "
 15 " 145 "
 30 " 190 "

Rock Pressure 800 " in 24

Taken Apr 8 1917

By J W Lumber

WELL TUBED AND PACKED Apr 10 1917

VIZ:- 103 ft to 2217' of 2" Tubg
 5 1/16 x 2 line Packin
 11 ft to 243' of anchored
 1/10 wire 2"

FIRST PRESSURE TEST IN 2" TUBING

REMARKS

30 Sec. 30 lbs.
 1 Min. 60 "
 2 " 100 140/180
 5 " 215 "
 10 " 370 "
 30 " 535 "

Rock Pressure 800 " in 18

Taken Apr 10 1917

By J W Lumber

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

1 set Rig Timbers Chaus & Lumber from 7127
 6068' of New Lbr from Lewis Baker Co
 1 Part set New Chaus & Wood Mark P Kelly PRR Co.

M.J. CLAWSON WELL NO. 7133 FORMATIONS M.J. CLAWSON NO. 7133

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Red Rock	00	15				
Lime	15	45				
Slate	45	145				
Lime	145	170				
Red Rock	170	200				
Slate	200	240				
Lime	240	260				
Slate	260	295				
Little Dunekard	295	440				
Lime	440	540				
Gas Sand	540	585				
Slate	585	595				
1st Salt Sand	595	730				
Slate & Shells	730	790				
2nd Salt Sand	790	840				
Slate & Shells	840	970				
Sand	970	1000				
Slate & Shells	1000	1070				
Sand	1070	1085				
Slate & Shells	1085	1165				
Sand	1165	1220		1275		
Slate	1220	1235				
Sand	1235	1240				
Slate	1340	1350				
Lime	1350	1450				
Slate	1450	1580				
Big Lime	1580	1670				
Big Injun	1670	1840				
Slate & Shells	1840	1970				
Gritty Lime	1970	1990				
Slate & Shells	1990	2165				
Gordon Stary	2165	2184		2167		
Slate	2184	2192				
Gordon sand	2192	2205				
Slate	2205	2217	T.D.			