

New Location
 Drill Deeper
 Abandonment

JUN 15 1948

Company Pittsburgh & W.Va. Gas Co.
 Address Clarksburg W.Va.
 Farm A.N. Skinner
 Tract _____ Acres 23 Lease No. 14731
 Well (Farm) No. 1 Serial No. 7099
 Elevation (Spirit Level) 1044 VA.
 Quadrangle Burnsville SE 1/4
 County Braxton District Salt Lick
 Engineer James D. Bruffien
 Engineer's Registration No. 1084
 File No. 157/89 Drawing No. _____
 Date 5-25-48 Scale 1"=300'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. BRAX-72-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500. latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

(187)



193

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Oil or Gas Well "GAS"
(KIND)

Permit No. AP 72-A


Company Pittsburgh & West Va Gas Company.
 Address Clarksburg, West Va.
 Farm A. H. Skinner Acres 17
 Location (waters) Burnsville S/E. 1-1
 Well No. 7099 Elev. 1044' VA
 District Salt Lick County Braxton
 The surface of tract is owned in fee by E. F. Keller
 Address Orlando, W. Va.
 Mineral rights are owned by J. H. Burkhammer
 Address Cox's Mills, W. Va.
 Drilling commenced August 29th, 1916
 Drilling completed September 30, 1916
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	138'	138'	Size of
8 1/4	1027'	1027'	
6 5/8	1853'	1853'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate		Soft	0	40			
Line		Hard	40	70			
Red Rock		Soft	70	320			
Line		Hard	320	480			
Red Rock		Soft	480	530			
Little Dunkard		Hard	530	640			
Slate		Soft	640	690			
Big Dunkard		Hard	690	730			
Slate		Soft	730	760			
Line		Hard	760	845			
1st. Salt Sand		"	845	965			
Slate		Soft	965	975			
2nd. Salt Sand		Hard	975	1005			
Slate			1005	1010			
3rd. Salt Sand			1010	1100			
Slate			1100	1235			
Line			1235	1285			
4th. Salt Sand			1285	1330			
Slate	White	Hard	1330	1345			
Line	"	"	1345	1365			
Slate	Black	Soft	1365	1400			
Line	"	Hard	1400	1420			
5th. Salt Sand	White	Soft	1420	1445			
Line	Black	Hard	1445	1460			
Slate	"	Soft	1460	1498			
6th. Salt Sand	Light	Hard	1498	1665			
Line	White	Soft	1665	1675			
Red Rock	Red	Hard	1675	1700			
Line	White	"	1700	1715			
Maxon Sand	"	"	1715	1755			
Slate	Dark	Soft	1755	1775			
Line	Gray	Hard	1775	1860	Gas	1845'	
Big Injun	Light	Hard	1860	1995	Gas	1960'	
Slate Shells	Dark	Hard/Soft	1995	2347			
Gordon Stray	Light	Hard	2347	2354	Gas	2349'	
Slate	"	Soft	2354	2369			
Gordon Sand	White	Hard	2369	2395	Gas	2380'	
Slate	"	Soft	2395	2423			
Total Depth.				2423			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date April 19, 1948

_____ 19

PITTSBURGH & WEST VA GAS COMPANY.

APPROVED _____

Owner

By *W. J. [Signature]*
 (Title)

COMPANY

Abt 4-11-48
Checked.

Record of Well No. 7099 Located on A. W. Skinner Farm July 1st 1916
Salt Lick District Benton County Mo State
 Division K District No. 13 Drilled under Well Order 614
 Rig built by Jno Craig Began Aug 20 1916 Completed Aug 25 1916
 Well drilled by E. J. Roman Began Aug 29 1916 Completed Sept 30 1916
 Depth of Well 2423 feet Size of Hole 6 7/8" Producing Gas
 Elev: 1044

CASED WITH

REMARKS

AMOUNT	SIZE	KIND	REMARKS
16'	13"	Wood	
138'	10"	Casing	Left in 138' of 10"
1027'	8 1/4"	"	Pulled 10-11-16
1853'	6 7/8"	"	R.M.P. Pulled 1512' left in 341' of 6 7/8" 6-28-48

COAL VEINS

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Big Liver	1745	1860		18 1/2		
Big Sugar	1860	1995		10 1/2		
Jordan Gray	2341	2354		23 1/2		4/10 max 2"
Jordan sand	2369	2395		23 8/10		60/10 1 2"

Plugged 6-21-48 to 6-23-48

Aquagel	2423 -	2330
Cement	2330 -	2320
Aquagel	2320 -	1880
Cement	1880 -	1870
Aquagel	1870 -	1725
Cement	1725 -	1715
Aquagel	1715 -	1050
Cement	1050 -	1040
Aquagel	1040 -	175
Cement	175 -	165
Aquagel	165 -	5
Cement	5 -	Surface

FIRST PRESSURE TEST IN 6 1/2" CASING

REMARKS

30 Sec. 8 lbs.
 1 Min. 16 "
 2 " 25 30/45
 5 " 55 "
 10 " 100 "
 20 " 190 "
 30 " 260 "

10/2nd 16 shot Jordan
 4 1/2 x 9 - 300 ft shell
 SW 24 23 - Ave 35
 Top shot 2379/2388
 100/10 Mat 2" Before 321 McF
 14/10 Mat 2" After 582 McF
 8-16-25-45-55-70-105-190

Rock Pressure None taken in

Taken Sept 30 1916

By F. W. L.

WELL TUBED AND PACKED Oct 9 1916

VIZ: - 112 fts 4 1/2 x 3 of 3" Jars
 678 x 3" duck shot packer
 73 fts 4 1/2 x 9" pipe line

Rec. 2423' 07 3" + by
 6-23-18

FIRST PRESSURE TEST IN 3" TUBING

REMARKS

30 Sec. 15 lbs.
 1 Min. 30 "
 2 " 45 60/45
 5 " 85 "
 10 " 147 "
 18 " 225 "
 30 " "

Rock Pressure 595 " in 12 hrs

Taken Oct 10 1916

By F. W. L.

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:
 1064 Rig House - Timberland Lumber from 7092
 6667 New Lumber from Lewis Eaker Co

A.N. Skinner well No. 7099

FORMATIONS SKINNER WELL NO. 7099

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS	
Slate	00	40					
Lime	40	70					
Red Rock	70	320					
Red Rock	320	480					
Sand	480	530					
Slate	530	640					
Sand	640	690					
Slate	690	730					
Lime	730	760					
Sand	760	845					
Slate	845	965					
Sand	965	975					
Slate	975	1005					
Sand	1005	1010					
Slate	1010	1100					
Lime	1100	1285					
4th Salt	1285	1330					
Slate	1330	1345					
Lime	1345	1365					
Slate	1365	1400					
Lime	1400	1420					
Sand	1420	1445					
Lime	1445	1460					
Slate	1460	1495					
Sand	1495	1665					
Lime	1665	1675					
Red Rock	1675	1700					
Lime	1700	1715					
Maxon sand	1715	1755					
Slate	1755	1775					
Big Lime	1775	1860			1845		
Big Inun	1860	1995			1960		
Slate & Shells	1995	2347					
Gordon strau	2347	2354			2349		
Slate	2354	2369					
Gordon sand	2369	2395			2380		
Slate	2395	2423	Total depth.				