

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Jim Justice , Governor Austin Caperton , Cabinet Secretary www.dep.wv.gov

Monday, September 18, 2017 WELL WORK PERMIT Horizontal 6A / New Drill

SWN PRODUCTION COMPANY, LLC POST OFFICE BOX 12359

SPRING, TX 773914954

Re:

Permit approval for ALAN H DEGARMO BRK 210H

47-009-00209-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Operator's Well Number: ALAN H DEGARMO BRK 210H

Farm Name: ALAN H. DEGARMO & MARY KAY DEGARMO LIFE ESTATE

U.S. WELL NUMBER: 47-009-00209-00-00

Horizontal 6A / New Drill

Date Issued: 9/18/2017

Promoting a healthy environment.

API Number:	

PERMIT CONDITIONS

047-009-00209

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number:	
	047-009-00209

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, cessation of drilling, sending an email to DEPOOGNotify@wv.gov.

WW-6B (10/14) API NO. 47-51 OPERATOR WELL NO. Alan H. Degarmo BRK 2101
Well Pad Name: Alan H. Degarmo BRK Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: SWN Produ	ction Co., LLC	49447757	Brooke	3- Buffalc 247-Bethany
		Operator ID	County	District Quadrangle
2) Operator's Well Number: Ala	n H. Degarmo Bl	RK 210H Well P	ad Name: Ala	n H. Degarmo BRK Pad
3) Farm Name/Surface Owner:	Alan & Mary Kay D	egarmo Public Ro	oad Access: G	enteel Ridge Road
4) Elevation, current ground:	1204' E	levation, propose	d post-construc	etion: 1204'
5) Well Type (a) Gas x	Oil	Un	derground Stor	rage
Other				
(b)If Gas Shall	3	Deep		
Hor	izontal ×		C &	10-
Existing Pad: Yes or No yes			$ \setminus$ \cap	15.9.17
7) Proposed Target Formation(s)				
Target Formation- Marcellus, Target	Top TVD-5884*, Tai	get Base TVD- 5928	Anticipated Thick	mess- 44', Associated Pressure- 3548
8) Proposed Total Vertical Depth	n: 6056'	0.00		
9) Formation at Total Vertical D	epth: Marcellu	5		
10) Proposed Total Measured De	epth: 16632'			
11) Proposed Horizontal Leg Le	ngth: 9693.48			
12) Approximate Fresh Water St	rata Depths:	206'		
13) Method to Determine Fresh	Water Depths:	from nearby water	wells and petro	ophysical analysis of logs on the pa
14) Approximate Saltwater Dept	hs: 429'			
15) Approximate Coal Seam Dep	oths: 271'			
16) Approximate Depth to Possi	ble Void (coal m	ine, karst, other):	None that w	e are aware of.
17) Does Proposed well location directly overlying or adjacent to		Yes	1	No ×
(a) If Yes, provide Mine Info:	Name:			
	Depth:			
	Seam:			
	Owner:			

Page 1 of 3

RECEIVED
Office of Oil and Gas

SEP 5 2017

WW-6B (10/14) API NO. 47-51 -

OPERATOR WELL NO. Alan H. Degarmo BRK 210H

Well Pad Name: Alan H. Degarmo BRK Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	100'	100'	CTS
Fresh Water	13 3/8"	New	H-40	48#	306'	306'	311 sx/CTS
Coal	9 5/8"	New	J-55	36#	1651'	1651'	645 sx/CTS
Intermediate	7"	New	J-55	20#	If Needed	If Needed	If Needed/As Needed
Production	5 1/2"	New	HCP-110	20#	16632'	16632'	lead 878sx tail 2453sx/100" inside infrase
Tubing	2 3/8'	New	HCP-110	4.7#	Approx. 5916'	Approx. 5916'	
Liners							

C. 8hl 5.9.17

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Max. Associated Surface Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	30"	0.25	2120	81	Class A	1.19/50% Excess
Fresh Water	13 3/8"	17.5"	0.380	2740	633	Class A	1.19/50% Excess
Coal	9 5/8"	12 1/4"	0.395	3950	1768	Class A	1.19/50% Excess
Intermediate	7"	8 3/4"	0.317	4360	3250	Class A	1.20/15% Excess
Production	5 1/2"	8 3/4"	0.361	12360	9500	Class A	1.20/15% Excess
Tubing	2 3/8"	4.778"	0.190				
Liners							

PACKERS

Kind:	10K Arrowset AS1-X	
Sizes:	5 1/2"	
Depths Set:		

RECEIVED Office of Oil and Gas

MAY 3 0 2017

Page 2 of 3 09/22/2017

API NO. 47-51 -		
OPERATOR WEL	L NO.	Alan H. Degarmo BRK
Well Pad Name	· Alan F	I Denarmo BRK Pad

Describe propose	d well work.	including the	drilling and i	olugging b	back of any	pilot hole:
------------------------------------	--------------	---------------	----------------	------------	-------------	-------------

Drill and stimulate any potential zones between and including the Benson to Marcellus. **If we should encounter a void place basket above and below void area- balance cement to bottom of void and grout from basket to surface. Run casing not less than 20' below void nor more than 50' below void. (*If freshwater is encountered deeper than anticipated it must be protected, set casing 50' below and cts.)

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well will be perforated within the target formation and stimulated with a slurry of water, sand, and chemical additives at a high rate. This will be performed in stages with the plug and perf method along the wellbore until the entire lateral has been stimulated within the target formation. All stage plugs are then drilled out and the well is flowed back to surface. The well is produced through surface facilities consisting of high pressure production unites, vertical separation units, water and oil storage tanks. Max press and anticipated max rate- 9000 lbs @ 80 barrels a minute.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 16.14
- 22) Area to be disturbed for well pad only, less access road (acres): 6.68
- 23) Describe centralizer placement for each casing string:

All casing strings will be ran with a centralizer at a minimum of 1 per every 3 joints of casing.

24) Describe all cement additives associated with each cement type:

See Attachment ***

25) Proposed borehole conditioning procedures:

All boreholes will be conditioned with circulation and rotation for a minimum of one bottoms up and continuing until operator is satisfied with borehole conditions.

RECEIVED Office of Oil and Gas

*Note: Attach additional sheets as needed.

MAY 3 0 2017

	Product Name	Product Use	Chemical Name	CAS Number
Surface	S001	accelerator	calcium chloride	10043-52-4
Intermadiate Surface	5001	accelerator	calcium chloride	10043-52-4
*	D080	dispersant	sodium polynaphthalene sulfonate	9008-63-3
Kick Off Plug	D801	retarder	aromatic polymer derivative	propriatary
결품	D047	antifoam	polypropylene glycol	25322-69-4
	D167	fluid loss	aliphatic amide polymer	propriatary
	D154	extender	non-crystalline silica	7631-86-9
	D400	gas migration	boric acid	10043-35-3
			polypropylene glycol	25322-69-4
78	D046	antifoam	fullers earth (attapulgite)	8031-18-3
Production-Load		T	chrystalline silica	14808-60-7
ğ	D201	retarder	metal oxide	propriatary
뵱			sulphonated synthetic polymer	propriatary
٤	D202	dispersant	formaldehyde (impurity)	propriatary
	1		polypropylene glycol	25322-69-4
	D046	antifoam	fullers earth (attapulgite)	8031-18-3
	D167	fluid loss	aliphatic amide polymer	propriatary
=			sodium polynaphthaiene suifenate	9008-63-3
Production-Tell	D065	dispersant	sodium suifate	7757-82-6
를			chrystelline silica	14808-60-7
ş	D201.	retarder	metal oxide	propriatary
ĕ	D153	anti-settling	chrystalline silica	14808-60-7

RECEIVED Office of Oil and Gas

MAY 3 0 2017



SWN Production Company, LLC P O Box 12359 Spring, Texas 77391-2359 www.swn.com

May 16, 2017

Ms. Laura Adkins Office of Oil & Gas 601 57th Street Charleston, WV 25304

RE: Proposed New Well Alan Degarmo BRK 210H

Dear Ms. Adkins

SWN has reviewed the area of the above mentioned well and discovered no shallow wells within 500' of the lateral. This well is situated on the Degarmo's property, in Buffalo District, Wetzel County, West Virginia.

If you have any questions or desire additional information, please me at 304-884-1614

Thank you.

Sincerely,

Dee Southall

Regulatory Supervisor

Southwestern Energy Production Company, LLC

PO Box 1300

Jane Lew, WV 26378

RECEIVED Office of Oil and Gas


MAY 3 0 2017

WV Department of Environmental Protection R2 NV+°

The Right People of Italy Field This wisely Investing No. Cold to Cold

RECEIVED Office of Oil and Gas

MAY 3 0 2017



WW-9 (4/16)

API Number	47 -	09	-

Operator's Well No. Alan H Degarmo BRK 210H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name SWN Production Company, LLC	OP Code 494512924
Watershed (HUC 10) Upper Ohio South	Quadrangle Bethany
Do you anticipate using more than 5,000 bbls of water to complete the	ne proposed well work? Yes 🗸 No
Will a pit be used? Yes No ✓	
If so, please describe anticipated pit waste: closed loop syst	em in place at this time- cuttings will be taken to a permitted landfill
Will a synthetic liner be used in the pit? Yes No	If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	
Underground Injection (UIC Permit Num Reuse (at API Number at next anticipated well	nber) I, API # will be included with the WR-34/DDMR &/or permit addendum)
Off Site Disposal (Supply form WW-9 fo	
	n steel tanks and reused or taken to a permitted disposal facility
Will closed loop system be used? If so, describe: yes	wif-
Drilling medium anticipated for this well (vertical and horizontal)?	Air, freshwater, oil based, etc. At drill to KOP. Tule drill with SOBM from KOP to TD
-If oil based, what type? Synthetic, petroleum, etc. synthetic	o oil base
Additives to be used in drilling medium? see attached sheets	
Drill cuttings disposal method? Leave in pit, landfill, removed offsit	te, etc. landfill
-If left in pit and plan to solidify what medium will be used?	? (cement, lime, sawdust)
-Landfill or offsite name/permit number?mcadow SWF-1032, SS grading. Arden Landfill 100/2, American U2-12954, Country Permittee shall provide written notice to the Office of Oil and Gas of West Virginia solid waste facility. The notice shall be provided within where it was properly disposed.	fany load of drill cuttings or associated waste rejected at any
on August 1, 2005, by the Office of Oil and Gas of the West Virginia provisions of the permit are enforceable by law. Violations of any law or regulation can lead to enforcement action.	term or condition of the general permit and/or other applicable mined and am familiar with the information submitted on this my inquiry of those individuals immediately responsible for accurate, and complete. I am aware that there are significant of fine or imprisonment.
Company Official Signature	RECEIVED Office of Oil and Gas
Company Official (Typed Name) Dee Southall	MAY 3 0 2017
Company Official Title Regulatory Supervisor	
11	WV Department of Environmental Protection
Subscribed and sworn before me this day of M	J. 20 17
BOHHAMU P MANNING	Notes Dates
Buttary & Moody	Notary Public OFFICIAL SEAL Notary Public, Butte of West! BRITTANY R WOO

Operator's Well No. Alan H. Degarmo BRK 210H

Proposed Revegetation Treatment: Acres Disturbed	16.14	Prevegetation	рН
Limeas determined by pH test min. 2 Tons/acre or to cor	rect to pH 6.68		
Fertilizer type 10-20-20			
Fertilizer amount 600	lbs/acre		
Mulch Hay/Straw 2.5	Tons/acre		
	Seed Mixtures		
Temporary		Peri	manent
Seed Type Ibs/acre **See Attachment		Seed Type	lbs/acre
Maps(s) of road, location, pit and proposed area for la provided). If water from the pit will be land applied, acreage, of the land application area.	include dimensions (L	s engineered plans inc x W x D) of the pit, a	luding this info have been and dimensions (L x W), an
Maps(s) of road, location, pit and proposed area for laboration of the land applied, acreage, of the land application area. Photocopied section of involved 7.5' topographic she Plan Approved by:	include dimensions (L	x W x D) of the pit, a	and dimensions (L x W), an
Maps(s) of road, location, pit and proposed area for laborovided). If water from the pit will be land applied, acreage, of the land application area. Photocopied section of involved 7.5' topographic she Plan Approved by:	include dimensions (L	x W x D) of the pit, a	RECEIVED
Maps(s) of road, location, pit and proposed area for laboration of the land applied, acreage, of the land application area. Photocopied section of involved 7.5' topographic she plan Approved by:	include dimensions (L	x W x D) of the pit, a	and dimensions (L x W), an
Maps(s) of road, location, pit and proposed area for laboration of the land applied, acreage, of the land application area. Photocopied section of involved 7.5' topographic she plan Approved by:	include dimensions (L	x W x D) of the pit, a	RECEIVED Office of Oil and Gas
Attach: Maps(s) of road, location, pit and proposed area for laprovided). If water from the pit will be land applied, acreage, of the land application area. Photocopied section of involved 7.5' topographic she Plan Approved by: Comments:	include dimensions (L	x W x D) of the pit, a	RECEIVED Office of Oil and Gas MAY 3 0 2017

09/22/2017 RECEIVED Office of Oil and Gas

MAY 3 0 2017

Drilling Mediums

3,
Brine
Barite
Calcium Chloride
Lime
Organophilic Bentonite
Primary and Secondary Emulsifiers
Gilsonite
Calcium Carbonate
Friction Reducers

Synthetic Oil

RECEIVED
Office of Oil and Gas

MAY 3 0 2017



WVD Seeding Specification



To Order Seed contact Lyndsi Eddy Flippo office 570-996-4271 cell 501-269-5451 lyndsi_eddy@swn.com

rate

(please allow 7 to 10 days for delivery)

NON-ORGANIC PROPERTIES	
Seed Mixture: ROW Mix	SWN Supplied
Orchardgrass	40%

Timothy 15%
Annual Ryegrass 15%
Brown Top Millet 5%
Red Top 5%
Medium Red Clover 5% All legumes are innoculated at 5x normal

5%

SOIL AMENDMENTS

Birdsfoot Trefoil

10-20-20 Fertilizer *Apply @ 500lbs per Acre
Pelletized Lime Apply @ 2 Tons per Acre
*unless otherwise dictated by soil test results

Seeding Calculation Information:

1452' of 30' ROW/LOD is One Acre 871' of 50' ROW/LOD is One Acre 622' of 70' ROW/LOD is One Acre

Synopsis:

Every 622 linear feet in a 70' ROW/LOD, you should be using (2) 50lb bags of seed, (4) 50lb bags of fertilizer and (80) 50lb bags of Lime (2x seed in winter months + 50lb Winter Wheat/ac).

Special Considerations:

Landowner Special Considerations including CREP program participants require additional guidance that is not given here. Discuss these requirements with SWN supervision at the beginning of the project to allow time for special seed delivery.

ORGANIC PROPERTIES

Seed Mixture: SWN Production Organic	Mix SWN Supplied
Organic Timothy	50%
Organic Red or White Clover	50%
OR	
Organic Perennial Ryegrass	50%
Organic Red or White Clover	50%
Apply @ 100lbs per acre	Apply @ 200lbs per acre
April 16th- Oct. 14th	Oct. 15th- April 15th
Organic Fertilizer @ 200lbs per Acre	Pelletized Lime @ 2 Tons per Ac

WETLANDS (delineated as jurisdictional wetlands)

Seed Mixture: Wetland Mix	SWN Supplie	d
VA Wild Ryegrass	20%	-
Annual Ryegrass	20%	as as
Fowl Bluegrass	20%	VED and Gas 2017
Cosmos 'Sensation'	10%	
Redtop	5%	3 (SEE
Golden Tickseed	5%	RECEI Office of Oil MAY 3 0
Maryland Senna	5%	M Wiro
Showy Tickseed	5%	F
Fox Sedge	2.5%	
Soft Rush	2.5%	
Woolgrass	2.5%	
Swamp Verbena	2.5%	
Apply @ 25lbs per acre	Арр	ly @ 50lbs per acre
April 16th- Oct. 14th	Oc	t. 15th- April 15th
NO SERTILIZED OR I	ME INCIDE WETLAND	INAITE

NO FERTILIZER OR LIME INSIDE WETLAND LIMITS

MARCELLUS WELL DRILLING PROCEDURES AND WELL SITE SAFETY PLAN



SWN Production Company, LLC 179 Innovation Drive Jane Lew, West Virginia 26378


API NO. 47-XXX-XXXXX
WELL NAME: Alan H. Degarmo BRK 210H
Bethany QUAD
Buffalo DISTRICT
Brooke COUNTY, WEST VIRGINIA


Submitted by:		
Dee Southall	Date:	5/8/2016
Title: Regulatory Supervisor	_ SWN P	roduction Co., LLC
Approved by: Title: De & Grant Typelor	_ Date:	5.9.17
Approved by:		
	Date:	
Title:		

SWN PRODUCTION COMPANY, LLC

RECEIVED Office of Oil and Gas

MAY 3 0 2017







	WELL BORE TABLE FOR SURFACE OWNE	RS	
FRACT	SURFACE OWNER	TAX PARCEL A	CRES
1	Alan H. DeGarma and Mark Kay Degarmo, Life Estate Kathryn A. DeGarmo and Patrick A. DeGarmo Remainder (S) Alan H. DeGarmo, by and through his Attorney—in-Fact Mary Kathryn Hervey DeGarmo and Mary Kathryn Hervey DeGarmo, husband and wife (Life Estate Interest), Kathryn A. DeGarmo, a single woman (Remainder Interest), Patrick A. Degarmo, a single man (Remainder Interest) (R)	3-B33-20	84
2	Wells-Gist Land, Co., L.L.C. (S)	3-B33-23	22.6
3	Wells-Gist Land, Co., L.L.C. (S)	3-B33-29	95
4	Wells-Gist Land, Co., L.L.C. (S)	3-B33-40	112
5	West Virginia Department of Transportation, Division of Highways (S)	Pierce Run Road	4.16
6	Stone Chapel Church (S)	3-B33-36	0.30
7	Jon and Marlena Smith (5)	3-833-37	2.0
8	Robert James and Sue Yano (S)	3-833-43	69.35
9	Richard C. Culbertson (S)	3-833-96	24.28
	Susan S. Culbertson (S)		100
6	Carol A. Williams (S)		
	Roy A. Culbertson (S)		
	John F. Culbertson (S)		
10	Delmas and Elfriede Lancaster (S)	3-833-95	7.60
11	West Virginia Department of Transportation, Division of Highways (S)	McAdoo Ridge Road	3.44
12	Brian and Jacinda Long (S)	3-B33-98	1.0
13	Scott Edgell (S)	3-B33-99	1.73
14	Brian and Jacinda Long (S)	3-B33-97.04	1.67
15	George Tanner and Barbara Sweet (S)	3-B33-97.01	11.74
15	Sportsmen's and Farmers Association of Brooke County (5)	3-B33-100	55.3
17	Sportsmen's and Farmers Association of Brooke County (S)	3-B38-17	101
18	Jeffrey Hensler (S)	3-B38-28	63.1
19	Jeffrey Hensler (S)	3-B38-27.01	60.44

TDAOT	ADJOINING OWNERS TABLE	TAY DADOC	AODEO
TRACT	SURFACE OWNER	TAX PARCEL	ACRES
A	Donny C. Hukill and Tarnera J. Hukill	3-833-83	2.692
В	Leona LaRoche, Lawrence McLaughlin, and Floyd Hennis	3-833-38	2.18
C	Leona LaRoche, Lawrence McLaughlin, and Floyd Hennis	3-833-39	1.1
D	Charles Russell, Jr. and Ethel Russell	3-B33-42	1.0
E	Michael Thomas and Sheryl Kascevic	3-833-97.3	11.44
F	Danny C. Hukill and Tamera J. Hukill	3-B33-97.2	11.01
G	Robert Antill, Jr. and Cynthia Antill	3-B33-17.2	1.053
Н	Leonard F. Woods III and Lisa Marie Woods	3-833-17.1	2.0
1	Robert Antill, Jr. and Cynthia Antill	3-B33-18	0.90
J	Thomas M. and Deborah J. Oldaker	3-833-2	0.41
K	Thomas M. and Debarah J. Oldaker	3-B33-1	2.39
L	Kathryn DeGarmo	3-B33-20.01	2.50
M	Mary Ann Charlton and David M. Edwards	3-B33-21	1.5329
N	Patrick DeGramo	3-B33-20.2	1.53
0	Sharan Cunningham	3-B33-30	4.24
P	Wells-Gist Land Co., L.L.C.	3-B33-34	2.07
Q	Sharon Cunningham	3-833-32	1.06
R	Janice F. Eaton	3-833-33	0.21
S	Monongahela Power Company	3-838-16	1.31
T	Sportsmen's and Farmers Association of Brooke County	3-838-15	2.21
U	Dale C. Jr. and Delvira Hukill	3-B33-85	12.61
V	Danny C. Hukill and Tamera J. Hukill	3-833-85.01	0.809
W	Danny C. Hukill and Tamera J. Hukill	3-833-84	0.916
X	Francis Nadine	3-833-81	0.90
Y	Richard and Cindy Adams	3-833-80	1.10
Z	Richard Chilcote	3-833-79	1.7
AA	Carte Lewis III and Kathleen Lewis	3-833-94	0.78
BB	Mark and Georgia Fedak	3-833-77	1.726
CC	Robert and Wilma Sue Yano	3-833-78	1.72
DD	Kevin and Gerri Kopko	3-833-78.01	0.65
EE	Melvin Peluchette	3-833-53	4.55
FF	Melvin Peluchette	3-833-52	4.32
GG	Carl E. DeGarmo, Jr.	3-833-49	6.26
НН	Grover Haught Life Estate and Lawrence McLaughlin Sr. Remainder	3-833-48	1.0
11	Wells-Gist Land Co., L.L.C.	3-B33-47	0.77
JJ	Wells-Gist Land Co., L.L.C.	3-B33-46	0.71
KK	Amy and Nickolas Cross	3-B33-45	3.52
LL	Lisa Merigo	3-B33-44	1.0
MM	John R. Francis	3-B33-82.01	1.58
NN	Kevin and Lisa Stewart	3-B38-20	1.06
00	Lance Elson	3-838-21	1.618
PP	Carrington Mortgage Services, LLC	3-838-26	1.95
QQ	Jeffrey Hensler	3-838-29	5.33
WW	Charles and Donna Brown	3-B38-30	4.18

09/22/2017

REVISIONS:	COMPANY:	SWN Production Company, LLC	SN Production C	Mary N + °
	OPERATOR'S WELL #:	ALAN H DEGARM 210H	O BRK	DATE: 05-19-2017 DRAWN BY: D. MILLER
	DISTRICT: BUFFALO	COUNTY: BROOKE	STATE: WV	SCALE: N/A DRAWING NO: XXXXX WELL LOCATION PLAT 2

WW-6A1 (5/13) Operator's Well No. Alan H Degarmo BRK 210H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that —

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

Book/Page

See Attached Exhibit "A"

RECEIVED Office of Oil and Gas

MAY 3 0 2017

WV Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: SWN Production Company, L.L.C.

By: Quil last.

Its:

Staff Landman

Page 1 of 4

EXHIBIT "A"

Attached to and made a part of the State of West Virginia Oli and Gas Permit Form, WW-6A1, by SWN Production Company, LLC., Operator Alan H. Degarmo 210H Brooke County, West Virginia

#	TMP	SURFACE OWNER	DEEDED ACREAGE	LEASE #	LESSOR	LESSEE	ROYALTY	BK/PG
1)	03-0833-0020-0000-0000	Alan H. DeGarmo and Mark Kay Degarmo, Life Estate Kathryn A. DeGarmo and Patrick A. DeGarmo Remainder	84.00	729466-000	Alan H. DeGarmo, by and through his Attorney-in-Fact Mary Kathryn Hervey DeGarmo and Mary Kathryn Hervey DeGarmo, husband and wife (Life Estate Interest), Kathryn A. DeGarmo, a single woman (Remainder Interest), Patrick A. Degarmo, a single man (Remainder Interest)	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	12/458 30/480
2)	03-0833-0023-0000-0000	Wells-Gist Land, Co., L.L.C.	22.60	729983-000	Phoenix-Greenlawn Partners, Limted Partnership	Great Lakes Energy Partners, L.L.C. Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	12.50%	9/376 10/552 30/480
3)	03-0B33-0029-0000-0000	Wells-Gist Land, Co., L.L.C.	95.00	733144-000	Phoenix-Greenlawn Partners, Limted Partnership	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	24/435 30/480
4)	03-0833-0040-0000-0000	Wells-Gist Land, Co., L.L.C.	112.00	735105-001	Carol Lynn Harms and Loren H. Harms, wife and husband	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	28/510 30/480
				735106-001	Robert J. Glerke and Rhonda A. Glerke, husband and wife	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	28/771 30/480
				735104-001	Lisa J. Sweeney, a single woman	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	28/505 30/480
				735142-001	Sandra M. Kaplafka and Michael S. Kaplafka, wife and husband	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	28/644 30/480
				735279-001	Ella Marie Kasmarik, a widow appearing herein by and through Lisa M. Brichta,	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	29/69 30/480
	REC Office of (EIVED Dil and Gas			her Agent and Attorney-In-Fact			
				735102-001	Phyllis Anne Wheeler and Jack D. Wheeler, wife and husband	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	28/495 30/480
	AUG 2	3.9 2017		735216-001	Nelson Campbell Nicholls, III and Leslie S. Nicholls, husband and wife	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	28/725 30/480
	WV Department of Environmental Protection			735217-001	Gertrude Margaret Burns and Robert J. Burns, wife and husband	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	28/730 30/480
	Environmen	tal Protection		732753-001	Carolyn Kirchner Freeman and Lawrence M. Freeman, wife and husband		18.00%	21/700 30/480
				732753-002	Paul Lakin Smith and Bonnie Smith, husband and wife	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	22/547 30/480

	_	RECEIVED		732753-003	Rita Kay Wineman, fka Rita Kay	Chesapeake Appalachia, L.L.C.	18.00%	23/595
	(Office of Oil and Care			Cominottie, a widow	SWN Production Company, L.L.C.		30/480
	Office of Oil and Gas AUG 29 2017			732753-004	John A. Cominotte, a widower	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	23/600 30/480
				732753-005	Josie Lynn Moran, fka Josie Lynn Smith and William Moran, wife and husband	Chesapeake Appalachia, L.L.C. SWN Production Company, L.L.C.	18.00%	23/605 30/480
	_	•						
		WV Department of						
	Env	ronmental		732753-006	Lisa Catlin, fka Lisa Smith and Shawn	Chesapeake Appalachia, L.L.C.	18.00%	24/22
	-	WV Department of ironmental Protection			Catlin wife and husband	SWN Production Company, L.L.C.		30/480
				732753-007	Robert Joseph Smith, single	Chesapeake Appalachia, L.L.C.	18.00%	24/27
					· · · · ·	SWN Production Company, L.L.C.		30/480
				732753-008	Galen Hartman Smith, Jr. and Lucille A.	Chesapeake Appalachia, L.L.C.	18.00%	25/357
					Smith, husband and wife	SWN Production Company, L.L.C.		30/480
				732753-009	Frank Eugene Cominotti and Marilyn	Chesapeake Appalachia, L.L.C.	18.00%	25/362
					Cominotti, husband and wife	SWN Production Company, L.L.C.		30/480
5)	Pierce Run Road	West Virginia Department of Transportation,	4.16	735372-000	West Virginia Department of	Chesapeake Appalachia, L.L.C.	15.00%	18/723
		Division of Highways			Transportation, Division of Highways	SWN Production Company, L.L.C.		30/480
6)	03-0B33-0036-0000-0000	Stone Chapel Church	0.30	Pending	Stone Chapel Church	SWN Production Company, L.L.C.	14.00%	33/347
7)	03-0B33-0037-0000-0000	Jon and Marlena Smith	2.00	735807-000	Jon T. Smith and Marlena L. Smith,	Chesapeake Appalachia, L.L.C.	18.00%	14/299
					husband and wife	SWN Production Company, L.L.C.		30/480
8)	03-0833-0043-0000-0000	Robert James and Sue Yano	69.35	730131-000	Robert James Yano and Sue Yano	Fortuna Energy, Inc.	12.50%	9/652
						Range Resources - Appalachia, L.L.C.		10/203
						Chesapeake Appalachia, L.L.C.		40/222
						SWN Production Company, L.L.C.		10/552
		Pistoria Calledon	24.20	744665 004	Richard C. Culbertson	Chesapeake Appalachia, L.L.C.	18.00%	30/480 29/552
9)	03-0833-0096-0000-0000	Richard C. Culbertson	24.28	744665-001	nicialo C. Culbertson	SWN Production Company, L.L.C.	10.00%	29/352 31/288
		Susan S. Culbertson		744665-002	Susan S. Culbertson	Chesapeake Appalachia, L.L.C.	18.00%	30/640
		Justin J. Culpertson		, 77005-002	ousen or delaction	SWN Production Company, L.L.C.	10.0074	31/288
		Carol A. Williams		744665-003	Carol A. Williams	Chesapeake Appalachia, L.L.C.	18.00%	29/589
						SWN Production Company, L.L.C.		31/288
		Ray A. Culbertson		744665-004	Ray A. Culbertson	Chesapeake Appalachia, L.L.C.	18.00%	30/286
		•			•	SWN Production Company, L.L.C.		31/288
		John F. Culbertson		744665-005	John F. Culbertson	Chesapeake Appalachia, L.L.C.	18.00%	29/601

10)	03-0833-0095-0000-0000	Delmas and Elfriede Lancaster	7.60	735614-000	Delmas O. Lancaster and Elfriede R.	Chesapeake Appalachia, L.L.C.	18.00%	14/110
					Lancaster, husband and wife	SWN Production Company, L.L.C.		30/480
11)	McAdoo Ridge Road	West Virginia Department of Transportation,	3.44	Pending	West Virginia Department of	SWN Production Company, L.L.C.	20.00%	33/644
		Division of Highways			Transportation, Division of Highways			
12)	03-0833-0098-0000-0000	Brian and Jacinda Long	1.00	731736-000	Brian T. Long and Jacinda D. Long,	Chesapeake Appalachia, L.L.C.	18.00%	15/286
		_			husband and wife	SWN Production Company, L.L.C.		30/480
13)	03-0B33-0099-0000-0000	Scott Edgell	1.73	731986-002	Scott L. Edgell and Eleanor Edgell,	Chesapeake Appalachia, L.L.C.	18.00%	19/700
					husband and wife	SWN Production Company, L.L.C.		30/480
14)	03-0B33-0097-0004-0000	Brian and Jacinda Long	1.67	731736-000	Brian T. Long and Jacinda D. Long,	Chesapeake Appalachia, L.L.C.	18.00%	15/286
					husband and wife	SWN Production Company, L.L.C.		30/480
15)	03-0833-0097-0001-0000	George Tanner and Barbara Sweet	11.74	733182-000	George A. Tanner and Barbara B. Sweet,	Chesapeake Appalachia, L.L.C.	18.00%	24/492
					husband and wife	SWN Production Company, L.L.C.		30/480
16)	03-0833-0100-0000-0000	Sportsmen's and Farmers Association of	55.31	730105-000	Sportsmen's and Farms Association of	Great Lakes Energy Partners, L.L.C	15.50%	9/674
		Brooke County			Brooke County	Chesapeake Appalachia, L.L.C.		10/552
						SWN Production Company, L.L.C.		30/480
17)	03-0838-017-0000-0000	Sportsmen's and Farmers Association of	101.00	730106-000	Sportsmen's and Farms Association of	Great Lakes Energy Partners, L.L.C	15.50%	9/674
		Brooke County			Brooke County	Chesapeake Appalachia, L.L.C.		10/552
						SWN Production Company, L.L.C.		30/480
18)	03-0838-0028-0000-0000	Jeffrey Hensler	63.10	730164-000	Colonial Corporation, a Nevada	Range Resources - Appalachia, L.L.C	14.00%	26/619
					Corporation, and Kimberly J. Carman aka	Chesapeake Appalachia, L.L.C.		10/552
					Kimberly J. Worthley, a married woman	SWN Production Company, L.L.C.		30/480
					dealing in her sole and separate			
					property			
19)	03-0838-0027-0001-0000	Jeffrey Hensler	60.44	730164-000	Colonial Corporation, a Nevada	Range Resources - Appalachia, L.L.C	14.00%	26/619
•					Corporation, and Kimberly J. Carman aka	Chesapeake Appalachia, L.L.C.		10/552
					Kimberly J. Worthley, a married woman	SWN Production Company, L.L.C.		30/480
					dealing in her sole and separate			
					property			

RECEIVED
Office of Oil and Gas

AUG 2.9 2017



SWN Production Company, LLC P O Box 12359 Spring, Texas 77591-2359 www.swn.com

May 9, 2017

Ms. Laura Adkins WV DEP Office of Oil & Gas 601 57th St., SE Charleston, WV 25304

RE: SWN's proposed New Well: Alan H. Degarmo BRK 210H in Brooke County, West Yirginia, Drilling under Pierce Run Road, and McAdoo Ridge Road.

Dear Ms. Adkins:

SWN Production Company, LLC ("SWN") is applying for a drilling permit for the above referenced well. The State of West Virginia has raised some concern as to SWN's right to drill under Pierce Run Road, and McAdoo Ridge Road. Please be advised that SWN has leased all mineral owners under said route as it relates to the above-referenced well and unit.

Thank you.

Sincerely,

Derek Clark Staff Landman

SWN Production Company, LLC

PO Box 12359

Spring, TX 77391-2359

Delet Clark

Sn. May 30 day Gas

R2 wV+°

= help

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	ce Certification:		API No. 4/- 51 -					
			Operator's	Well I	No. Alan H. Degarmo BRK 210H			
			Well Pad Name: Alan H. Degarmo BR					
Notice has l	peen given:							
Pursuant to th	e provisions in West Virginia Code § 22-6	A, the Operator has pro	vided the rec	quired p	parties with the Notice Forms li	sted		
below for the	tract of land as follows:							
State:	WV	— UTM NAD 83	Easting:	536395	394			
County:	Brooke	— UTWINAD 83	Northing:	445519	1.226			
District:	Buffalo	Public Road Ace	cess:	Genteel	Ridge Road			
Quadrangle:	Bethany	Generally used t	farm name:	Alan H.	Degarmo			
Watershed:	Upper Ohio South							
		_						

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

that the Operator has properly served the required *PLEASE CHECK ALL THAT APPLY 1. NOTICE OF SEISMIC ACTIVITY or	erator has attached proof to this Notice Certification d parties with the following: NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED TEY or NO PLAT SURVEY WAS CONDUCTED	OOG OFFICE USE ONLY RECEIVED/ NOT REQUIRED RECEIVED
3. NOTICE OF INTENT TO DRILL or	☐ NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED OF ☐ WRITTEN WAIVER BY SURFACE OWNER	RECEIVED/ NOT REQUIRED
4. NOTICE OF PLANNED OPERATION	(PLEASE ATTACH) RECEIVED Office of Oil and Gas	RECEIVED
5. PUBLIC NOTICE6. NOTICE OF APPLICATION	MAY 3 0 2017 WV Department of Environmental Protection	RECEIVED RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

By:

Its:

Certification of Notice is hereby given:

have read and understand the notice requirements within West Virginia Code § 22-THEREFORE, I 6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: SWN Production Co., LLC

Dee Southall

Telephone: 832-796-1610 Address:

P.O. Box 1300

Jane Lew, WV 26378

Facsimile: 304-471-2497

Email:

Dee Southall@swn.com

NOTARY SEAL OFFICIAL SEAL lotary Public, State of West Virginia BRITTANY R WOODY 3302 Old Elkins Road Bunkhannon, WV 26201 My commission expires November 27, 2022

Regulatory Supervisor

Subscribed and sworn before me this

otary Public

My Commission Expir

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Oil and Gas

MAY 3 0 2017

API NO. 47-51 OPERATOR WELL NO. Alan H. Dogarmo BRK Pad
Well Pad Name: Alan H. Dogarmo BRK Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no	later than the filing date of permit application.
Date of Notice: Date Permit Application F Notice of:	iled: 50510
☑ PERMIT FOR ANY ☐ CERTIFICATE	OF APPROVAL FOR THE
· 	ON OF AN IMPOUNDMENT OR PIT
Delivery method pursuant to West Virginia Code § 2	
☐ PERSONAL ☐ REGISTERED ☐	METHOD OF DELIVERY THAT REQUIRES A
SERVICE MAIL	RECEIPT OR SIGNATURE CONFIRMATION
the surface of the tract on which the well is or is proposed oil and gas leasehold being developed by the proposed we described in the erosion and sediment control plan submitt operator or lessee, in the event the tract of land on which t more coal seams; (4) The owners of record of the surface t well work, if the surface tract is to be used for the placeme impoundment or pit as described in section nine of this art have a water well, spring or water supply source located w provide water for consumption by humans or domestic ani proposed well work activity is to take place. (c)(1) If more subsection (b) of this section hold interests in the lands, th records of the sheriff required to be maintained pursuant to provision of this article to the contrary, notice to a lien hol	icle, and the well plat to each of the following persons: (1) The owners of record of to be located; (2) The owners of record of the surface tract or tracts overlying the ll work, if the surface tract is to be used for roads or other land disturbance as red pursuant to subsection (c), section seven of this article; (3) The coal owner, the well proposed to be drilled is located [sic] is known to be underlain by one or tract or tracts overlying the oil and gas leasehold being developed by the proposed ent, construction, enlargement, alteration, repair, removal or abandonment of any icle; (5) Any surface owner or water purveyor who is known to the applicant to ithin one thousand five hundred feet of the center of the well pad which is used to mals; and (6) The operator of any natural gas storage field within which the than three tenants in common or other co-owners of interests described in the paplicant may serve the documents required upon the person described in the posection eight, article one, chapter eleven-a of this code. (2) Notwithstanding any der is not notice to a landowner, unless the lien holder is the landowner. W. Va. at all also provide the Well Site Safety Plan ("WSSP") to the surface owner and any er testing as provided in section 15 of this rule.
	n Notice ☑ Well Plat Notice is hereby provided to:
SURFACE OWNER(s) Name: Alan & Mary Kay Degarmo	☑ COAL OWNER OR LESSEE Name: Starvaggi Industries INC.
Address: 76 Douglas Street	Address: 401 Pennsylvania Ave
Wellsburg, WV 26070	Weirton, WV 26062
Name:	COAL OPERATOR
Address:	Name:
	Address:
SURFACE OWNER(s) (Road and/or Other Disturbation	nce)
Name:	☑ SURFACE OWNER OF WATER WELL
Address:	AND/OR WATER PURVEYOR(s)
	Name: See Attachment #1
Name:	Address:
Address:	= OPER LEON OF INVIVIOUS OLD STOR AGE FIELD
ALIENT OF CHRISTIAN AND AND AND AND AND AND AND AND AND A	OPERATOR OF ANY NATURAL GAS STORAGE FIELD
SURFACE OWNER(s) (Impoundments or Pits)	Name:
Name:	Address:
Address:	*Please attach additional forms if necessary
RECEIV Office of Oil	and Gas

WV Department of Environmental Protection

MAY 3 0 2017

09/22/2017

MAY 3 0 2017

WV Department of Environmental Protection API NO. 47-51

OPERATOR WELL NO. Annu Departo BHK AND Well Pad Name: Alan H Degarmo BRK Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.e, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12. Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47-51 OPERATOR WELL NO. Alan H. Dogarmo BRK 210 H Well Pad Name: Alan H. Degarmo BRK Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

RECEIVED
Office of Oil and Gas

MAY 3 0 2017

WW Department of

Such persons may request, at the time of submitting written comments, notice of the permit decision and inst of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

API NO. 47- 51

OPERATOR WELL NO. Alan H. Degarmo BRX 10H

Well Pad Name: Alan H. Degarmo BRK Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED Office of Oil and Gas

MAY 3 0 2017

API NO. 47-51

OPERATOR WELL NO. Alan H. Degamro BRK 10H Well Pad Name: Alan H. Degarmo BRK Pad

Notice is hereby given by:

Well Operator: SWN Production Co., LLC

Telephone: 832-796-1610

Email: Dee_Southall@swn.com

OFFICIAL SEAL rublic, State of West Virginia

BRITTANY R WOODY 3302 Old Elkins Road

Buckhannon, WV 26201 My commission expires November 27, 2022 Address: P.O. Box 1300

Jane Lew, WV 26378 Facsimile: 304-471-2497

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deportivacyofficer@wv.gov.

Subscribed and sworn before me this

day of May 20

RECEIVED Office of Oil and Gas

MAY 3 0 2017

Attachment #1

Alan Degarmo BRK Pad - Water Purveyors w/in 1500'

Sources

Landowner

Alan & Mary Kay Degarmo


Address

76 Douglas Street, Wellsburg WV 26070 2 springs

047-009-00209


RECEIVED Office of Oil and Gas

MAY 3 0 2017



The intent of this map is for general reference only. Information on this map was created using the best available data at the time but is not guaranteed accurate.

09/22/2017



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Date of Noti	ce: 05/15/2017 Date of the province of the pro	ided at least TEN (10) days prior to filing a te Permit Application Filed:	permit application.
Delivery me	thod pursuant to West Virginia Co	de § 22-6A-16(b)	
☐ HAND	■ CERTIFIED MAIL		
DELIVI	ERY RETURN RECEIP	1 REQUESTED	
receipt reque drilling a hor of this subsec subsection m	sted or hand delivery, give the surfaction as of the date the notice was propertion as of the date the notice was propertied by the surfaction as of the date the notice was propertied by the surfaction.	ten days prior to filing a permit application, be owner notice of its intent to enter upon the given pursuant to subsection (a), section te ovided to the surface owner: <i>Provided</i> , how be owner. The notice, if required, shall included mail address of the operator and the operator	ne surface owner's land for the purpose of en of this article satisfies the requirements vever, That the notice requirements of this ude the name, address, telephone number,
Notice is he	reby provided to the SURFACI	E OWNER(s):	
	Mary Kay Degarmo Life Estate	Name:	
Address: 76 D		Address:	
Wellsburg, WV 2	6070	-	
		notice is hereby given that the undersigned	
State: County:	West Virginia Brooke	g a horizontal well on the tract of land as fo UTM NAD 83 Easting: Northing:	536,395.394 4,455,191.226
State: County: District:	West Virginia Brooke Buffalo	UTM NAD 83 Easting: Northing: Public Road Access:	536,395.394 4,455,191.226 Genteel Ridge Rd.
State: County:	West Virginia Brooke	UTM NAD 83 Easting: Northing:	536,395.394 4,455,191.226
State: County: District: Quadrangle: Watershed: This Notice Pursuant to Vifacsimile nur	West Virginia Brooke Buffalo Bethany Upper Ohio South Shall Include: West Virginia Code § 22-6A-16(b), and the control of	UTM NAD 83 Easting: Northing: Public Road Access:	4,455,191.226 Genteel Ridge Rd. Alan H. Degarmo BRK ress, telephone number, and if available, and representative. Additional information f Environmental Protection headquarters,
State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nur related to hoo located at 60	West Virginia Brooke Buffalo Bethany Upper Ohio South Shall Include: West Virginia Code § 22-6A-16(b), mber and electronic mail address of rizontal drilling may be obtained from 157th Street, SE, Charleston, WV 25	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, address the operator and the operator's authorized on the Secretary, at the WV Department of	4,455,191.226 Genteel Ridge Rd. Alan H. Degarmo BRK ress, telephone number, and if available, and representative. Additional information f Environmental Protection headquarters,
State: County: District: Quadrangle: Watershed: This Notice Pursuant to violated to hollocated at 600	West Virginia Brooke Buffalo Bethany Upper Ohio South Shall Include: West Virginia Code § 22-6A-16(b), mber and electronic mail address of rizontal drilling may be obtained from 1 57 th Street, SE, Charleston, WV 25 creby given by:	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, address the operator and the operator's authorized on the Secretary, at the WV Department of 1304 (304-926-0450) or by visiting www.de	4,455,191.226 Genteel Ridge Rd. Alan H. Degarmo BRK ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
State: County: District: Quadrangle: Watershed: This Notice Pursuant to be facsimile nur related to hou located at 60: Notice is he Well Operato	West Virginia Brooke Buffalo Bethany Upper Ohio South Shall Include: West Virginia Code § 22-6A-16(b), mber and electronic mail address of rizontal drilling may be obtained from 157th Street, SE, Charleston, WV 25	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, address the operator and the operator's authorized on the Secretary, at the WV Department of	4,455,191.226 Genteel Ridge Rd. Alan H. Degarmo BRK ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
State: County: District: Quadrangle: Watershed: This Notice Pursuant to violated to hollocated at 600	West Virginia Brooke Buffalo Bethany Upper Ohio South Shall Include: West Virginia Code § 22-6A-16(b), and an address of rizontal drilling may be obtained from 157th Street, SE, Charleston, WV 25th Street, SE, Charles	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, address the operator and the operator's authorized in the Secretary, at the WV Department of 304 (304-926-0450) or by visiting www.de	4,455,191.226 Genteel Ridge Rd. Alan H. Degarmo BRK ress, telephone number, and if available, and representative. Additional information f Environmental Protection headquarters, ap.wv.gov/oil-and-gas/pages/default.aspx. Mike Yates PO Box 1300, 179 Innovation Drive
State: County: District: Quadrangle: Watershed: This Notice Pursuant to vifacsimile nur related to hor located at 60 li Notice is he Well Operato Address:	West Virginia Brooke Buffalo Bethany Upper Ohio South Shall Include: West Virginia Code § 22-6A-16(b), mber and electronic mail address of rizontal drilling may be obtained from 157th Street, SE, Charleston, WV 25th S	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: this notice shall include the name, address the operator and the operator's authorized in the Secretary, at the WV Department of 304 (304-926-0450) or by visiting www.de	4,455,191.226 Genteel Ridge Rd. Alan H. Degarmo BRK ress, telephone number, and if available, and representative. Additional information f Environmental Protection headquarters, ap.wv.gov/oil-and-gas/pages/default.aspx. Mike Yates
State: County: District: Quadrangle: Watershed: This Notice Pursuant to be facsimile nur related to hou located at 60: Notice is he Well Operato	West Virginia Brooke Buffalo Bethany Upper Ohio South Shall Include: West Virginia Code § 22-6A-16(b), mber and electronic mail address of rizontal drilling may be obtained from 1 57 th Street, SE, Charleston, WV 25 Preby given by: SWN Production Company, LLC PO Box 1300, 179 Innovation Drive Jane Lew, WV 26378	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name: , this notice shall include the name, address authorized the operator and the operator's authorized must be Secretary, at the WV Department of 304 (304-926-0450) or by visiting www.de Authorized Representative: Address:	4,455,191.226 Genteel Ridge Rd. Alan H. Degarmo BRK ess, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. Mike Yates PO Box 1300, 179 Innovation Drive Jane Lew, WV 26378

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

MAY 3 0 2017

Operator Well No. Alan H Degumo BRK 210H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

				1	
Delivery met	thod pursuant to West Virginia (Code § 22-6A-10	6(c)		
■ CERTI	FIED MAIL	☐ HAND			
22	RN RECEIPT REQUESTED	DELIV			
return receipt the planned of required to be drilling of a damages to the (d) The notice of notice.	requested or hand delivery, give to peration. The notice required by a provided by subsection (b), section chorizontal well; and (3) A propose the surface affected by oil and gas of	he surface owner this subsection ten of this artied surface use a perations to the given to the sur	or whose land a shall including icle to a surfa and compens extent the da	I will be used for de: (1) A copy ace owner whos ation agreement amages are comp	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information at land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter, sted in the records of the sheriff at the time
	s listed in the records of the sheriff		otice):		
Name: Alan & M	lary Kay Degarmo Life Estate		Name:		
Address: 76 D			Address	i	
Wellsburg, WV 26	in to				
					well operator has developed a planned
	Brooke		JTM NAD 8	Easting: Northing:	ct of land as follows: 536,395.394 4,455,191.226
District:	Brooke Buffalo	F	JTM NAD 8	Easting: Northing: Access:	ct of land as follows: 536,395,394 4,455,191,226 Genteel Ridge Rd.
County: District: Quadrangle: Watershed:	Brooke	F	JTM NAD 8	Easting: Northing:	ct of land as follows: 536,395.394 4,455,191.226
District: Quadrangle: Watershed: This Notice S Pursuant to V to be provide horizontal we surface affect information r	Brooke Buffalo Bethany Upper Ohio South Shall Include: Vest Virginia Code § 22-6A-16(c), ed by W. Va. Code § 22-6A-10(b); and (3) A proposed surface use led by oil and gas operations to the elated to horizontal drilling may located at 601 57 th Street, SE,	this notice shall) to a surface of and compensative extent the data be obtained from	Public Road a Generally use I include: (1) owner whose ion agreement mages are come the Secret	3 Easting: Northing: Access: d farm name: A copy of this land will be und tont containing an ompensable und ary, at the WV	ct of land as follows: 536,395,394 4,455,191,226 Genteel Ridge Rd.
District: Quadrangle: Watershed: This Notice S Pursuant to V to be provide horizontal we surface affect information r headquarters, gas/pages/def	Brooke Buffalo Bethany Upper Ohio South Shall Include: Vest Virginia Code § 22-6A-16(c), ed by W. Va. Code § 22-6A-10(b); and (3) A proposed surface used by oil and gas operations to the elated to horizontal drilling may located at 601 57th Street, SE, ault.aspx.	this notice shall) to a surface of and compensative extent the data be obtained from	Public Road a Generally use I include: (1) owner whose ion agreement mages are come the Secret	3 Easting: Northing: Access: d farm name: A copy of this land will be und tont containing an ompensable und ary, at the WV	ct of land as follows: 536,395,394 4,455,191,226 Genteel Ridge Rd. Alan H. Degarmo BRK code section; (2) The information required ased in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-
District: Quadrangle: Watershed: This Notice S Pursuant to V to be provide horizontal we surface affect information r headquarters,	Brooke Buffalo Bethany Upper Ohio Scuth Shall Include: Vest Virginia Code § 22-6A-16(c), ed by W. Va. Code § 22-6A-10(bell; and (3) A proposed surface used by oil and gas operations to the clated to horizontal drilling may located at 601 57th Street, SE, fault.aspx.	this notice shall) to a surface of and compensative extent the data be obtained from	Public Road a Generally use I include: (1) owner whose ion agreement mages are come in the Secret	3 Easting: Northing: Access: ad farm name: A copy of this land will be unt containing an ampensable und ary, at the WV (304-926-0450)	ct of land as follows: 536,395 394 4,455,191.226 Genteel Ridge Rd. Alan H. Degarmo BRK code section; (2) The information required used in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-movation Drive

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

MAY 3 0 2017



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

Jim Justice Charleston, West Virginia 25305-0430 • (304) 558-3505
Governor

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

May 11, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Alan H. Degarmo Pad, Brooke County
Alan H. Degarmo BRK 210H

47-001-00209

Dear Mr. Martin,

The West Virginia Division of Highways has transferred Permit #06-2011-0596 for the subject site to Southwestern Energy for access to the State Road for the well site located off of Brooke County Route 27/4 SLS.

The operator has signed an OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.
Regional Maintenance Engineer
Central Office Oil & Gas Coordinator

RECEIVED Office of Oil and Gas

MAY 3 0 2017

Southwestern Energy CH, OM, D-6 File

Brittany Woody

Cc:

Product Name	Product Use	Chemical Name	CAS Numbe
		Hydrogen Peroxide	7722-84-1
EC 6734A (Champion Technologies)	Biocide	Acetic Acid	64-19-7
		Peroxyacetic Acid	79-21-0
GYPTRON T-390 (Champion	Scale Inhibitor	Methanol	67-56-1
Technologies)	Scale minibilor	Nonylphenol E thoxylate	Proprietary
		Glutaraldehyde	111-30-8
Bactron K-139 (Champion Technologies)	Biocide	Quaternary Ammonium Compounds, Benzyl-C12 16-Alkyldimethyl, Chlorides	68424-85-1
		E thanol	64-17-5
Bactron K-219 (Champion Technologies)	Biocide	Methanol	67-56-1
r echnologies)		Quaternary Ammonium Compounds, Benzyl-C12 16-Alkyldimethyl, Chlorides	68424-85-1
	ĺ	Methanol	67-56-1
A 264 (Schlumberger)	C orrosion	Aliphatic Acids	Proprietary
(5	Inhibitor	Prop-2-yn-1-ol	107-19-7
		Aliphatic Alcohols, Ethoxylated #1	Proprietary
Myacide GA 25 (Schlumberger)	Biocide	Water	7732-18-5
- The section of the	Biocide	Glutaral	111-30-8
cale Inhibitor B317 (Schlumberger	C 1 . 1 . 1 . 1 . 1	Trisodium Ortho Phosphate	7601-54-9
Cale IIIIIDIOI B317 (Schlumberger	Scale Inhibitor	E thane-1,2-diol	
H 215 (Schlumberger)	Hydrochloric Acid	Hydrochloric Acid	107-21-1 7647-01-0
J 218 (Schlumberger)	Breaker	Diammonium Peroxidisulphate	7727-54-0
EB-Clean* J475 (Schlumberger)	Breaker	Diammonium Peroxidisulphate	7727-54-0
Water Gelling Agent J 580 (Schlumberger)	Gel	C arbohydrate Polymer	Proprietary
Friction Reducer J 609W	Friction	Ammonium Sulfate	7783-20-2
(S chlumberger)	Reducer	Urea	57-13-6
C ross linker J 610 (schlumberger)	Crosslinker	Potassium Hydroxide	1310-58-3
e 1033 milker 3 010 (3 chlumberger)	Crosslinker	Aliphatic Polyol	
ron Stabilizer L58 (Schlumberger)	Iron Stabilizer	S odium E rythorbate	Proprietary
40/70-Mesh S and S 012			6381-77-7
(Schlumberger)	Sand	C rystalline S ilica	14808-60-7
Sand S 100 (Schlumberger)	Sand	C rystalline S ilica	14808-60-7
EC6486A (Nalco Champion)	S cale Inhibitor	Amine Triphosphate	Proprietary
		E thylene Glycol	107-21-1
SSA-2 (Halliburton)	Sand	C rystalline S ilica	14808-60-7
FR-76 (Halliburton)	Friction	Inorganic salt	
LCA-1 (Halliburton)	Reducer	Hydrotreated light petroleum distillate	64742-47-8
SP BREAKER (Halliburton)		Hydrotreated light petroleum distillate	Proprietary
OT DREAKER (Halliburton)	Breaker	S odium Persulfate	7775-27-1
HAI-150E (Halliburton)	C orrosion	Methanol Aliphatic Acids	NA
İ		Prop-2-yn-1-ol	
Hydrochloric Acid 10-30%		Aliphatic Alcohols, Ethoxylated #1	
(Halliburton) (G-36 Gelling Agent (Halliburton)		Hydrochloric Acid	7647-01-0
BC-140C (Halliburton)	Gel	Polysaccharide	9000-30-0
CO 2-0C (Hamburton)	Crosslinker		NA



2000

PENNSYLVANIA

PROJECT AREA

DEGARMO WELL PAD RECLAMATION AS-BUILT

BUFFALO DISTRICT BROOKE COUNTY, WEST VIRGINIA

> WVDEP OOG ACCEPTED AS-BUILT Hoff 5-25-2017

LOD	
DESCRIPTION	ACRES
ROAD DISTURBED AREA	9.46
PAD DISTURBED AREA	6.68
TOTAL	16.14

LOD (REVISED)	
DESCRIPTION	ACRES
ROAD DISTURBED AREA	9.46
PAD DISTURBED AREA	6.68
TOTAL	16.14

SHEET INDEX

TITLE SHEET EP2.1 EVACUATION ROUTE / PREVAILING WIND EP2.2 EVACUATION ROUTE / PREVAILING WIND

AS-BUILT OVERVIEW AS3.1

AS3.2 AS-BUILT AS3.3 AS-BUILT

AS3.4 AS-BUILT

ASR4.1 ACCESS ROAD PROFILE RECLAMATION PLAN OVERVIEW

MRD5.1 MRD5.2 RECLAMATION PLAN RECLAMATION PLAN MRD5.3

RECLAMATION PLAN MRD5.4

RECLAMATION DETAILS MRD6.3 MRD6.4 RECLAMATION DETAILS

MRD6.5 RECLAMATION DETAILS RECLAMATION DETAILS MRDSS

MRD67 RECLAMATION DETAILS

WELL NAME	NAD 83 WEST VIRGINIA NORTH ZONE		
	LATITUDE	LONGITUDE	
H1 (PROPOSED)	40.246420	-80.572289	
H3 (EXISTING)	40.246385	-80.571981	
H5 (PROPOSED)	40.246433	-80.572088	
H8 (EXISTING)	40.246388	-80.571932	
H205 (PROPOSED)	40.246436	-80.572039	
H405 (PROPOSED)	40.246440	-80.571989	

SITE LOCATIONS	NAD 83 WEST VIRGINIA NORTH ZONE		
	LATITUDE	LONGITUDE	
BEGINNING OF MAIN ACCESS ROAD	40.252258	-80.576422	
MAIN ACCESS ROAD AT PAD	40.246810	-80.571468	
CENTER OF PAD	40.246405	-80.572168	
GATHERING AREA	40.240110	-80.574008	

SUBMITTAL & REVISION RECORD		
NO	DATE	DESCRIPTION
Δ		











Eastern Panhandle

Civil & Environmental Consultants, Inc.

600 Marketplace Ave - Suite 200 - Bridgeport, WV 26330 Ph: 304.933.3119 - Fax: 304.933.3327

www.cecinc.com

DBS CHECKED BY: FEBRUARY 2017 DWG SCALE


SOUTHWESTERN PRODUCTION COMPANY DEGARMO WELL PAD **BUFFALO DISTRICT** BROOKE COUNTY, WEST VIRGINIA

DEGARMO RECLAMATION AS-BUILT

TITLE SHEET

DRAWN BY: JDR APPROVED BY DEM FIGURE NO. TS₁ AS NOTED PROJECT NO: 164-764

NORTH



IO WELL PAD TION AS-BUILT ALO DISTRICT UNITY, WEST VIRGINIA

SHEET INDEX

TS1.	TITLE SHEET
EP2.1	EVACUATION ROUTE / PREVAILING WIND
EP2.2	EVACUATION ROUTE / PREVAILING WIND
AS3.1	AS-BUILT OVERVIEW
A\$3.2	AS-BUILT
AS3.3	AS-BUILT
AS3.4	A9-BUILT
ASR4.1	ACCESS ROAD PROFILE
MRD5.1	RECLAMATION PLAN OVERVIEW
MRD5.2	RECLAMATION PLAN
MRD5.3	RECLAMATION PLAN
MRD5.4	RECLAMATION PLAN
MRD6.3	RECLAMATION DETAILS
MRD6.4	RECLAMATION DETAILS
MRD6.5	RECLAMATION DETAILS

D		
	ACRES	
REA	9.46	
EA	6.68	
TAL	16.14	

WELL NAME	NAD 83 WEST VIRGINIA NORTH ZONE	
	LATITUDE	LONGITUDE
H1 (PROPOSED)	40.246420	-80.572289
H3 (EXISTING)	40.246385	-80.571981
H5 (PROPOSED)	40.246433	-80.572088
H8 (EXISTING)	40.246388	-80.571932
H205 (PROPOSED)	40.246436	-80.572039
H405 (PROPOSED)	40.246440	-80.571989

VISED)	
	ACRES
REA	9.46
EA	6.68
TAL	16.14

SITE LOCATIONS	NAD WEST VIRGINIA	
	LATITUDE	LONGITUDE
BEGINNING OF MAIN ACCESS ROAD	40.252258	-80.576422
MAIN ACCESS ROAD AT PAD	40.246810	-80.571468
CENTER OF PAD	40.246405	-80.572168
GATHERING AREA	40.240110	-80.574008

SUBMITTAL & REVISION RECORD		
NO	DATE	DESCRIPTION

CALL BEFORE YOU DIG!



R2-NV+



Civil & Environmental Consultants, Inc.

600 Markelplace Ave · Suite 200 · Bridgeport, WV 26330 Ph: 304,933,3119 · Fax: 304,933,3327

www.ecolnc.com

SOUTHWESTERN PRODUCTION COMPANY DEGARMO WELL PAD BUFFALO DISTRICT BROOKE COUNTY, WEST VIRGINIA

DEGARMO RECLAMATION AS-BUILT

DRAWN BY: DBS CHECK

DBS CHECKED BY:

LM APPROVED BY:

DM FIGURE NO .:

DATE: JAN. 2017 DWG SCALE:

AS NOTED PROJECT NO:

164-764

TS1

RECEIVED Office of Oil and Gas

MAY 3 0 2017

