

CANCELLED

GPS YES ___ NO ___

DATE STARTED/LOCATION:		API #:	47-00900225	WELL NO.	BRK 5H
DRILLING COMMENCED:		OPERATOR:	SWN		
TD DATE:		DEPTH:		FARM:	WORTHLEY
			COAL DEPTHS		

WATER DEPTHS

QUESTIONS FOR THIS REPORT ARE IN ACCORDANCE OF WV CODE 22-6-30

AND REGULATIONS 35CSR 4-12.1 AND 35CSR 4-16 AND THE GENERAL WATER POLLUTION CONTROL PERMIT

POINTS ARE TO BE GIVEN UP TO MAXIMUM AS SHOWN BASED ON PERFORMANCE.

- DID OPERATOR GIVE PROPER NOTICE TO INSPECTOR BEFORE THE FOLLOWING:
 - CONSTRUCTION YES ___ NO ___ (2 PTS) B. DRILLING YES ___ NO ___ (2 PTS) **(4 PTS) _____**
 - WAS THE TIMBER CUT, STACKED, AND BRUSH USED FOR SEDIMENT BARRIERS BEFORE DIRT WORK STARTED? YES ___ NO ___ (4 PTS) **(4 PTS) _____**
 - ARE ALL LOCATION AND/OR ROAD BANKS BEING SLOPED? YES ___ NO ___ (4 PTS) **(4 PTS) _____**
 - CONSTRUCTION: WERE THE FOLLOWING SEDIMENT CONTROL STRUCTURES PROPERLY INSTALLED/MAINTAINED?

A. ROAD DITCHES 1__ 2__ 3__ 4__ (PTS)	B. CROSS DRAINS 1__ 2__ 3__ 4__ 5__ (PTS)
C. CULVERTS 1__ 2__ 3__ 4__ 5__ (PTS)	D. CREEK CROSSINGS 1__ 2__ 3__ (PTS)
E. DIVERSION DITCHES 1__ 2__ 3__ (PTS)	F. BARRIERS 1__ 2__ 3__ (PTS)
 - TEMPORARY SEEDING YES ___ NO ___ (10 PTS) **POINTS AVAILABLE FOR QUESTION 4: (33 PTS) _____**
 - HAS TOP SOIL (IF ANY) BEEN STOCKED PILED? YES ___ NO ___ (2 PTS) **(2 PTS) _____**
 - IS THE PIT PROPERLY INSTALLED AND MAINTAINED? YES ___ NO ___ (9 PTS) **(9 PTS) _____**
 - RECLAMATION:

A. ROADWAY 1__ 2__ 3__ (PTS)	B. LOCATION 1__ 2__ 3__ (PTS)
C. PITS 1__ 2__ 3__ (PTS)	D. PIPELINES 1__ 2__ 3__ (PTS)
E. TANK DIKES 1__ 2__ 3__ (PTS)	F. API INSTALLED YES ___ NO ___ (3 PTS)
 - WAS SEED BED ADEQUATE 1__ 2__ 3__ (PTS) **POINTS AVAILABLE FOR QUESTION 7: (24 PTS) _____**
 - WAS RECLAMATION COMPLETED WITHIN:
 - CONVENTIONAL:

6 MTHS OF TD ___ 6 PTS ONLY; 4 MTHS OF TD ___ 12 PTS ONLY; 2 MTHS OF TD ___ 19 PTS ONLY.
 - HORIZONTAL:

3 YRS OF PAD COMPLETION ___ 19 PTS ONLY; 4 YRS OF PAD COMPLETION ___ 16 PTS ONLY;
5 YRS OF PAD COMPLETION ___ 13 PTS ONLY

MAXIMUM POINTS AVAILABLE FOR QUESTION 8: (19 PTS) _____

TOTAL MAXIMUM POSSIBLE SCORE OF 99.

TOTAL RECLAMATION SCORE: _____

04/01/2024

Strader Gower

CANCELLED

INSPECTOR

04/05/2024

