west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary
www.dep.wv.gov

Wednesday, October 28, 2026

WELL WORK PLUGGING PERMIT
Vertical Plugging

PILLAR ENERGY, LLC
1244 MARTINS BRANCH RD

CHARLESTON, WV 25312

Re: Permit approval for P-3
47-011-00640-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

H. Jason Harmon
Chief

Operator's Well Number: P-3
Farm Name: GREGORY & GRETA GILLMEISTER
U.S. WELL NUMBER: 47-011-00640-00-00
Vertical Plugging
Date Issued: 10/28/2026

10/30/2026

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
2. Well work activities shall not constitute a hazard to the safety of persons.
3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

10/30/2026

WW-4B
Rev. 2/01

1) Date September 24, 2026
2) Operator's
Well No. P-3
3) API Well No. 47- 011 - 00840

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil ____/ Gas X / Liquid injection ____/ Waste disposal ____/
(If "Gas, Production X or Underground storage ____) Deep ____/ Shallow X

5) Location: Elevation 820' Watershed Lower Guyandotte
District Grant County Cabell Quadrangle Hamlin

6) Well Operator Pillar Energy LLC
Address 1244 Martins Branch Rd
Charleston WV 25312

7) Designated Agent Jeff Isner
Address (same)

8) Oil and Gas Inspector to be notified
Name Brian Warden
Address 49 Elk Creek Rd
Delbarton WV 25670

9) Plugging Contractor
Name TBD
Address

10) Work Order: The work order for the manner of plugging this well is as follows:

See attached procedure.

RECEIVED
Office Of Oil and Gas
OCT 15 2026
WV Department of
Environmental Protection

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector [signature] Date 10-7-26

10/30/2026

P-3
API# 47-011-00640
Elevation: 820' GL
Latitude/Longitude: 38.37106285/ -82.10528583

PERMITTED UNDER NEW REGULATIONS

P-3 Well Data (Drilled 1909)

Casing:	10" Conductor @ 80' GL – POOH after setting next csg.
	8-1/4" Surface Csg @ 473' GL – POOH after setting next csg.
	6-5/8" Intermediate Csg @ 1440' GL – POOH after setting next csg.
	5-3/16" Intermediate Csg @ 1670' GL
	2" Production Tbg 2115'
TD:	2115'
Perforations:	Open Hole F/ 1670' – T/ 2115'. Berea Pay Zone 2100' – 2115'
Coal:	N/A
Fresh Water Shows:	FW Potential @ ~175'
Salt Water Shows:	SW Potential @ ~1125'
Gas/Oil Shows:	2115'

P-3 Procedure:

1. Notify State Inspector, Brian Warden – (304)-205-3229– brian.warden@wv.gov 24 hours prior to commencing operations.
2. Prep location.
3. MIRU service rig, steel pits, and other ancillary equipment.
4. Blow well down, and TOOH w/ tubing if present.
5. RIH w/ work string to 2080'
6. Pump 10 BBl 6% gel.
7. Set 100' Class A cement plug F/ 2080' T/ 1980'.
8. TOOH to 1700', WOC 8 hrs, RIH & tag plug, add cement if needed.
9. Set the following Class A cement plugs, w/ 6% gel spotted between each plug.
    a. 100' plug F/ 1680' T/ 1580'. Csg ripped or perforated at 1625' if is present.
    b. 100' plug F/ 1320' – T/ 1220'. Csg ripped or perforated at 1320' if present.
    c. 100' plug F/ 1105' – T/ 1005'. Csg ripped or perforated at ~1105' if present.
    d. 100' plug F/ 920' – T/ 820'. Csg ripped or perforated at ~920' if present.
    e. 250' plug F/ 250' – T/ surface'. Csg ripped or perforated at ~250' if present. Apply a minimum of 200 psi pressure on surface plugs.
10. Erect a monument to WV DEP specifications (CSR 35-4-5.5 – sub "b").
11. Reclaim location and roads to WV DEP Specifications.
12. Post-plugging 48 hours methane analysis with prior inspector notice.

APPROVED
JCB Oct 28,2026

10/30/2026

PILLAR ENERGY

WELLBORE SCHEMATIC

Well Information:

Well Name:	P-3	Company / Partnership:	Pillar Energy LLC
County / State:	Cabell / WV	API Number:	47-011-00640
District / Quad:	Grant / Hamlin	AFE Number:	
Target:	Berea	Cost Center:	
Lat:	38.37106285	Pool Code	
Long:	-82.1052858	DTD / LTD:	2115'

Surveys	Hole Size	Shows	Depths (KB)	SPUD DATE: 1-Apr-1909 TD DATE: 22-Jun-1909	Casings	Cement
				Elevation: 820'	10" Conductor @ 80' (pulled, no longer exists)	
FW potential @ ~175'					8-1/4" Surface Csg @ 473', (pulled, no longer exists)	
SW Potential @ ~1125'					6-5/8" Intermediate Casing 1440', (pulled, no longer exists)	
					5-3/16" Production csg 1670', likely on packer	
Berea 2100' - 2115' Gas Show @ 2115'				TD @ 2115'	2" Production tbg @ 2115'	

RECEIVED
Office Of Oil and Gas
OCT 15 2026
WV Department of
Environmental Protection

Completion Information	Target: Berea		Completion Date:	
Top Perforation (ft):	Frac Type/Fluid:		Breakdown:	psi
Bottom Perforation (ft):	Foam Quality:		Pre-ISIP:	psi
No. of Shots:	BD Acid Volume:	gal.	MTP:	psi
Charge (gram):	Treatment Volume:	gal.	ATP:	psi
Perf Diameter:	Sand mesh size	mesh	ISIP:	psi
Penetration:	Sand Volume	sacks	5-min SIP	psi
Phasing:	Ave. Treatment Rate:	bpm	10-min SIP	psi

Remarks:

10/30/2026

CARTER GAS COMPANY — WELL NO. (Serial - P-3
(Farm - 1
Lease No. - IWC-1

W E L L R E C O R D

D. H. AKERS FARM
WATERS OF LITTLE TWO MILE CREEK
CABELL COUNTY, W. VA.

FORMATION	TOP	BOTTOM	REMARKS
Salt sand	940	1340	
Big Lime	1340	1510	
Big Injun	1510	1660	
Slate	1660	2100	
Berea Sand	2100	2115	

RECEIVED
Office Of Oil and Gas
OCT 15 2026
WV Department of
Environmental Protection

Well commenced April, 1909
Well completed June 22, 1909

MATERIAL LEFT IN WELL

1670' 5 3/16" Casing
2115' 2" Tubing

MATERIAL USED IN WELL

8' 10" Casing
473' 8" Casing
1440' 6 5/8" Casing
1670' 5 3/16" Casing

Drilled by Aetna Oil & Gas Co.
Contractors Pew & Kisher

SOUTHEASTERN GAS COMPANY
AND AFFILIATED COMPANIES
P. O. BOX 2347
CHARLESTON, W. VA. 25323

011-0640

10/30/2026

RECEIVED
Office Of Oil and Gas

OCT 15 2026

WV Department of
Environmental Protection

WW-4A
Revised 6-07

1) Date: 07/22/26
2) Operator's Well Number
P-3

3) API Well No.: 47 - 011 - 00640

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE 0F APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Owner(s) to be served:
(a) Name: Gregory & Greta Gillmeister
Address: 52 Timberlane Dr
Milton WV 25541

(b) Name:
Address:

(c) Name:
Address:

6) Inspector: Brian Warden
Address: 49 Elk Creek Rd
Delbarton WV 25670
Telephone: 304-205-3229

5) (a) Coal Operator
Name: N/A
Address:

(b) Coal Owner(s) with Declaration
Name:
Address:

Name:
Address:

(c) Coal Lessee with Declaration
Name:
Address:

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

(1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
(2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
Anita E Kirk
2938 Short Creek Road
Racine, WV 25165
My Commission Expires June 9, 2029

Well Operator: Pillar Energy LLC
By: Jeff Isner
Its: President & CEO
Address: 1244 Martins Branch Rd
Charleston WV 25312
Telephone: 681-205-8599

Subscribed and sworn before me this 12th day of Oct 2026

Anita E Kirk
Notary Public

My Commission Expires June 9, 2029

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

10/30/2026

FP® US POSTAGE
$012.18
First-Class - IMI
ZIP 25312
10/13/2026
0368 0011821877



RECEIVED
Office Of Oil and Gas
OCT 15 2026
WV Department of
Environmental Protection

Gregory A & Greta Gillmeister
52 Timberlane Dr
Milton, WV 25541

CERTIFIED MAIL

9589 0710 5270 2352 9334 53
9589 0710 5270 2352 9334 53

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee
$ 5.55

Extra Services & Fees (check box, add fee as appropriate)
- ☑ Return Receipt (hardcopy) $ 4.65
- ☐ Return Receipt (electronic) $
- ☐ Certified Mail Restricted Delivery $
- ☐ Adult Signature Required $
- ☐ Adult Signature Restricted Delivery $

Postage
$ 1.98

Total Postage and Fees
$ 12.18

Postmark Here

Gregory A & Greta Gillmeister
52 Timberlane Dr P-3
Milton, WV 25541

for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Gregory A & Greta Gillmeister
52 Timberlane Dr P-3
Milton, WV 25541

COMPLETE THIS SECTION ON DELIVERY

A. Signature
X
☐ Agent
☐ Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type
- ☐ Adult Signature
- ☐ Adult Signature Restricted Delivery
- ☑ Certified Mail®
- ☐ Certified Mail Restricted Delivery
- ☐ Priority Mail Express®
- ☐ Registered Mail™
- ☐ Registered Mail Restricted Delivery
- ☐ Signature Confirmation™

10/30/2026

ergy LLC
rtins Branch Rd
on, WV 25312

WW-9
(5/16)

API Number 47 - 011 - 00640
Operator's Well No. _____

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS
FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

RECEIVED
Office Of Oil and Gas
OCT 15 2026
WV Department of
Environmental Protection

Operator Name Pillar Energy LLC OP Code 494495012
Watershed (HUC 10) Lower Guyandotte Quadrangle Hamlin
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes ☐ No ☑
Will a pit be used? Yes ☐ No ☑

If so, please describe anticipated pit waste: _____
Will a synthetic liner be used in the pit? Yes ☐ No ☐ If so, what ml.? _____
Proposed Disposal Method For Treated Pit Wastes:

_____ Land Application (if selected provide a completed form WW-9-GPP)
_____ Underground Injection (UIC Permit Number _____)
_____ Reuse (at API Number _____)
_____ Off Site Disposal (Supply form WW-9 for disposal location)
■ Other (Explain Spirit Energy Water Treatment Plant (Nitro, WV)

Will closed loop systembe used? If so, describe: N/A
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. _____
Additives to be used in drilling medium? N/A
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) _____
-Landfill or offsite name/permit number? _____

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature _____
Company Official (Typed Name) Jeff Isner
Company Official Title President & CEO

Subscribed and sworn before me this 13th day of Oct, 2026

_____ Notary Public

My commission expires June 9, 2029

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
Anita E Kirk
2938 Short Creek Road
Racine, WV 25165
My Commission Expires June 9, 2029

10/30/2026

Form WW-9

Operator's Well No._____

Proposed Revegetation Treatment: Acres Disturbed 1/2 Prevegetation pH _____

Lime according to pH test Tons/acre or to correct to pH 7.0

Fertilizer type 10-20-20

Fertilizer amount 500 lbs/acre

Mulch 2 Tons/acre

RECEIVED
Office Of Oil and Gas
OCT 15 2026
WV Department of
Environmental Protection

Seed Mixtures

Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
		Contractors Mix	50

Attach:
Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: _____

Comments: _____

Title: _____ Date: 10-7-24

Field Reviewed? (✓) Yes ( ) No

10/30/2026

RECEIVED
Office Of Oil and Gas
OCT 15 2026
WV Department of
Environmental Protection

P-3

LOCATION MAP



10/30/2026

RECEIVED
Office Of Oil and Gas

OCT 15 2026

WV Department of
Environmental Protection

WW-7
8-30-06

West Virginia Department of Environmental Protection
Office of Oil and Gas
WELL LOCATION FORM: GPS

API: 47-011-00640 **WELL NO.:** P-3

FARM NAME: David Akers

RESPONSIBLE PARTY NAME: Pillar Energy LLC

COUNTY: Cabell **DISTRICT:** Grant

QUADRANGLE: Hamlin

SURFACE OWNER: Gregory & Greta Gillmeister

ROYALTY OWNER: Gregory & Greta Gillmeister

UTM GPS NORTHING: 4,247,564.653

UTM GPS EASTING: 403,448.472 **GPS ELEVATION:** 820

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
2. Accuracy to Datum – 3.05 meters
3. Data Collection Method:

Survey grade GPS ____: Post Processed Differential _____

Real-Time Differential _____

Mapping Grade GPS ____: Post Processed Differential _____

Real-Time Differential _____

4. **Letter size copy of the topography map showing the well location.**

I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

Signature	CEO Title	10-12-26 Date

10/30/2026

Blevins, Cragin <cragin.blevins@wv.gov>

Newly Issued Well Work Plugging Permit: P-3 (4701100640)

1 message

Blevins, Cragin <cragin.blevins@wv.gov> Wed, Oct 28, 2026 at 1:32 PM
To: Trevor Schaffer <Trevor.Schaffer@pillarenergy.com>, Brian Warden <brian.warden@wv.gov>
Cc: Allen Flowers <allen.d.flowers@wv.gov>, "C. Taylor Brewer" <charles.t.brewer@wv.gov>, Khurley@cabellassessor.com, Irv Johnson <irv@cabellassessor.com>

Please find attached a copy of the newly issued well work plugging permit: P-3 (4701100640).
This will serve as your copy. If you have any questions, please contact the Office of Oil and Gas.

Cragin Blevins

Environmental Resources Specialist III

West Virginia DEP

Office of Oil and Gas/ Permitting

601 57th St. SE Office 2027B

Charleston, WV 25304

Cragin.Blevins@wv.gov

O (304) 926-0499 Ext 41103

C (304) 389-7450

"This communication, including any attachments, may contain confidential and privileged information and is intended solely for the use of the intended recipient(s). If you are not an intended recipient, you are prohibited from any use, distribution, or copying of this communication. If you have received this communication in error, please immediately notify the sender and then delete this communication in its entirety from your system."

2 attachments

PP 4701100640.pdf
2125K

IR-8 640.pdf
11K

10/30/2026