

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Wednesday, July 11, 2018 WELL WORK PERMIT Vertical / New Drill

KEYROCK ENERGY LLC PO BOX 2223

JOHNSON CITY, TN 37605

Re: Permit approval for SPENCER 1 47-011-01001-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Promoting a healthy environment.

Vertical New Drill Date Issued: 7/11/2018

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code §22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR 4-19.1.c, if the operator is unable to sample and analyze any water well or spring with one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

AF. 6.6.2013/2018

WW - 2B (Rev. 8/10) --

DEPA	RTMENT		<u>STATE OF N</u> VIRONMENTAL VELL WORK PE		N, OFFICE O	F OIL AND	<u>GAS</u>
1) Well Operate	or: Keyra	ck Energ	Jy LLC	494507629	Cabell	Grant	Milton 7.5'
				Operator ID	County	District	Quadrangle
2) Operator's V	Vell Numb	er: Spend	cer No. 1		3) Elevation:	601'	_
4) Well Type: (a) Oil <u>X</u>	or Ga	as				
(b) If Gas:	Produ	iction <u>×</u> / Uno	derground Sto	rage		
		Deep	o/ S	Shallow X			
7) Approximate	e fresh wa	ter strata	E Lower Huron Feet A depths: No fresh Salt Sand at 1,300'	Formation at F water expected below	Proposed Tar Proposed Tota 600'	get Depth: <u>Lov</u>	ver Huron
9) Approximate	e coal sea	m depth:	s: No coal expect	ed below 600'			-
10) Approxima	te void de	pths,(coa	al, Karst, other):	None			
11) Does land	contain co	al seam	s tributary to act	tive mine? <u>N</u>	0		
12) Describe pro	oposed we	ll work ar	nd fracturing meth	nods in detail (a	ttach additiona	I sheets if ne	eded)
<i>·</i> ·	•		a new well (estima	•			·
Vill not produce fr	om the Mar	cellus For	mation.				
					(RECE	
3)		<u>C</u>	ASING AND TU	BING PROGR			
TYPE S		ATIONS		FOOTAGE	INTERVALS	<u>joteme</u>	8 <u>101</u> 8
	<u>Size</u>	<u>Grade</u>	Weight per ft	For Drilling	Left in Well		
Conductor	13 3/8"			30'	30' ^{Env}	ilen canta	Protest
Fresh Water	9 5/8"			590'	590'	165 Co. F	t., CTS
Coal					· · · · · · · · · · · · · · · · · · ·		
Intermediate					·		
Production	4 1/2"			3,300'	3,300'	323 Cu. F	t., CTS
Tubing	2 3/8"			3,250'	3,250'	Per WV D	EP Rule
Liners							
Packers: Kind	d:						

Sizes:

Depths Set

0G-1	Û			
Rev.	•	9.	/4	



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

RECORD 7 WELL

Quadrangie_Milton 7 1/2

Company SPARTAN GAS COMPANY

Farm James E. Lewis

Weil No. <u>1 - S - 197</u>

Address P. O. Box 766, Charleston, WV

District Grant County Cabell

<u>7-7-78</u> 8-31-78

Location (waters) Little Fudges Creek

The surface of tract is owned in fee by____ James E. Lewis Address Barboursville, WV Mineral rights are owned by _____ Same __ Address_

Final production _____ Cu. ft. per day___

Permit No. Cab - 598

		Recycling Water Floo Disposal	Comb d Storage DRY (Kind)
Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Size 20-16 <u>Cond.</u>			
<u>0</u> 8-10"	20'	201	
9 5/8			
8 5/8	4561	456'	To surface
7	1,950'		
5 1/2			
4 1/2			
3		<u> </u>	
2			
Liners Used			

_ Inches

Feet .

NOV 21 1978

Attach copy of cementing record.

Shor from 3,140 to 3,520 feet with 4,000 Gelatin

Feet

_ Acres_144

_ Elev. 712.19

_ bbls.

.bbls.

RP.

Feet.

Coal was encountered at. Fresh water____ 70' Producing Sand_

Drilling Commenced

Initial open flow ____ Show

Drilling Completed___

Well treatment details:

Weil open _

__cu. ft. .


__hrs. before test__NA

Salt Water_ Depth .

	Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Surface Slate			0	12	
Red Rock			12	50	Water at 70'
Slate			50	85	" 710' 4 BPH
Sand			85	130	11 9001 HEW
			130	205	011 2,363 RECEIVED
Red Rock Slate			205	212	Office of Oil and Gas
Red Rock			212	250	
Slate			250	270	JUN 0 6 2018
Red Rock			270	400	
New NOCK			400	415	
Slate				_	WV Department of
Sand			415	700	Environmental Protection
Slate			700	790	
Sand			790	1100	
Slate			1100	1140	
Chare			1140	1218	
Sand					
Slate			1218	1358	07/13/2018
Sand			1358	1372	07/13/2010
Slate			1372	1420	
Lime			1420	1454	
			1454	1510	

* Indicates Electric Log tops in the remarks section.

(over)



OIL & GAS L'IVISION CEFT. OF MINES

Х

Oil.

Gas

Rotary_

Cable_

	· officing	scun
	2	
	7	N
• . •		

^{Ff} ormstion Co	olor	Hard or So	oft	Top Feet 4	Bottom Feet	Oil. Gas or Water * Remarks
Slate Red Rock Lime				1510 1528 1532	1528 1532 1542	
Slate Litile Lime				1542 1565	1565 1585	
Big Lime Injun Sand Slate				1585 1755	1755 1785	
Slate-Shell Sand				1785 1818 1826	1818 1826 1910	
late-Sheils Frown Shale Werea Grit				1910 2345	2345 2355	
late Lime Frown Shale				2 <u>355</u> 2378 2770	2378 2770 2875	
late Frown Shale late-Shells				2875 3160 3205	3160 3205 3250	
rown <u>Shale</u> Tate				3250 3500	3500 3523	
OTAL DEPTH				3523		
						RECEIVED
						Office of Oil and Gas
						JUN 0 6 2018
						WV Department of Environmental Protectio

Date September 13,

10 78

Owner

APPROVED <u>SPARTAN GAS COMPANY</u> By <u>By Allian Prevalet</u> (1900)

出版 计正 1975



STATE OF WEST VIRGINIA

THE CAS CONSERN

OIL AND GAS WELL PERMIT APPLICATION

Oil and Gas Division

TO THE DEPARTMENT OF MINES,	
Charleston, W. Va.	DATE June 29, 1978
Surface Owner Janues I. Lowis	Company Company SPARTAN_GAS_COMPANY
AddressBarboursville, W	
Mineral Owner Same	
Address	
Coal OwnerSame	
Address	
Coal Operator. None	
Address	
THIS PERMIT MUST BE POSTED AT THE N All provisions being in accordance with Ch	apter 22
of the W. Va. Code, the location is hereby for <u>drilling</u> . This permit shall	approved INSPECTOR
operation have no commenced by	
Denuty Director - Oil & Gas Division GENTLEMEN:	PHONE <u>736-4885</u>
	rill upon the shows many the second
title thereto, (or as the case may be) under gran	rill upon the above named farm or tract of land for oil and gas, having fee
-Lewis made to Sparting Con	t or lease dated <u>Nay 10</u> 1978 by James E.
1978; in <u>Cabell</u> County, Book	Company and recorded on the19 day of <u>Kay</u>
	EPERREDRILLFRACTURE OR STIMULATE
OIL AND GAS WELL ORIGINALL	Y DRILLED BEFORE JUNE 5, 1969.
The enclosed plat was prepared by a registered have been notified as of the above date.	l engineer or licensed land surveyor and all coal owners and/or operators
The above named coal owners and/or operator to make by Section 3 of the Code, must be received	are hereby notified that any objection they wish to make, or are required red by, or filed with the Department of Mines within ten (10) days. *
Copies of this notice and the enclosed plat were or coal owners at their above shown respective as	e mailed by registered mail, or delivered to the above named coal operators ddress day day before, or on the to the Department of Mines at Charleston, West Virginia.
PLEASE SUBMIT COPIES OF ALL	Very truly yours, SPARTAN GAS COMPANY
GEOPHYSICAL LOGS DIRECTLY TO:	
	Well Operator RECEIVED
WEST VIRGINIA GEOLOGICAL AND ECONOMIC SURVEY	Address P. 0. Box 766 Office of Oil and Gas
P. O. BOX 879	of
MORGANTOWN, WEST VIRGINIA 26505	Well Operator JUN 0 6 2018
AC-304 - 292-6331	City or Town
	WV Department of <u>West Virginia</u> nvironmental Protection
BLANKET BOND	State NVIronmental Protection
	07/13/2018
*SECTION 3 If no objections are filed or fou notice and plat by the department of mines, to said propos the filing of such plat, that no objections have been made by and the well operator authorized to proceed.	of the Department of mines, within said period of ten days from the receipt of ed location, the department shall forthwith issue to the well operator a permit reciting y the coal operators or found thereto by the department and that the same is approved

	CAB-598	PERMIT NUMBER
"I have read and understand the reclamation requirements as set forth in Chapter 22, Article 4, Section 12-b and will carry out the specified requirements."	47-011	
Signed by		

PLOT Los Card_ CSD1/	47-011-01	001,00
g	atitude 38° 25' 00"	C.27
N III OU BER	PNARD L TASSAN	4 05 2 35
B.M. GTO'	CHARLES CARTER	
LITTLE FUDGES GG GG DHOUSE	AES E. LEWIS 80AS GWENDA	-
Now 30° B.O. In Tence cor. 10 1019.85.	LOC. #1 GWENDA RUNYO	82012.30"
44" Chestnut Oak 5 Jel		Longitude
JAMES E. LEW 64 AS Hy.	NIS BENJAMIN ELKINS	
OLEY SUTPIN	BENCH MARK U.E. PCINT GTO AT ROAD	
	W.VA. LOCAL SVC. RT 32 , LANE TO LEWIS RESIDENC RECEIVED	
New Location Image "I, the undersigned, he knowledge and belief a regulations of the oil ar pulations of the oil ar Drill Deeper Drill Deeper Image Minimum degree of accord accor	office of Oil and broken of gamma and shows all the information required by the and gas section of the mining laws of 0 6/2014	rules and
Company SPARTAN GAS COMPANY		•
Address_ <u>CHARLESTON</u> , W.VA. Farm <u>JAME5</u> E. LEWIS	WELL LOCATION MAP	
Lease Acres 2124	STATE OF WEST VIRG	INIA
Well Farm No. Ser. No. 5-197 Elevation - Spirit Level 7/2.191	(+) Denotes Values Of Well On Uni	ted
Quadrangle <u>MILTON 7'z 15'</u> Township or District <u>GRANT</u>	States Topographic Maps/13 CAB-598	3/2018
CountyCABELL	Scale 15' [] 7'12' 🗙	
Sec., Lot, Qr T R Coordinates,		
File No Dwg. No Date <u>JUNE 27,1978</u> Scale'** 600 '	47 -011 JUL 1:	6 1978
· C · _ A	······································	7

47-011-	01	001
---------	----	-----

WW-2A (Rev. 6-14)

1). Date: 5/8/2018

2.)	Operator's	Well Number	Spencer No. 1	

	State	County		Permit
3.) API Well No.:	47-	Cabell	÷	

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

Surface Ow	ner(s) to be served:	5) (a) Coal Operator	
(a) Name	Theadore A. Spencer	Name n/a	
Address	596 Fudges Creek Rd.	Address	
	Barboursville, WV 25504		
(b) Name		(b) Coal Owner(s) v	vith Declaration
Address	-	Name n/a	
		Address	
(c) Name		Name	
Address		Address	
6) Inspector	Allen Flowers	(c) Coal Lessee with	n Declaration
Address	165 Grassy Lick Ln.	Name n/a	
	Liberty, WV 25124	Address	
Telephone	304-552-8308		and a local second s
		MED ABOVE TAKE NOT	TICE THAT:
X Included is th			ich I hold the right to extract oil and gas
OR			
Included is the	ne information required by Chapter 22	2, Article 6, Section 8(d) of the	ne Code of West Virginia (see page 2)
I certify t	hat as required under Chapter 22-6	of the West Virginia Code	I have served copies of this notice and
application, a loc	ation plat, and accompanying docum	ents pages 1 through <u>all</u> or	n the above named parties by:
	Personal Service (Affidavit atta		
	X Certified Mail (Postmarked pos		
1.1	Publication (Notice of Publication		1
issued under this	ad and understand Chapter 22-6 an	a 35 CSR 4, and I agree to	the terms and conditions of any permit
		onally examined and am fa	miliar with the information submitted on
this application f	and and all attachments and that be	ased on my inquiry of those	individuals immediately responsible for
obtaining the info	mation, believe that the information	is true, accurate and comp	lete.
am awa			ation, including the possibility of fine and
imprisonment.	OF		
E TEI	Well Operator		
= 2 N	NNESSEE By: IOTARY Its: UBLIC Address: TON Continue Telephone: Email		
= 701	TON CONTRACT Its: Address: TON Telephone:		to Of Outbook
2.41	UBLIC Address:		in St., Suite 2-D
"ING	TON CUNIT Telephone:	Johnson City, TN 37605 423-726-2070	
111	Email	423-728-2070	
Subscribed and s	worn before me this 30° day o	MM	- RECEIVED
Subscribed and s	uu, u		
1 Darn	m ould	Ν	lotar office of Oil and Gas
My Commission I	Expires MARCH 30, 2019		
Oil and Gas Privacy	Notice		JUN 0 6 2018

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business of the busines

ACCESS ROAD OWNERS FOR KEYROCK ENERGY, LLC WELL SPENCER 1

SURFACE OWNERS OF ACCESS ROAD FOR PROPOSED WELL SITE:

Theadore A. & Kelli D. Spencer 596 Fudges Creek Rd. Barboursville, WV 25504

•

5/3/2018 TRUE LINE SURVEYING, INC.

07/13/2018

WW-2A1 (Rev. 1/11)

Operator's Well Number Spencer No. 1

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Theadore A. Spencer and Kellie D. Spencer, or survivor	Keyrock Energy LLC	1/8	393/422
	-		
	2		

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work add ressed in this application hereby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources
- WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED Office of Oil and Gas

JUN 0 6 2018

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affinite partial checked permits/approvals should be ac quired from the appr opriate aut hority before the afferted provestion initiated.

and the first of the	Christopher Shea Murgan Pak Mas
Well Operator:	Keyrock Energy LLC
By:Its:	Operations Manager Geologist

07/13/2018

WW-2B1 (5-12) Well No. Spencer No. 1

West Virginia Department of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

Be advised, you have the right to sample and analyze any water supply at your own expense.

Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Laboratory Name	Pace Analytical	
Sampling Contractor	True Line Surveying	

Well Operator	Keyrock Energy LLC	
Address	PO Box 2223, 207 E. Main St., Suite 2-D	
	Johnson City, TN 37605	
Telephone	423-726-2070	

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site RECEIVED

Office of Oil and Gas

SEE ATTACHED WATER NOTICE.

JUN 0 6 2018

WV Department of Environmental Protection

07/13/2018

WATER NOTICE FOR KEYROCK ENERGY, LLC WELL SPENCER 1

WATER SOURCES IDENTIFIED WITHIN 1,000' OF PROPOSED WELL SITE:

Theadore A. & Kelli D. Spencer 596 Fudges Creek Rd. Barboursville, WV 25504 304 743-1100

Otelia A Huffman Dotts 1635 Simonton Dr. Statesville NC 28625

Bruce & Cristi Wetherholt 538 Fudges Creek Rd. Barboursville, WV 25504

ONE OF THESE SOURCES MUST BE SAMPLED AND TESTED. REFULTS OF TESTING MUST BE SENT TO WATER SOURCE OWNER AND THE OFFICE OF OIL & GAS WITHIN 30 DAYS OF RECEIVING THE WATER TEST RESULTS.

Julm

5/3/2018 TRUE LINE SURVEYING, INC.

WW-9 (5/

(5/16)	API Number 47 - <u>Cabell</u>
	Operator's Well No. Spencer No. 1
DEPARTMENT OF ENV OFFICE (F WEST VIRGINIA VIRONMENTAL PROTECTION OF OIL AND GAS POSAL & RECLAMATION PLAN
Operator Name Keyrock Energy LLC	OP Code494507629
Watershed (HUC 10) Fudges Creek	Quadrangle Milton 7.5'
Do you anticipate using more than 5,000 bbls of water to comp Will a pit be used? Yes X No	plete the proposed well work? Yes X No
If so, please describe anticipated pit waste:	vater and cement cuttings
Will a synthetic liner be used in the pit? Yes X	No If so, what ml.? _ 20ml
Proposed Disposal Method For Treated Pit Wastes:	
Reuse (at API Number Off Site Disposal (Supply form W	it Number)
Will closed loop system be used? If so, describe: <u>No</u>	
Drilling medium anticipated for this well (vertical and horizon	ntal)? Air, freshwater, oil based, etc. Vertical, Air
-If oil based, what type? Synthetic, petroleum, etc	n/a
Additives to be used in drilling medium? n/a	
Drill cuttings disposal method? Leave in pit, landfill, removed	d offsite, etc. leave in pit
-If left in pit and plan to solidify what medium will be	e used? (cement, lime, sawdust) Lime and Sawdust
-Landfill or offsite name/permit number?	
	Gas of any load of drill cuttings or associated waste rejected at any d within 24 hours of rejection and the permittee shall also disclose

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are supplication for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature	STATE YA
Company Official (Typed Name) Christopher Strea Morgan Pale	TENNESSEE
Company Official Title Operations Manager Creslogy	PUBLIC PUBLIC
Subscribed and sworn before me this 30 h day of MAM	GOTTICE of Oil and Gas
Samo bilute	Notary Public JUN 0, 6 2018
My commission expires Marker 30, 2019	WV Department of

Environmenta Pro 2018

Form WW-9

Operator's Well No. Spencer No. 1

Lime <u>3</u>	Tons/acre or	to correct to pH <u>6.5</u>		
Fertilizer type <u>1</u>	<u>0-20-20 or equivale</u>	ent		
Fertilizer amount_	1/3 ton	lbs/acre		
Mulch	Hay	<u>2</u> Tons/acre		
		<u>Seed Mixtures</u>		
1	°emporar y		Perman	ent
Seed Type	lbs/acre		Seed Type	lbs/acre
KY-31	40		Orchard Grass	15
	5		Alsike Clover	5
Alsike Clover				

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Alles Flowers	
Comments:	
24H. Novin For site and mulen & persond, per ob les	Aruch.
Milel & Resend. per ob les	Alter ,
· · · · · · · · · · · · · · · · · · ·	
	<u></u>
Title: <u>State In Specific</u> Date: <u>5-28</u> Field Reviewed? (<u>S</u>)Yes ()No	- ZRECEIVED
Field Reviewed?	Office of Oil and Gas
	JUN 0 6 2018

WV Department of Environmental Protection 2018

WW-9- GPP Rev. 5/16 Page <u>I</u> of <u>2</u> API Number 47 - <u>Cabell</u> - <u>Operator's Well No. Spencer No. 1</u>

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS GROUNDWATER PROTECTION PLAN

Operator Name: Keyrock Energy LLC

FUDGES CREEK

Watershed (HUC 10): Fudges Creek

Farm Name: Theadore A. & Kellie D. Spencer

 List the procedures used for the treatment and discharge of fluids. Include a list of all operations that could contaminate the groundwater.

Quad: Milton 7.5'

FLOM LOCATION'S EDGE .

Pit water will be tested, then aerated with lime being added to bring the ph to 7.0 plus. In the event of excessive chlorides, the pit fluids will be evaluated to either dilute with fresh water or hauled to an approved disposal facility. Pit water will sit a minimum of ten days to let the solids drop out.

2. Describe procedures and equipment used to protect groundwater quality from the list of potential contaminant sources above.

Once the drilling pit fluids are at acceptable levels for discharge then teh pumps intake line will be floated approximately 12" below the water level and teh discharge line wil be set up

 List the closest water body, distance to closest water body, and distance from closest Well Head Protection Area to the discharge area.

4. Summarize all activities at your facility that are already regulated for groundwater protection.

ABOUT 120 FEET

n/a

RECEIVED Office of Oil and Gas

JUN 0 6 2018

5. Discuss any existing groundwater quality data for your facility or an adjacent property.

WV Department of Environmental Bratersion WW-9- GPP Rev. 5/16 Page 2 of 2 API Number 47 - <u>Cabell</u> - _____ Operator's Well No. <u>Spencer No. 1</u>

No known groundwater quality data. Samples have been offered for non-public water sources within 1,000' of the proposed well

6. Provide a statement that no waste material will be used for deicing or fill material on the property.

No waste material will be used for deicing of fill material on the property.

 Describe the groundwater protection instruction and training to be provided to the employees. Job procedures shall provide direction on how to prevent groundwater contamination.

All employees will be familiar with the contents of the groundwater protection plan and how to implement it. Work practices will suppost the protection of groundwater from contamination per company HSE Policy.

8. Provide provisions and frequency for inspections of all GPP elements and equipment.

All GPP elements and equipment present will be inspected daily prior to use and in the event of a problem. Work will not commence until any problems are remediated and documented.

Signature: Man

Date:

RECEIVED Office of Oil and Gas

JUN 0 6 2018

WV Department of Environmental Protection 07/13/2018



June 27, 2016

West Virginia Department of Environmental Protection Office of Oil and Gas 601 57th St. SE Charleston, WV 25304

ATTACHMENT TO ADDRESS LAND APPLICATION OF PIT FLUIDS

Re: Proposed Spencer #1 Permit Application

To whom it may concern:

Keyrock Energy has requested a permit to drill the Spencer #1 well location, which includes a pit capable of holding approximately 4,800 bbls. Due to surface constraints, our proposed land application area is inadequate in size to land apply the total pit volume in one application. We propose applying no more than 1,000 bbls from our pit to the proposed land application area at one time. Furthermore, we will wait a minimum of 30 days before applying additional fluids from our pit to the application area.

Sincerely,

12


Morgan Pate Geologist Keyrock Energy LLC

RECEIVED Office of Oil and Gas


JUN 27 2018


WV Department of Environmental Protection

106 FERRELL AVE, SUITL 5 • KINGSPORI, IN • 37663 PHONE (423) 726-2070 • FAX (423) 726-2075





-110 0100











07/13/2018

http://deparcgis1/ooggis/index.html?x=395034.336&y=4251036.688&datum=NAD83&pn... 7/11/2018

47-011-01001

