

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, April 8, 2022 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET CHARLESTON, WV 25304

Re: Permit approval for 6 47-015-00341-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

ames A Chief

Operator's Well Number: 6 Farm Name: OTTO, BODO U.S. WELL NUMBER: 47-015-00341-00-00 Vertical Plugging Date Issued: 4/8/2022

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified</u> permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

÷

IR-8 (REV 4-99) -----

WELL PLUGGING INSPECTION & RELEASE FORM

| PLUGGING COMMENCED | OPERATOR: UNKNOWN - DEP PAID PLUGO FARM: OTTO, BODO WELL NO: 6 | SING CO | NTRAC |
|--|--|---------|-------|
| PLUGGING COMPLETED | FARM: OTTO, BODO | | |
| VERBAL PERMISSION ON | _ WELL NO: <u>6</u> | | |
| 1. IS COAL BEING MINED IN THE AR | YES | NO | N/A |
| |) USED IN ACCORDANCE WITH ACCEPTED] | NDUSTR | RY |
| STANDARDS? | YES YES | NO | N/A |
| A. BOTTOM HOLE PLUGGE | YES | NO | N/A |
| B. 100' PLUGS | | NO | |
| C. LATEX PLUGS USED F D. PROPER PLUGS THROU | | NO | N/A |
| D. PROPER PLUGS THROU | O PROTECT FRESHWATER YES NO | | |
| | EL USED TO DISPLACE PLUGS YES NO | N/A | |
| F. PROPER AMOUNT OF G | EL USED TO DISPLACE PLOGS TES NO | NA | |
| TYPE FROM | TO PII | PE REMO | OVED |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 3. WERE ALL CHANGES APPROVED BY | INSPECTOR? | YES | NO |
| 4. WAS THE EQUIPMENT USED FOR PU | ULLING CASING PROPERLY SIZED | | |
| | HE HEAVIEST STRING OF PIPE EXPECTED | VDO | NO |
| TO BE PULLED? | | YES | NO |
| 5. DID THE OPERATOR GIVE THE INS | SPECTOR PROPER NOTICE? | YES | NO |
| 6. WERE ACCURATE PLUGGING RECORD | DS KEPT BY THE OPERATOR? | YES | NO |
| 7. WAS A PROPER MONUMENT SET WIT | TH API NUMBER ATTACHED? | YES | NO |
| 8. DID WELL SITE AND ACCESS ROAD | D MEET THE FOLLOWING RECLAMATION | | |
| REQUIREMENTS? | | | |
| A. RECLAIMED YES N | | YES | NO |
| C. MULCHED YES N | | YES | NO |
| E. SEEDED YES N | | YES | NO |
| G. PIT BACKFILLED YES N | 0 | | |
| DATE RELEASED | INSPECTOR'S SIGNATURE | <u></u> | |

RECORD ALL VISITS TO THIS WELL ON PAGE 2

IR-8 PAGE 2 API NO: 47-015-00341-00-00

DATE

VISITS

_ -_ , _ _ _ ____ ----_ _____ ____ _

| | | 4701500341 |
|-----------|--|---|
| WW Rev | 4B . 2/01 | 1) Date <u>2/15</u> , 20 <u>22</u> 2) Operator's <u>Well No.</u> <u>OTTO #6</u> 3) API Well No. <u>47-015 - 00341</u> |
| | DEPARTMENT OF ENVI OFFICE OF | EST VIRGINIA RONMENTAL PROTECTION OIL AND GAS |
| | | MIT TO PLUG AND ABANDON |
| 4) | | |
| | (If "Gas, Production or Un | derground storage) Deep/ Shallow X |
| 5) | Location: Elevation 679' | Watershed ELK RIVR |
| | District UNION | County CLAY Quadrangle ELKHURST |
| 6) | Well Operator DEP PAID PLUGGING CONT | (Row) Designated Agent JASON HARMON |
| | Address 601 57TH STREET S.E. | Address 601 57TH STREET S.E. |
| | CHARLESTON, WV 25304 | CHARLESTON, WV 25304 |
| B) | Oil and Gas Inspector to be notified Name ALLEN D FLOWERS | Name DEP PAID PLUGGING CONTRACT |
| | Address 165 GRASSY LICK ROAD | Address 601 57TH STREET S.E. |
| | LIBERTY, WV 25124 | CHARLESTON, WV 25304 |
| | | |

10) Work Order: The work order for the manner of plugging this well is as follows: See plugging prognosis on next page.

> RECEIVED Office of Oil and Gas

> > FEB 1 8 2022

WV Department of Notification must be given to the district oil and gas inspector 24 hours before Epidemmenet/Protection work can commence.

| Work | order | approved | by | inspector | ALLEN D FLOWERS | Date | 2/15/2022 |
|------|-------|----------|----|-----------|-----------------|------|-----------|
| | | | | | | | |

04/08/2022

.

Well - OTTO # 6

PLUGGING PROJECT

API #47-015-00341

I. SPECIAL PROVISIONS

1.0 Location/Site Description

Located at Montana Drive Procious, WV 25164

The GPS location is as follows:

Coordinates, Decimal Degrees 38.463064 E; -81.179216 W

Directions to site:

- 25

-

From the Charleston Area:

Take I-79 N 19 miles to exit 19 Clendenin. Turn right on Buff lick Rd continue 2.6 miles. Turn left on Rte 4 and continue 13 miles. Turn right on Elkhurst Rd continue 3.2 miles. Turn left on Montana drive continue 0.6 mile, cross stream to the well site on the right in field.

Approaching from the Clarksburg Area:

Take I-79 S to exit 19 Clendenin. Turn left on Buff lick Rd continue 2.6 miles. Turn left on Rte 4 and continue 13 miles. Turn right on Elkhurst Rd continue 3.2 miles. Turn left on Montana drive continue 0.6 mile, cross stream to well site on the right in field.

-

RECEIVED Office of Oil and Gas

FEB 18 2022

WV Department of Environmental Protection

04/08/2022

47015003410

PAGE 1 OF 1

WELL API # 47 - 015-00341 OTTO # 6

PLUGGING WORK ORDER

The work order for the manner of plugging this well is as follows:

- Notify inspector specialist, Allen Flowers @ (304) 552-8308. Email address is <u>Allen.D.Flowers@wv.gov</u>, <u>Notification is</u> required 24 hrs prior to commencing plugging operations.
- 2. Move in and rig up to existing 8-1/4 inch casing.
- 3. TIH pull all 2" tubing and packer if found.
- TIH check TD @ or below 530'. If TD cannot be reached begin cleaning out hole to approved depth/TD by inspector.
- 5. Once TD has be reached and approved by inspector a bond log will be ran inside the 5-3/16 casing to determine cement bond location and free points. Any casing found with out cement in the annulus that cannot be retrieved must be perforated at all required locations.
- 6. TIH to TD @ 530' with tubing, spot 6% gel followed by cement from 530' to 310'. TOH, WOC tag top of plug. Add cement if needed. Free POINT, OUT & POOH w/ 5% CASHC
- 7. TIH with tubing, spot 6% GEL AND SET 150' CEMENT PLOC ACROSS THE CASING OUT AT 2200' CEMENT PLUG WOLLD BE FROM 250' / 50' TOOH.
- TIH and free point the 6-5/8s casing @ 100', If casing cannot be removed Perforate @ approved location by Inspector specialist.
- TIH and free point the 8-1/4 casing @ 36'. If casing cannot be removed attempt to grout casing from surface to 36' or approved depth by Inspector specialist.
- 10. TIH with tubing, spot 6 % gel AND CEMENT, TO SURFACE
- 11. Rig down and install monument, reclaim site. NOTE.. Any casing found in the well with out cement in the annulus that Cannot be retrieved must be perforated and cemented at all saltwater, Freshwater, coal, gas, casing shoe and elevation points.

OTTO # 6 WELL PLUGGING PROJECT (47-015-00341)

Well detail:

The Office of Oil and Gas has the drillers log for the OTTO # 6, API # 47-015-00341. The well was completed 05/1943 and produced oil and gas. The well record shows TD at 533'. 36' of 8-1/4 inch casing, 101' of 6-5/8 casing, 361' of 5-3/16 casing and 533' of 2" tubing. There is no indication from the well record that cement was applied to any of the casing strings. The 2" tubing was perforated from 527' to 533'. The 2" tubing may be on a packer. The well record shows fresh water at 17' and no coal was reported. The well is currently shut in at the well head. There is a 2" production line that is connects the well head to a 100 bbl oil tank that is located on the well site. The well has leaked oil and produced water at the surface casing (8-1/4"). The oil and produced water have been confined to the well site at this time. The producing formation is the salt sand. The well was last produced in 2013.

Site-based considerations:

The OTTO # 6 (API # 47-015-00341) is located 50' from Montana Drive on the right side of the road in a small field. The Office of Oil and Gas will work with Miss Utility to mark all subsurface utilities. Tree limbs and brush will need to be removed from road sides and well site to allow for mobilizing equipment. Stone will be applied to road when necessary. The well site is flat and grass covered. There will be a location close to the well site that can be used for parking and staging additional equipment. There is a stream crossing to access the well site. The contractor will be required to install and maintain the stream crossing for the duration of the plugging project that has been approved by the DEP, Office of Oil and Gas. The well has flowed oil from a hole in the surface casing (8-1/4"). The amount of oil that leaked is unknown, the oil spill did reach the stream below the well. The current PSI at the well head is unknown. The well is not currently leaking, but could start at anytime.

RECEIVED Office of Oil and Gas

FEB 1 8 2022

WV Department of Environmental Protection





STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD

Permit No_G1a=341_

Oil or Gas Well_011_

.470150034


11.11

2

P

ġ

| Commany Laun | Produ | cing Co. | | | 1 | - tra | p) |
|--|--------------------------|-----------------|------------|----------------------|----------------------|-------------------------|-------------------|
| Address Ciner | | | | Casing and Tubing | Used in Drilling | Left in Well | Packers |
| e i e des el la competition de la della de | the second second second | Delle caste | Acres 485 | 1. | | | |
| Location (waters | Big La | ure 1 | | Size | | | |
| Well No. 6 | | | Elev. 679 | 16 | | | Kind of Packer |
| District Unior | h & Henry | _County_ C. | 137 | 13 | | | |
| | | | | | Cal ch | ant in | Size of |
| | | | | | 36'-5" | Contraction and and and | |
| | | | to,_Agonti | | 101' 361'-1" | 101' 361'-1" | Depth set |
| | MAT. | Address | | 5 3/16 | 201-1 | -001.=1. | |
| | | | | | 5331-10 | 5331-10 | Perf. top |
| | | | То | | | | Forf. tep. |
| With | | | | | | | Part battom |
| | /10ths Water i | a | Inch | | | | 7 e. t. Dotto 10 |
| | | | Inch | | ENTED. | SIZE | o. FtDate |
| olume | | | Cu. Ft. | | | | |
| | | | hrs. | | | Sector to the steady | internet internet |
| | | | | | | | FEET INCHES |
| | | | feet | | | | TTINCHES |
| Salt water | | 1 | feet | FEI | TINC | IES | FEFTINCHES |
| Formation | Calor | Hard or Soft | Top | Bettom | Oil. Gas or Water | Depth Found | Remarks |
| Gravel Sand | | | 0 36 | 33 65 | | | |
| Slate Lime | Blus | | 65 118 | 118 140 | | | |
| Sand | | | 140 | 163 | 10 C | | |
| Slats | White | | 163 | 204 | | 10 | |
| late | 1112 10 | | 204 238 | 238 | 1 | | |
| and | | | 292 | 323 | | 1 | 1 |
| late | Blue | | 323 | 390 | | 1 | |
| Sand | | | 390 | 401 | | 1 | |
| Slate | Blue | | 401 | 411 425 | | 1 | |
| Lime | | Hard | 425 | 438 | | | |
| Slate | Blue | | 438 | 458 | | 1 | |
| Slate Lime | Black | | 455 | 468 | | 1 | |
| Slate | | | 468 | 488 502 | | | |
| Sand | | | 502 | 509 | | | |
| Shale Sand & Sha | 1- | | 509 | 518 | | | |
| and & Sha | White | | 518 | 525 535 | | ERCI | |
| | | | 000 | 555 | 011 527' | - 535' | |
| | | | | | | | |
| 1 | 1 | | | | | | |
| | | | | | | | |
| | 1 | | | | | | |
| | | ST 1212; | ~ | | | | |
| | | 90000 | 5 | | | | |
| | , N | din. | 2 | | | | |
| | (P | AT MENTER | 3 61 | | | 0 | |
| | e | A Mark | 120 | | | $\left(\right) $ | |
| | 1 | - C. / | E Co | | | Y | |
| | 1 | 6 | 100 | | | 1 | |
| | | "Gerring | 13. | | | $ \chi $ | |
| | | U a la La | (0) | (Inter) | | <u>/></u> | |
| | | | | 10 | | | 04/ |
| | | | | | | | |



4701500341P

| WW-4A | |
|---------|------|
| Revised | 6-07 |

1) Date: 2/15/2022 2) Operator's Well Number OTTO # 6

3) API Well No.: 47 - 015 - 00341

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL</u>

| Surface Ow | ner(s) to be served: | 5) (a) Coal Operator | |
|------------------------------|----------------------|----------------------|-------------------------|
| (a) Name | GARY KING | Name | N/A |
| Address | PO BOX 370 | Address | |
| | CLAY, WV 35043 25043 | | |
| (b) Name | N/A | (b) Coal Own | ner(s) with Declaration |
| Address | | Name | N/A |
| | | Address | |
| (c) Name | N/A | Name | |
| Address | | Address | |
| 6) Inspector | ALEN D FLOWERS | (c) Coal Less | see with Declaration |
| Address | 165 GRASSY LICK ROAD | Name | N/A |
| | LIBERTY, WV 25124 | Address | |
| Telephone | (304) 552-8308 | | |
| | | | |

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

(1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and

(2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

| Well Opera By: OFFICIAL SEAL Its: | | AACT nHarmon |
|---|--|--|
| NOTARY PUBLIC STATE OF WEST VIRGINIA Susan W. Rose OF and Gas Conservation Commission DU' 57th Street SE Charleston, WV 25304 My Commission Express December 16, 2024 Telephone | 601 57TH STREET S. E. CHARLESTON, WV 25304 (304) 926-0499 EX 41100 | RECEIVED Office of Oil-and Gas |
| Subscribed and sworn before me this 7 th Subscribed and sworn before me this 7 th My Commission Expires 12-16-24 | day of February 2022 Notary Public | FEB 1 8 2022 WV Department of Environmental Protection |

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyoffier@wv.gov</u>.

47015003418



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 Phone: (304) 926-0450 Fax: (304) 926-0452 Harold D. Ward, Cabinet Secretary dep.wv.gov

February 17, 2022

Gary King PO Box 370 Clay, WV 25043

9489 0090 0027 6362 2652 51

RE: Well API 47-015-00341 (Otto #6) & 47-015-00518 (Otto #7) plugging permit application notices

Mr. King,

Records held by the Office of Oil and Gas (OOG) indicate that you are the landowner of a property located at Montana Drive in Procious, WV further identified on tax forms as Parcel ID: 08-06-0010-0043-0000. The WVDEP's Abandoned Well Plugging Program is proceeding forward with plans to permanently plug and abandon the subject well(s) located on that property. Pursuant to W. Va. Code § 22-6-9, you are entitled to receive notice of permit application(s).

Please find the closed plugging permit applications for 47-015-00341 (Otto #6) and 47-015-00518 (Otto #7). If you have any questions or concerns, please contact me at (304) 926-0499 ext. 41102.

Respectfully,

Promoting a healthy environment.

USPS.com® - USPS Tracking® Results



Track Another Package +

Tracking Number: 9489009000276362265251

Your item was picked up at the post office at 11:38 am on February 22, 2022 in CLAY, WV 25043.

USPS Tracking Plus[®] Available \checkmark

Or Delivered, Individual Picked Up at Post Office

February 22, 2022 at 11:38 am CLAY, WV 25043

Get Updates 🗸

| Text & Email Updates | \checkmark |
|---------------------------|--------------|
| Return Receipt Electronic | \checkmark |
| Tracking History | \checkmark |
| USPS Tracking Plus® | \checkmark |
| Product Information | \checkmark |

See Less 🔨

4701500341P

Remove X

Operator's Well Number

47 - 015 - 00341 P

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have **FIVE (5) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON FOR EXECUTION BY A CORPORATION,

ETC.

-

Date

Signature

Name

By Its

Date

04/08/2022

Signature

| API No. | 47 - 015 - 00341 ⁽² |
|-----------|--------------------------------|
| Farm Name | GARY KING |
| Well No. | OTTO # 6 |

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

WAIVER

The undersigned coal operator ____/ owner ___/ lessee ____/ of the coal under this well location has examined this proposed plugging work order. The undersigned has no objection to the work proposed to be done at this location, provided, the well operator has complied with all applicable requirements of the West Virginia Code and the governing regulations.

| | Date: | 2/15/2 | 2022 | | N/A, | no coal | opera | ator or c | oal lea | ase |
|---|-------|--------|------|--------------|------|---------|-------|-----------|---------|--|
| | | | | | By: | | | | - | RECEIVED Office of Oil and Gas |
| - | | | | - | Its | - 1 | | | | FEB 1 8 2022 |
| | | | | | | | | | - | WV Department of Environmental Protection |

| WW O | | 47015 | 5003418 |
|--|--|---|---|
| WW-9 (5/16) | | API Number 47 - 015 | 00341 |
| | | Operator's Well No. OTTO |)#0 |
| | STATE OF WEST VIR DEPARTMENT OF ENVIRONMENT OFFICE OF OIL AND LUIDS/ CUTTINGS DISPOSAL & RE | TAL PROTECTION GAS | |
| Operator Name DEP PAID | PLUGGING CONTAACT | OP Code | |
| Watershed (HUC 10) ELK RIV | | angle ELKHURST | |
| Do you anticipate using more than 5. Will a pit be used? Yes | 000 bbls of water to complete the prop | osed well work? Yes No | |
| If so, please describe antici | pated pit waste: N/A | | |
| Will a synthetic liner be us | | If so, what ml.? | <u> </u> |
| Proposed Disposal Method | For Treated Pit Wastes: Awy w | BEFORE DISPOSING OFF. SITE. | and in |
| | lication (if selected provide a complete | d form WW-9-GPP) | × |
| | und Injection (UIC Permit Number U | NKNOWN AT THIS TIME |) |
| | API Number | sallocation) |) |
| Other (E | | | |
| | | | |
| Will closed loop systembe used? If | so, describe: N/A | | |
| Drilling medium anticipated for this | well (vertical and horizontal)? Air, fre | shwater, oil based, etc. <u>N/A</u> | |
| -If oil based, what type? Sy | unthetic, petroleum, etc. N/A | | |
| Additives to be used in drilling medi | um? N/A | | |
| Drill cuttings disposal method? Lea | ve in pit, landfill, removed offsite, etc. | OFF SITE DISPOSAL | |
| | - lidify what medium will be used? (cem | | |
| | ermit number? UNKNOWN AT THIS TIME | Contraction and a statements of the | |
| | | | |
| | e to the Office of Oil and Gas of any lo he notice shall be provided within 24 h | | |
| on April 1, 2016, by the Office of C provisions of the permit are enforced or regulation can lead to enforcemen 1 certify under penalty of application form and all attachments the information, I believe that the i | and agree to the terms and conditions of bil and Gas of the West Virginia Depar- able by law. Violations of any term or of t action. law that I have personally examined thereto and that, based on my inquiry of information is true, accurate, and comp ing the possibility of fine or imprisonme | tment of Environmental Protection. condition of the general permit and/o and am familiar with the informatio of those individuals immediately resp olete. I am aware that there are sig | I understand that the rother applicable law on submitted on this ponsible for obtaining |
| Company Official Signature | Jason Harmon | | RECEIVED Office of Oil and Gas |
| Company Official (Typed Name) | ASON HARMON | | FEB_1 8 2022 |
| | HIEF, OFFICE OF OIL AND GAS | | T EP - T |
| | | | WV Department of Environmental Protection |
| Subschibed and sworn before me thi | s 17th day of Februa | ciac . 20 22 | |
| ALCO | Post and | 0 | |
| _ener w | · NO2L | Notary Public | OFFICIAL SEAL NOTARY PUBLIC |
| My commission expires | 12-16-24 |) | STATE OF WEST VIRGINIA Susan W. Rose and Gas Conservation Commission 37th Street 0.014 (1987) 2002 |

4701500341P

Form WW-9

Operator's Well No. 47 - 015 - 00341


| posed Revegetation Tre | eatment: Acres Disturbed | 0.5 | Preveg etation | pH UNKNOWN | |
|------------------------|--------------------------|-----------|----------------|------------|--|
| Lime2-3 | Tons/acre or to corre | | 6.5 | | |
| Fertilizer type | 10-20-20 | | | | |
| Fertilizer amount | 400 | lbs/acre | | | |
| Mulch | 2 | Tons/acre | | | |
| | | Seed Mixt | <u>ires</u> | | |
| | Femporary | | Peri | nanent | |
| Seed Type | lbs/acre | | Seed Type | | |
| N/A | | | FESCUE | 40 | |
| | | | LANDINO CLOV | 'ER 5 | |
| | | | | | |

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, provide water volume, include dimensions (L, W, D) of the pit, and dimensions (L, W), and area in acres, of the land application area.


Photocopied section of involved 7.5' topographic sheet.

| Plan Approved by: ALLEN D FLOWERS | | | | |
|--|--|-----------------|---|----------------------|
| Comments: All trees and brush cut at the | well site or | service road mu | st be | - |
| hauled away to off site disposal. | | | | -15: |
| | | | | |
| | | | | |
| | - Angel - Ange | | ana | . <u></u> |
| | | | RECEIVE Office of Oil a | D nd Gas |
| | | | FEB 18 | 2022 |
| Title: Inspector specialist | Date: | 2/15/2022 | WV Departm Environmental F | ent of Protection |
| Field Reviewed? (X)Yes (|)No | | | |











| 8-30-06 | | 1 | | |
|-------------------|---|--------------|--------|---------|
| | Department of H Office of Oil a LL LOCATION | and Gas | | tection |
| API: 47 - 015 - | 00341 | WELL NO .:_ | OTT | O#6 |
| FARM NAME: | ΒΟΤΟ ΟΤΤΟ | | | |
| RESPONSIBLE PARTY | NAME: DEP P | ALD PLUGGING | 6 60 | UTRACT |
| COUNTY: CLA | Y - 015 | DISTRICT: | UNI | ON |
| QUADRANGLE: | ELKHURST | | | |
| SURFACE OWNER: | GARY KING | | | |
| ROYALTY OWNER: | N/A | | | |
| UTM GPS NORTHING | 4257210.2 | | | |
| UTM GPS EASTING: | 484364.7 | GPS ELEVAT | TION:_ | 679' |
| | | | | |

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

- Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
- 2. Accuracy to Datum 3.05 meters
- 3. Data Collection Method:

WW-7

Survey grade GPS ____: Post Processed Differential

Real-Time Differential

Mapping Grade GPS X : Post Processed Differential

Real-Time Differential

4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.

| ALLEN D FLOWERS | Inspector specialist | 2/15/2022 |
|-----------------|----------------------|-----------|
| Signature | Title | Date |

RECEIVED

Office of Oil and Gas

FEB 1 8 2022

WV Department of Environmental Protection

4701500341P

API # 47 - 015 - 00341P WELL #, OTTO #6

11/10/2016

PLUGGING PERMIT CHECKLIST

Plugging Permit

| WW-4B signed by inspector | |
|---|----------------------------|
| WW-4A | |
| SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIE MAIL | D |
| COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SEN BY REGISTERED OR CERTIFIED MAIL | Г |
| WW-9 PAGE 1 (NOTARIZED) | |
| WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application | n |
| WW-9 GPP PAGE 1 and 2 if well effluent will be land applied | |
| RECENT MYLAR PLAT OR WW-7 | |
| WELL RECORDS/COMPLETION REPORT | |
| TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED | |
| | VED |
| CHECK FOR \$100 IF PIT IS USED | and Gas |
| FEB 1 | 8 2022 |
| WV Depa Environment | rtment of al Protection |

-



Stansberry, Wade A <wade.a.stansberry@wv.gov>

DEP Contract - Plugging Vertical Well Work Permit API: 47-015-00341)

1 message

Stansberry, Wade A <wade.a.stansberry@wv.gov>

Fri, Apr 8, 2022 at 9:28 AM To: "Flowers, Allen D" <allen.d.flowers@wv.gov>, Douglas Newlon <douglas.c.newlon@wv.gov>, "James, Jeremy E" <jeremy.e.james@wv.gov>, tdavis@wvassessor.com

I have attached a copy of the newly issued well permit number. This will serve as your copy.

47-015-00341 - 6 - BODO OTTO

If you have any questions, then please contact us here at the Office of Oil and Gas.

Thank you,

Wade A. Stansberry

Environmental Resource Specialist 3

West Virginia Department of Environmental Protection

Office of Oil & Gas

601 57th St. SE

Charleston, WV 25304

(304) 926-0499 ext. 41115

(304) 926-0452 fax

Wade.A.Stansberry@wv.gov

2 attachments

47-015-00341 - Copy.pdf 5642K 7-

R-8 Blank.pdf 233K