



Abund  
9-9-44  
ack

# 3	3.15 W - 3.97	# 1	3.23 W - 3.87	CLA - 24 - A - #3 ✓
1	3.12 W - 3.86	6	3.33 W - 3.88	CLA - 25 - A - #1 ✓
✓	3.37 W - 3.98	7	3.43 W - 3.89	CLA - 26 - A - #5 ✓
✓	3.32 W - 4.1			CLA - 27 - A - #4 ✓
9	3.27 W - 3.98			CLA - 28 - A - #9 ✓
				CLA - 29 - A - #2 ✓
				CLA - 30 - A - #6 ✓
				CLA - 31 - A - #7 ✓

OCT - 3 1944

✓✓✓✓✓✓✓✓

Company SUPERIOR PIPE & SUPPLY CO.  
 Address GRAND RAPIDS, MICH.  
 Name H. M. MINNER  
 Acres 76 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1-2-3-4-5-6-7-8-9  
 Elevation (Spirit Level) AS SHOWN  
 Quadrangle CLAY  
 County CLAY District UNION  
 Engineer H. M. Minner  
 Engineer's Registration No. 659  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date JAN 20, 1944 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. Clay 301  
Clay 24 to 31

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500. latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

H.M. MINNER NOS. 1-7 & 9 - SUPERIOR PIPE & SUPPLY CO. - CLAY-24-31  
 (3-1-5-4-9-2-6-7)

H. M. MINNER NO. 6 (1092) WELL.  
(UMG-3567) (V-1014) (?)

Union District, Clay County, W. Va.

By Ohio Fuel Oil Co.

Abandoned under permit Clay-30-A.

On lease No. 189, of 76 acres; Map Squares 82-65.

Drilling commenced Jan. 6, 1920; completed Feb. 24, 1920.

Contractor: C. M. Means.

Drillers' names: C. M. Means and L. E. Smith.

8 $\frac{1}{2}$ " casing, 475' (pulled); 6 $\frac{3}{8}$ "<sup>2</sup>, 1593'; conductor, 16'.

Oil, estimated 15 bbls. after shot.

Oil well. Abandonment reported to Dept. of Mines (filed) Mar. 23, 1944.

Record to ROT from Mrs. Griffith Nov. 17, 1944. Old File No. 260.

	Top.	Bottom.
Gravel	0	13
Sand	13	240
Slate	240	305
Sand	305	345
Slate	345	390
Sand	390	430
Coal	430	432
Sand	432	450
Slate	450	480
Sand	480	590
Slate and shells	590	785
Sand	785	950
Salt Sand (water, 1030')	950	1270
Slate	1270	1285
Salt Sand	1285	1390
Red rock	1390	1420
Slate and lime shells	1420	1525
Maxton Sand	1525	1555
Little Lime	1555	1580
Slate	1580	1584
Sand shells	1584	1588
Pencil Gave	1588	1593
Big Lime	1593	1700
Keener Sand (gas, 1715')	1700	1760
Big Injun Sand (oil, 1760-1780')	1760	1783
Total depth		1783

*8/30/20*

OHIO FUEL OIL COMPANY. U.F.G. 3567

Lease No. 189 Serial Well No. 1092

RECORD of Well No. 6 on the H. M. Minner Farm 76

in Union District Clay County, W. Va. Clay Co.

Located 19 Rig Commenced 19 and Completed 19

Drilling Commenced Jan. 6 1920 and Completed February 24 19 20 Depth of Hole was 178

Contractor was C. M. Means Address

Drillers names C. M. Means and L. E. Smith Drilling cost

Drilled deeper to feet and completed 19 Drilling deeper cost

Contractor was Address

CASING				TUBING			PACKER	
Size	Used in Drilling	Left in Hole	Date Put in	Size	Feet Used	Date Pulled	Size	Kind
8 1/4"	475	- - -						
6 5/8"	1593	1593						
Well first produced			in	<i>East, 15 Blk after shot</i>			16	feet of wood conduct
Production changed to			in	19				Well shot
Well cleaned out			19	result:				Size of torpedo
Well cleaned out			19	result:				Started Pumping oil
Well abandoned and plugged			19	By				Size of rods
								Kind of rods

OIL WELL	GAS WELL		REFERENCE DATA	
Production	Rock Press.	Calculated Flow	SUNDRY REPORTS	
Barrels per day	Pounds	Cu. Feet per day	Dated	Noted conditions that might effect calculated production

*(Handwritten mark)*

I.F.G. 3567  
 A.F.O. 1092

DRILLERS RECORD

Map Sqr 82-65

Formation	Top	Bottom	Thickness	REMARKS
Gravel		13	13	Water In Salt Sand 1030
sand	13	240	227	Gas 1715
Slate	240	305	65	Oil 1760-1780
Sand	305	345	40	
Slate	345	390	45	
Sand	390	430	40	
Coal	430	432	2	
Sand	432	450	18	
Slate	450	480	30	
Sand	480	590	110	
Slate & Shells	590	785	195	
Sand	785	950	165	
Salt Sand.	950	1270	320	
Slate	1270	1285	15	
Salt Sand	1285	1390	105	
Red Rock	1390	1420	30	
Slate & Lime Shells	1420	1535	115	
Maxon Sand	1535	1555	20	
Little Lime	1555	1580	25	
Slate	1580	1584	4	
Sand Shells	1584	1588	4	
Pencil Cave	1588	1593	5	
Big Lime	1593	1700	107	
Keener Sand	1700	1760	60	
Injun Sand	1760	1783	23	
Total Depth		1783		

