



New Location
 Drill Deeper
 Abandonment

Company DODDRIDGE GAS N° 5
 Address CLARKSBURG, W.VA.
 Farm JOHN M. WALTON
 Tract _____ Acres 189 1/4 Lease No. _____
 Well (Farm) No. ONE Serial No. 5
 Elevation (Spirit Level) 1182' VA.
 Quadrangle VADIS NW 1 1/2 NW
 County DODDRIDGE District NEW MILTON
 Engineer JAMES D. JEFFRIES
 Engineer's Registration No. 1084
 File No. 192-90 Drawing No. _____
 Date 10-21-58 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. DOD-267

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

RDM^c

6-6 1944



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION /

Quadrangle Vadie
Permit No. DOD -267

WELL RECORD

Oil or Gas Well Dry
(KIND)

Company DODDRIDGE GAS NO. 5
Address P. O. Drawer 351, Clarksburg, W. Va.
Farm John Walton Acres 189 1/4
Location (waters) _____
Well No. One Elev. 1182VA
District New Milton County Doddridge
The surface of tract is owned in fee by Same
New Milton Address W. Va.
Mineral rights are owned by Same
Same Address _____
Drilling commenced 10/28/58
Drilling completed 12/2/58
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
WELL ACIDIZED _____
Well Fractured Dec. 15, 1958
WELL FRACTURED With 300 barrels of water

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			
10			Size of _____
8 3/4	593'		
6 5/8	1220'		Depth set _____
5 3/16			
3			Perf. top _____
2	2131'		Perf. bottom _____
Liners Used			Perf. top _____
Upside Down Packer used			Perf. bottom _____
to fracture			

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

RESULT AFTER TREATMENT None
ROCK PRESSURE AFTER TREATMENT _____
Fresh Water _____ Feet _____ Salt Water _____ Feet _____

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Red Rock			0	10			
Sand			10	65			
Red Rock			65	90			
Sand			90	135			
Lime			135	185			
Slate			185	210			
Slate	Black		210	211			
Slate & Shells			211	225			
Lime			225	254			
Red Rock			254	333			
Lime			333	344			
Sand			344	372			
Slate			372	385			
Red Rock			385	400			
Sand			400	440			
Slate			440	457			
Lime Shells			457	488			
Lime			488	544			
Red Lime		*	488 544	600			
Lime			600	660			
Pink Rock			660	682			
Lime			682	710			
Slate			710	730			
Lime			730	835			
Slate & Shells			835	862			
Red Rock			862	895			
Lime			895	905			

Formation	Color	Hard or Soft	Top /	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pink Rock			905	945			
Sand			945	960			
Red Rock			960	980			
Lime			980	1002			
Red Rock			1002	1014			
Lime			1014	1050			
Slate & Shells			1050	1075			
Lime			1075	1100			
Pink Rock			1100	1125			
Sand			1125	1175			
Slate & Shells			1175	1215			
Red Rock			1215	1226			
Lime			1226	1253			
Slate			1253	1285			
Sand			1285	1318			
Lime			1318	1360			
Slate			1360	1366			
Sand			1366	1442			
Slate			1442	1450			
Lime			1450	1470			
Slate			1470	1500			
Sand			1500	1548			
Slate			1548	1570			
Sand			1570	1655			
Lime			1655	1675			
Slate & Shells			1675	1720			
Sand			1720	1758			
Lime			1758	1840			
Sand			1840	1887			
Slate & Shells			1887	1920			
Lime			1920	1980			
Sand			1980	1992			
Lime			1992	2034			
Lime		Hard	2034	2061	2061		
Sand			2061	2075			
Slate			2061	2066			
Sand			2066	2082			
Big Lime			2082	2134			
Injun Sand			2134	2225	Gas at	2155 to	2159
Slate			2225		Test 20/10 W - 3/4"		
Total Depth				2231			