



Latitude 39° 15'

Longitude 80° 40'

Reference for elevation 1 - U.S.G.S. B.M. at Blandville = 830'

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all of the information required by paragraph 6 of the rules and regulations of the oil and gas commission of the mining laws of West Virginia.

W. H. Underwood
E. P. S. No. 1227

New Location
Drill Deeper
Abandonment

To Troy *W. Va. Route 18*
Tom's Fork

John Underwood.
 Company ~~GEORGE F. FRANKS~~
 209 Cheyront Ave., West Union, W. Va., 26456
 Address ~~E. O. Box 487, Parkersburg, W. Va.~~
 Farm Mary Walton
 Tract _____ Acres 7.5 Lease No. _____
 Well (Farm) No. One Serial No. _____
 Elevation (Spirit Level) 1053
 Quadrangle Yadia *NW*
 County Doddridge District New Milton
 Engineer *W. H. Underwood*
 Engineer's Registration No. 1227
 File No. _____ Drawing No. _____
 Date March 19, 1963 Scale 1" = 200'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. Dod - 948 - P

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

JUN 10 1974



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 4

Quadrangle Vadis

Permit No. Dod-948

WELL RECORD

Oil or Gas Well Oil
(KIND)

Company Gilbert Fouts
Address 720 Union Trust Bldg., Parkersburg
Farm Mary Walton Acres 7
Location (waters) Toms Fork
Well No. 1 Elev. 1053
District New Milton County Doddridge
The surface of tract is owned in fee by Mary Walton
Address West Union
Mineral rights are owned by Mary Walton
Address West Union
Drilling commenced 3/29/63
Drilling completed 4/5/63
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume not taken Cu. Ft.
Rock Pressure not taken lbs. hrs.
Oil Show bbls., 1st 24 hrs.
WELL ACIDIZED 200 gal.
WELL FRACTURED 600 BBLs wtr.

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------------|------------------|--------------|--------------------------|
| Size | | | Kind of Packer |
| 16 | | | |
| 13 | | | |
| 10 | | | Size of |
| 8 5/8 | 30' | 30' | |
| 6 5/8 | | | Depth set |
| xxxxxx 4 1/2 | | 2173 | |
| 3 | | | Perf. top <u>2146</u> |
| 2 | | | Perf. bottom <u>2148</u> |
| Liners Used | | | Perf. top _____ |
| | | | Perf. bottom _____ |

CASING CEMENTED 2173' SIZE 4 1/2" No. Ft. 4/4/63 Date
59 sks. cement-Dowell
COAL WAS ENCOUNTERED AT None FEET INCHES
_____ FEET INCHES FEET INCHES
_____ FEET INCHES FEET INCHES

RESULT AFTER TREATMENT 30,000 sand - Drilled with rotary 60 BBLs Oil
ROCK PRESSURE AFTER TREATMENT 545 BBLs Oil
Fresh Water _____ Feet Salt Water _____ Feet

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth | Remarks |
|-------------------|-------|--------------|------|--------|---|-----------|--------------|
| Soil | | | 0 | 16 | | | |
| Red Rock | | | 16 | 63 | not water recorded, drilled with rotary | recorded, | drilled with |
| Shale | | | 63 | 142 | | | |
| Sand & Shale | | | 142 | 197 | | | |
| Sand | | | 197 | 242 | | | |
| Sahle & Red Rock | | | 242 | 263 | | | |
| Sand | | | 263 | 293 | | | |
| Shale | | | 293 | 341 | | | |
| Red Rock | | | 341 | 382 | | | |
| Sand | | | 382 | 417 | | | |
| Lime | | | 417 | 429 | | | |
| Sand & Shale | | | 429 | 512 | | | |
| Sand | | | 512 | 607 | | | |
| Shale & Sand | | | 607 | 822 | | | |
| Red Rock | | | 822 | 847 | | | |
| Shale | | | 847 | 921 | | | |
| Sand | | | 921 | 942 | | | |
| Shaly Sand | | | 942 | 1072 | | | |
| Shale | | | 1072 | 1145 | | | |
| Sand | | | 1145 | 1163 | | | |
| Sand & Shale | | | 1163 | 1203 | | | |
| Sand | | | 1203 | 1265 | | | |
| Sandy Shale | | | 1265 | 1470 | | | |
| Sand | | | 1470 | 1565 | | | |
| Shale | | | 1565 | 1708 | | | |
| Shaly Sand | | | 1708 | 1793 | | | |
| Sand | | | 1793 | 1803 | | | |
| Shaly Sand | | | 1803 | 1864 | | | |
| Sand & Shaly Sand | | | 1864 | 1939 | | | |



| Formation | Color | Hard or Soft | Top ⁴ | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|------------|-------|--------------|------------------|---------|-------------------|-------------|---------|
| Sand | | | 1939 | 1940 | | | |
| Shaly Sand | | | 1940 | 1989 | | | |
| Lime | | | 1989 | 1995 | | | |
| Shale | | | 1995 | 2005 | | | |
| Sandy Lime | | | 2005 | 2132138 | | | |
| Sand | | | 2138 | 2157 | Oil | | |
| Shale | | | 2157 | 2173 | T.D. | | |

Date April 1, 1963

APPROVED Gilbert Kauter, Owner

By _____ (Title)