

MINIMUM ERROR OF CLOSURE 1/500
 SOURCE OF ELEVATION Well No. 1 this farm (Everett S. Dye) Elev. 863

New Location
 Drill Deeper
 Abandonment

"I, THE UNDERSIGNED, HEREBY CERTIFY THAT THIS MAP IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY PARAGRAPH 6 OF THE RULES AND REGULATIONS OF THE OIL AND GAS SECTION OF THE MINING LAWS OF WEST VIRGINIA."

Company W. H. Massor
 Address 2022 16th St, Parkersburg, W. Va.
 Farm Everett S. Dye
 Tract 1 Acres 54 Lease No. _____
 Well (Farm) No. (2) Serial No. _____
 Elevation (Spirit Level) 892
 Quadrangle Centerpoint - C
 County Doddridge District McClellan
 Engineer Parker E. Peters
 Engineer's Registration No. 485
 File No. _____ Drawing No. _____
 Date Apr. 4, 1966 Scale 1" = 30 P.

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON
WELL LOCATION MAP
 FILE NO. DD-1366

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 — Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Rotary
Spudder
Cable Tools
Storage

Quadrangle Centerpoint

Permit No. DOD-1366

WELL RECORD

Oil or Gas Well Gas
(KIND)

Company W. H. Mossor, c/o H. L. Ice
Address Parkersburg, W. Va.
Farm Everett S. Dye Acres.....
Location (waters) Talkington Fork
Well No. 2 Elev. 892
District McClellan County Doddridge
The surface of tract is owned in fee by Everett S. Dye
Address Smithville, W. Va.
Mineral rights are owned by Everett S. Dye
Address Smithville, W. Va.
Drilling commenced April 18, 1966
Drilling completed May 22, 1966
Date Shot From..... To.....
With.....
Open Flow 3/10ths Water in two Inch
/10ths Merc. in..... Inch
Volume 73,000 Cu. Ft.
Rock Pressure ? lbs. hrs.
OIL..... bbls., 1st 24 hrs.

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16	9'	9'	
13			Size of
10	233'	0	Depth set
8 1/4	997'	0	
6 3/4			
5 3/16		2146'	Perf. top <u>2004</u>
4 1/2			Perf. bottom <u>2028</u>
3			Perf. top.....
2			Perf. bottom.....
Liners Used			

WELL ACIDIZED (DETAILS).....

WELL FRACTURED (DETAILS) May 28, 1966 using 42,000 gals. water and 44,000 Sand.
800 gals. acid


RESULT AFTER TREATMENT (Initial open Flow or bbls.) 2,000,000 cft

ROCK PRESSURE AFTER TREATMENT 640 HOURS 24

Fresh Water 135 Feet Salt Water 1395 Feet

Producing Sand Big Injun Depth 1990

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Clay			0	8			
Slate			8	20			
Sand			20	28			
Red Rock			28	45			
Slate			45	76			
Sand			76	98			
Red Rock			98	108			
Slate & Shells			108	121			
Dark Slate			121	143			
Slate & Lime			143	173			
Sand			173	191			
Slate & Shells			191	215			
Lime			215	225			
Red Rock			225	245			
Slate			245	294			
Red Rock			294	325			
Gritty Lime			325	335			
Sand			335	365			
Slate & Shells			365	400			
Lime			400	443			
Slate & Shells			443	449			
Lime			449	503			
Slate & Shells			503	560			
Gritty Lime			560	596			
Slate			596	629			
Gritty Lime			629	670			
Sand			670	694			
Slate & Lime			694	720			
Pink Rock			720	727			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			727	750	Gas	754	
Sand			750	724			
Slate			774	789			
Lime			789	797			
Red Rock			797	845			
Slate & Shells			845	870			
Red Rock			870	905			
Slate & Shells			905	963			
Lime			963	975			
Slate			975	998			
Sand			998	1014			
Slate			1014	1036			
Lime			1036	1050			
Sand			1050	1074			
Gritty Lime			1074	1092			
Slate			1092	1169			
Gritty Lime			1169	1300			
Sand			1300	1360			
Slate & Shells			1360	1388	Water	1395	
Sand			1388	1437			
Gritty Lime			1437	1455			
Slate			1455	1474			
Sand			1474	1571			
Slate			1571	1621			
Sand			1621	1650			
Sand & Slate			1650	1701			
Sand			1701	1730			
Slate & Shells			1730	1806			
Red Rock			1806	1883			
Slate & Shells			1883	1894			
Little Lime			1894	1910			
Slate			1910	1920			
Big Lime			1920	1990			
Big Injun Sand			1990	2016			
Lime			2016	2030			
Sand			2030	2124			
Slate & Shells			2124	2146	TOTAL DEPTH		

Big Lime
Lime }
Injun Sand }
Sand }
Slate & Shells }

Date Sept. 15, 1917

APPROVED W. H. Moser Co. A. E. Lee

By A. E. Lee
(Title)