



- Fracture....
- Redrill.....
- New Location.
- Drill Deeper.....
- Abandonment.....

Source of Elevation ROAD FORK MOUTH GREENBRIER CK. ELV. 890'
 I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia.

Minimum accuracy, one part in 200

Company J. E. WEBBER
 Address MORGANSVILLE, W.V.A.
 Farm T. J. SNIDER HRS.
 Tract _____ Acres 36[±] Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 912'
 Quadrangle VADIS ~~WV~~ NC
 County DODDRIDGE District GREENBRIER
 Engineer Jamie Duffin
 Engineer's Registration No. 1089
 File No. 211/102 Drawing No. _____
 Date 5-7-66 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. Dod-1387

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 — Denotes one inch spaces on border line of original tracing.

6-6 99



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Rotary
Spudder
Cable Tools
Storage
Oil or Gas Well Combination
(KIND)

Quadrangle Vadis
Permit No. Dod.- 1387

WELL RECORD

Company Webber Associates
Address Morgansville, W. Va. 26406
Farm T. J. Snider, Hrs. Acres 96
Location (waters) Buckeye Fork
Well No. 1 Elev. 912
District Greenbriar County Doddridge
The surface of tract is owned in fee by T. Gregg
Address Salem, W. Va.
Mineral rights are owned by _____
Address _____
Drilling commenced June 17, 1966
Drilling completed _____
Date Shot No From _____ To _____
With Rotary and Spudder
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil 30 bbls., 1st 24 hrs.
WELL ACIDIZED (DETAILS) No
WELL FRACTURED (DETAILS) No

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 1/4	708	708	
6 5/8	1990	1990	Depth set
5 3/16			
4 1/2			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Attach copy of cementing record.
CASING CEMENTED No SIZE _____ No. Ft. _____ Date _____
Amount of cement used (bags) _____
Name of Service Co. _____
COAL WAS ENCOUNTERED AT 620 FEET _____ INCHES
FEET _____ INCHES FEET _____ INCHES
FEET _____ INCHES FEET _____ INCHES

RESULT AFTER TREATMENT (Initial open Flow or bbls.) _____
ROCK PRESSURE AFTER TREATMENT _____ HOURS _____
Fresh Water _____ Feet _____ Salt Water _____ Feet _____
Producing Sand Gordon Depth 2746 To 2754

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Shale & Shells			0	620			
Coal Pittsburgh			620	630			
Shale			630	790			
Shale & Red Rock			790	835			
Shale & Sand			835	985			
Sand			985	1035			
Shale		Sandy	1035	1080			
Shale		Sandy	1080	1365			
Sand			1365	1380			
Shale			1380	1410			
Sand			1410	1428			
Sand			1428	1485			
Slate			1485	1537			
Sand			1537	1555			
Sand & Shale			1555	1638			
Shale & Lime			1638	1652			
Sand & Lime			1652	1714			
Shale & Lime			1714	1746			
Sand			1746	1779			
Shale & Lime			1779	1850			
Sand			1850	1891			
Sand & Shale			1891	1921			
Little Lime			1921	1956			
Big Lime			1956	2014			
Big Injun			2014	2097			
Slate			2097	2200			
Sand			2200	2230			
Slate			2230	2240			
Sand			2240	2250			

RECEIVED
FEB 1967
West Virginia
Dept. of Mines

Drilled with Rotary to 1990 Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Sand			2250	2257			
Lime & Shale			2257	2266			
Shale & Sand			2266	2275			
Slate & Sand			2275	2300			
Lime & Slate			2300	2310			
Shale & Slate			2310	2325			
Slate			2325	2405			
Lime & Shale			2405	2415			
Shale			2415	2425			
Slate			2425	2540	Show Oil	2425 to 2433	- Berca horizon?
Fifty Foot Sand			2540	2546	Berca?		
Sand & Slate			2546	2562			
Slate			2562	2604			
Sand & Slate			2604	2610			
Slate			2610	2638			
Thirty Foot Sand			2638	2646			
Slate			2646	2675			
Slate & Sand			2675	2710			
Gordon Stray			2710	2720	Oil and Gas	2716	
Slate			2720	2746			
Gordon Sand			2746	2754	Oil & Gas	2750	
Slate			2754	2772			
Total Depth Drilled				2772			

Well was drilled from surface to 1990 feet by Rotary
 " " " " 1990 feet to 2772 by Spudder.

Date Jan 9, 1967
 APPROVED Jack E. Weber, Owner
 By owner (Title)