

7 Shirley 196



STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

WELL RECORD 7

Quadrangle Centerpoint Permit No. Dodd-1818				Recycling_ Water Floo	Comb d_ Storage
			Santana da da camanda d		(Kind)
Company Stonestreet Lands Co Address Box 350 Spencer, W. Farm Mutschelknaus	Va.	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Farm	essance Alice Communication and the second s	Overestant o to that are suither in the mineral of Standard to any plantificate passes, update	takkakkakisen metri metrikisi di minderik kitatisti dirikum inminus medil	alian daga aka saka ke kacamatan ang aka saka saka saka saka saka saka saka	
Location (waters) Laugherty For Well No. 3		Size	MMN jour money		
District McClellan County.	Doddridee	20-16 Cond.	***	The second secon	
•		13-10"	on the second control of the second control		
The surface of tract is owned in fee by Mutschelknaus	•	9 5/8	Angele see - see - see - see		
	indestination of the second	8 5/8	578*	578'	cement to surface
Address Salem, W. Va.	Most market and a	Control Contro	1		
Mineral rights are owned by Willie Salem, W.	Va La VIII a and de a	**************************************	American Control of the Control of t		-
AUUI CSS		5 1/2	30 P A 9 B	0/01	
Drilling Commenced June 5, 1976		3.12.	2401	2401	90 sacks
Drilling Completed June 8, 1970		ring S S S S S S S S S S S S S S S S S S S			
Initial open flow 50,000 cu. f	Companyana Maria Cara Cara Cara Cara Cara Cara Cara	erity Inter- communications of a contraction with a contraction of the			1
Final production 740,000 cu ft per	day amamamabbis.	Liners Used			144
Well openhrs. before	e test <u>649</u> RP.	enskyllet allejelet og Manetaj eksigligening omreden og eksiglig i 1977 elljeletelet 1977 – John Feld og 1975 og eksige og kantastrepatoren, fri skil eksige og eksige		No.	
		gyyan ki ki mala mananan mananan mananan mananan mala maka ki mala mala ki mala ki mala ki mala ki mala ki mal Mananan mala ki mala k			
	жанда конствутент ден по использования под образования по по постоя в постоя в постоя в постоя в постоя в пост В постоя в по	ensia etersa kaliko telebrokisko eli orrenen garretaria eta azi eta reterioria eta kaliko eta kaliko eta kalik Antarioria eta eli gista initerioria eta propientako propienta eta eta eta eta eta eta eta eta eta e	erverandens som en ett er ett en state de state en state en state en	740 ME	
Coal was encountered at Fresh water 110 Producing Sand Big Injun Formation Color Hard or S	Feet 4 Squan			271'; 2:	Feet
Top Soil		10	The state of the s		control de de marco (2000), en un de la companya d
Red Rock	130	20	-		
Sand	20	40	manusco () ()		
Slate	40	65	LOS		
Sand	65	75			
Red Rock	75	145			
Slate	145	000			
Sand	ಮೆಂ ^{ಬಾ} ಗ್ಗೆ ಆರ್	230	1 .		
Red Rock	230	295			
	5	2	MACAT Lamps Construence of the Anna Anna Anna Anna Anna Anna Anna Ann		
Slate	230 295 310	295 310 320	er en alla della mantana della		
Slate Sand	-230 295	295 310	Announced to the state of the s		
The state of the s	230 295 310	295 310 320 340 350	· · · · · · · · · · · · · · · · · · ·		
Sand Red Rock Slate	230 295 310 320 340 350	295 310 320 340 350 390	· · · · · · · · · · · · · · · · · · ·		
Sand Red Rock Slate Red Rock	230 295 310 320 340 350 390	295 310 320 340 350 390 420			
Sand Red Rock Slate Red Rock Lime Shell	230 295 310 320 340 350 390 420	295 310 320 340 350 390 420 435	· · · · · · · · · · · · · · · · · · ·		
Sand Red Rock Slate Red Rock Lime Shell Sand	230 295 310 320 340 350 390 420 435	295 310 320 340 350 390 420 435 520	· · · · · · · · · · · · · · · · · · ·		
Sand Red Rock Slate Red Rock Lime Shell Sand Slate & Lime	230 295 310 320 340 350 390 420 435 520	295 310 320 340 350 390 420 435 520 610	· designations of the control of the		
Sand Red Rock Slate Red Rock Lime Shell Sand Slate & Lime Slate Shells	230 295 310 320 340 350 390 420 435 520 610	295 310 320 340 350 390 420 435 520			
Sand Red Rock Slate Red Rock Lime Shell Sand Slate & Lime Slate Shells Red Rock	230 295 310 320 340 350 390 420 435 520 610	295 310 320 340 350 390 420 435 520 610 625 645			
Sand Red Rock Slate Red Rock Lime Shell Sand Slate & Lime Slate Shells	230 295 310 320 340 350 390 420 435 520 610 625 645	295 310 320 340 350 390 420 435 520 610 625 645			
Sand Red Rock Slate Red Rock Lime Shell Sand Slate & Lime Slate Shells Red Rock	230 295 310 320 340 350 390 420 435 520 610 625 645	295 310 320 340 350 390 420 435 520 610 625 645 695 720			
Sand Red Rock Slate Red Rock Lime Shell Sand Slate & Lime Slate Shells Red Rock Slate & Shells	230 295 310 320 340 350 390 420 435 520 610 625 645 695 720	295 310 320 340 350 390 420 435 520 610 625 645 695 720 785			
Sand Red Rock Slate Red Rock Lime Shell Sand Slate & Lime Slate Shells Red Rock Slate & Shells Sand	230 295 310 320 340 350 390 420 435 520 610 625 645	295 310 320 340 350 390 420 435 520 610 625 645 695 720			To a second seco

(over)

^{*} Indicates Electric Log tops in the remarks section.

Formation Color Hard or Soft	Top Feet 7.	Bottom Feet	Oil, Gas or Water * Remarks
S OF RESCRIPTION COLOR DISTRICT OF SOFT	2 O D 1 CC 1 .		On, Gas of Weller - Kemarks
Line	930 1045	1045 1150	
Sand Slate & Shells	11150	1495	
Sand	1495	1515	
Slate & Shells	1515	1535	
Sand	1535	1.625	
Slate & Shells	1.625	1675	And the second
Lime	1.675 1725	1 1725 1 1780	1
Sand Red Rock	1780	1790	
Slate	1790	2025	
Little Lime	20 25	2058	V221 V2 9 V2 11 V2
Blue Monday	2058	20 78 2245	
Big Lime	2078 2245	2243 2268	738
<u>Big Injun</u> Squaw	2268	2278	
Shale	2278	2401	
And the second of the second of the second	No. of the second secon	a more great.	
	Confedence of the Confedence o	S. Carrotte	and the felicina felicina and the second
	Lance State Control of the Control o	Commonweal	
		Y TOTAL TOTA	er eger er er skriver faktivet filmer er er er
	*Vormissionerink	The company	
en e			
	NOTIFICATION OF THE PROPERTY O	-	
	4 10 10 10 10 10 10 10 10 10 10 10 10 10		
	Thurst read of the second seco	Disk of shape	
	Process of Automotion	spiro de mario	
	COORDINATE STATE OF THE STATE O	And the state of t	
eritarian de la companya de la comp La companya de la co	Keppermin Act	division of the state of the st	
errere de la companya de la company La companya de la co			
er en sterre de la companya de la c La companya de la co	Olike Conjugate	The special control of	
		Month of the Manager	
		- Million and a second a second and a second a second and	the transfer of the control of the c
t Million Patrick and the state of the state		TO ACCUMENT OF THE PROPERTY OF	
		RAMP COLUMN TO THE PROPERTY OF	and the common and t The common and the common and
	C C C C C C C C	Security as Agricultural Security and Securi	
taling states and a superior to the original for	SALE-POPPERSTY	Security (C. C.)	The control of the street of t
	6	The Company	
en en gerkelt de Monte en	4	STOCKES OF THE STOCKE	the space of the second
		SELECTION OF THE SELECT	 Mention of the second section of the second s
	e	See elegion or except	dia wate
	P. Control of the Con	No. of Control of Cont	and the second s
	piered). Tropas	No. of the Control of	
		NAME OF THE PROPERTY OF THE PR	
	nuce in the second seco	ACCOUNTS OF THE PROPERTY OF TH	de til er i trædit i j
***************************************		REGULATION	
	**************************************	1720000	unidan Kalendaran
		Vicing Agents	mentalis santalis an antiga m
	Maria de la companya del companya de la companya de la companya del companya de la companya del la companya del companya de la companya del la companya de la companya de la companya del la companya de la companya de la companya del l	an and an and an	in the state of th
			经存款 经货车
		SON CONTRACTOR CONTRAC	ing sa saint sa sain Ta saint sa saint s
	10 A. C.	Sealing through the sealing of the s	
	Pandy model	Beneditives	4044 J.S. H. 1964 y

THE RESERVE OF THE PERSON NAMED IN			Carried		-		(CONTRACTOR OF THE PARTY OF THE	e z zanacokowania wan		,4000
Date	>	. delening		ح		<u> </u>		19	يرح	
can !										

(Title)





OL & GAS DIVISION DETT. OF MINES

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,		
Charleston, W. Va.	DATE 5 *** 31 *** 76	
Surface Owner Willie Mutechelknaus	Company_SLCO	
Address Salem, W.Va.	The second secon	mencer, N.Va.
Mineral Owner Willie Mutechelknaus		elicneus Acres 1195
Address Salem, W.Va.	The state of the s	
Coal Owner None		
Address		County Doddridg
Coal Operator None	Quadrancle Centerno	int
Address	The second secon	
IS PERMIT MUST BE POSTED AT THE WELL STE	endergroups,	
W. Va. Code, the location is hereby approved	·,	
drilling . This permit shall expire if		
eral ons have not commenced by 10-1-76		
42-16-10 M		Davil 0
Deputy Director - Oil & Gas Division INS	SPECTOR TO BE NOTIFIED	Paul Garrett
· H:	622-3871 ADTPESS	Clarksburg, W.Va.
GENTLEMEN:		•
The undersigned well operator is entitled to drill upon t	he above named farm or tract o	f land for oil and gas, having fee
title thereto, (or as the case may be) under grant or lease	dated April 12	1976 by Clarence W.
ENJeoneLimaus made to Shoo	and recorded on the	16 day of <u>April</u>
1976, in <u>Doddridge</u> County, Book <u>101</u>	Page	
NEW WELLDRILL DEEPER	REDRILL	FRACTURE OR STIMILLATE
OIL AND GAS WELL ORIGINALLY DRILLI		
The enclosed plat was prepared by a registered engineer have been notified as of the above date.	or licensed land surveyor and	
The above named coal owners and/or operator are hereby to make by Section 3 of the Code, must be received by, or	y notified that any objection the filed with the Department of M	ey wish to make, or are required lines within ten (10) days. *
Copies of this notice and the enclosed plat were mailed bor coal owners at their above shown respective address	by registered mail, or delivered to	the above named coal operators
same day with the maning of delivery of this copy to the L		n, west virgima.
same day with the mailing or delivery of this copy to the D		n, west virgina.
same day with the maining of delivery of this copy to the L	Very truly yours,	ii, west virgima.
	Very truly yours, (Sign Name)	Depretor
PLEASE SUBMIT COPIES OF ALL	Very truly yours, (Sign Name) Well (Operator
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	Very truly yours, (Sign Name) Well (Box	tttf
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO: West Virginia Geological and Economic Survey Addr	Very truly yours, (Sign Name) Well (Box St.	Departor 350
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO: West Virginia Geological and Economic Survey Addr of P. O. Box 879 Well Ope	Very truly yours, (Sign Name) Well (Box St.	Operator 350 reet ncer
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO: West Virginia Geological and Economic Survey Addr	Very truly yours, (Sign Name) Well (Box Stress Strestor City or	Operator 350 reet ncer

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BUNGTON

DOD-1818 PERMIT NUMBER

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	X Deni.	THEPEN	FRACTURE-STIMULATE			
DRILLING CONTRACTOR: (If		RESPONSIBLE AGE				
NAME FUA	and the same of th	NAME L. V.	Stonestreet			
ADDRESS Elliview, W.V			ADDRESS BOX 350			
TELEPHONE		TELEPHONE Spancar, W. Ve.				
			CABLE TOOLS			
PROPOSED GEOLOGICAL FORI			ę , ,			
moroses addications row	CAC T	· COMB STORA	AGE DISPOSAL			
TIPE OF WELD: OHL			FLOOD OTHER			
	KEUYU	ANGWAIER	OTHER			
TENTATIVE CASING PROGRAM	1 :					
CASING AND TUBING SIZE	USED FOR DRILLING	ада от ответите до при от третите по посто от о	CEMENT FILL UP OR SACKS - CUBIC FT.			
20 - 16			1			
13 - 10						
9 - 5/8 -		AND THE AND THE STATE OF THE ST				
8 - 5/8	210	210	Gement to surface			
5 1/4	2150	2150	70 sacks			
4 1/2	<u> </u>	Garden 2 Vd	Perf. Top			
2			Perf. Bottom			
Liners			Perf. Top			
			Perf. Bottom			
TO DRILL:			·			
	OF OG - 1, \$100.00 PER	MIT FEE, PERFORMANCI	E BOND AND PERMANENT COPY			
OF PLAT.						
TO DRILL DEEPER OR REDRIE	LL:					
•	TO 1929, A PERMANENT		AND PERFORMANCE BOND. ON ND THE ORIGINAL WELL RECORI			
TO FRACTURE - STIMULATE:						
		• •	(5) COPIES OG - 1, PERFORMANCE			
	RIGINALLY DRILLED ON	AND/OR AFTER JUNE 5,	1929, FIVE COPIES OG - 1, SHOW-			
Required forms must be file four (24) hours in advance.	ed within ninety (90) days o	of completion for bond rele	ase. Inspector to be notified twenty-			
The following waiver must thereof.	be completed by the coal	operator if the permit is to	be issued within ten days of receip			
WAIVER: I the undersioned As	ent for	Coal Company O	wner or Operator of the coal unde			
7 - 4	ned and place on our mine					
			Section 1997			
			id well being drilled at this location and 7, Chapter 22 of the West Virginia			
providing operator has Code.	complied with an rules and l	regulations in Articles 4, 5, 1	and 1, chapter 22 of the west virgini			
ouv.			* 30- 10.			
			For Coal Company			

Official Title