


MP

State of West Virginia
Department of Environmental Protection
Office of Oil and Gas

Well Operator's Report of Well Work



Farm name: Charles G. Underwood

Operator Well No.: Pope #4

LOCATION: Elevation: 1229'

Quadrangle: Salem 7.5'

District: McClellan

County: Doddridge

Latitude: 39°22'30" Feet South of Deg. Min Sec.
Longitude: 39°21'18" Feet West of Deg. Min. Sec.

Company: Mountain V Oil & Gas, Inc.

	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.
Address: PO Box 470	9 5/8"		321'	85 sks.
Bridgeport, WV 26330	7"		1680'	215 sks.
Agent: Mike Shaver	4 1/2"		5635'	240 sks.
Inspector: Mike Underwood				
Date Permit Issued: 9/30/03				
Date Well Work Commenced: 9/30/03				
Date Well Work Completed: 10/5/03				
Verbal Plugging:				
Date Permission granted on:				
Rotary X Cable Rig				
Total Depth (feet): 5723				
Fresh Water Depth (ft.): 85'				
Salt Water Depth (ft.): N/A				
Is coal being mined in area (N/Y)? N/A				
Coal Depths (ft.): N/A				

OPEN FLOW DATA : Gordon Stray, Gordon, Benson, Alexander (Comingled)

Producing formation: **Comingled** Pay zone depth (ft.) _____
 Gas: Initial open flow: **Odor** MCF/d Oil: Initial open flow _____ Bbl/d
 Final open flow: **335,000** MCF/d Final open flow _____ Bbl/d
 Time of open flow between initial and final tests _____
 Static rock Pressure: **70** psig (surface pressure) after **24** Hours
 Second producing formation _____ Pay zone depth (ft) _____
 Gas: Initial open flow _____ MCF/d Oil: Initial open flow _____ Bbl/d
 Final open flow _____ MCF/d Final open flow _____ Bbl/d
 Time of open flow between initial and final tests _____ Hours
 Static rock Pressure _____ psig (surface pressure) after _____ Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

Signed: *Mike Shaver*
 By: Mike Shaver, Vice-President

D000 4705

STAGE	PERFORATIONS	PROPANT QUANTITY	N2	FOAM QUALITY	BBLs
1	5512 (2 Holes) 5508 (4 Holes) 5492-5494 (4 Holes)	20,000#	305,000	65 Quality Cross Link Foam	120 BBLs Foam
2	435 5208-5213 (10 Holes)	30,000#	338,000	65 Quality Cross Link Foam	137 BBLs Foam
3	419 2959-2968 (16 Holes)	30,000#	272,000	65 Quality Cross Link Foam	93 BBLs Foam
4	418 2884-2893 (10 Holes) 418 2875-2876 (2 Holes)	25,000#	211,000	65 Quality Cross Link Foam	

FORMATION	TOP	BOTTOM
Clay/Shale/Sand	0	2854
Gordon Stray	2854	2899
Sand/Shale	2899	2955
Gordon	2955	2970
Sand/Shale	2970	5203
Benson	5203	5215
Sand/Shale	5215	5484
Alexander	5484	5517
Sand/Shale	5517	5697
Total Depth 5697'		

H2O
N/A

GAS CHECKS
Odor @ TD