

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

October 29, 2013

### WELL WORK PERMIT Horizontal 6A Well

This permit, API Well Number: 47-1706387, issued to ANTERO RESOURCES CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: FUEGO UNIT 2H

Farm Name: DAVIDSON, WALTER V. & LEON,

API Well Number: 47-1706387

Permit Type: Horizontal 6A Well

Date Issued: 10/29/2013

## **PERMIT CONDITIONS**

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the fill material shall be within plus or minus 2% of the optimum moisture content as determined by the standard proctor density test, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort. Each lift must meet 95 % compaction of the optimum density based on results from the standard proctor density test of the actual soils used in specific engineered fill sites. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

	WEEL WORLD			04	596
1) Well Operator: A	antero Resources Corporation	494488557	Doddridge	Greenbrier	Salem
		Operator ID	County	District	Quadrangle
2) Operator's Well Nu	umber: Fuego Unit 2H	•	Well Pad Nam	e: Leonard Pad	
3 Elevation, current g	ground: <u>-1325'</u> E	levation, proposed	post-construct	tion: 13	18'
4) Well Type: (a) Gas	s Oil	Undergroun	d Storage		
	ther				
(b) If (	Gas: Shallow	Deep			
5) Existing Pad? Yes		-			
	ormation(s), Depth(s), Anticipa	ated Thicknesses ar	nd Associated	Pressure(s):	
	Anticipated Thickness- 50 Feet, Associated Pre		id Associated	ressure(s).	
7) Proposed Total Ver	rtical Depth: 7,650' TVD				
8) Formation at Total					
9) Proposed Total Me	asured Depth: 14,100' MD				
10) Approximate Fres	h Water Strata Depths:	37', 230'			
		Offset well records. Depths	have been adjusted a	ccording to surface e	levations.
12) Approximate Salt	water Depths: 842', 1789', 205	it'			
13) Approximate Coal	l Seam Depths: 263', 960', 17.	26'			
	th to Possible Void (coal mine,	, karst, other):	None anticip	pated	
	ell location contain coal seams ve mine? If so, indicate name a		or No		
16) Describe proposed	I well work: Drill, perforate, frac	ture a new horizontal shallo	w well and complete	Marcellus Shale	
-					
17) Describe fracturin	g/stimulating methods in detai	19			
	ater into the Marcellus Shale formation in order to		n. The fluid will be con	nprised of approximate	ely 99 percent
water and sand, with less than	1 percent special-purpose additives as shown	in the attached "List of Anticip	pated Additives Used for	or Fracturing or Stimul	ating Well."
-			F	Receiv	ed
18) Total area to be di	sturbed, including roads, stock	pile area, pits, etc,	(acres):	18.18 acres	- 4
19) Area to be disturbe	ed for well pad only, less acces	ss road (acres):	4.81 acres	20-10	
			WVDep	Office of Off and G t. of Environmental	Page 1 of 3

17 06387

20)

#### CASING AND TUBING PROGRAM

ТҮРЕ	Size	New or Used	<u>Grade</u>	Weight per ft.	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill -up (Cu. Ft.)
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/ 48#	305'	305'	CTS, 424 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2470'	2470'	CTS, 1006 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	14100'	14100'	3479 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

TYPE	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield
Conductor	20"	24"	0.438"	1530	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	Class A	1.18
Intermediate						
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200		
Liners						

**PACKERS** 

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

Received Office of Oil & Gas


Page 2 of 3

# - 17 06387

1) Describe centralizer placement for each casing string.	Conductor: no centralizers
Surface Casing: one centralizer 10' above the float shoe, one of	n the insert float collar and one every 4th joint
spaced up the hole to surface.	
Intermediate Casing: one centralizer above float joint, one ce	ntralizer 5' above float collar and one every 4th collar
to surface.	-
Draduction Cooling, one controlings at about aint and analysis	3 joints to top of cement in intermediate casing.
22) Describe all cement additives associated with each cemer. Conductor: no additives, Class A cement.	
2) Describe all cement additives associated with each cemen	t type.
2) Describe all cement additives associated with each cemer Conductor: no additives, Class A cement.	t type.  allons of clay treat
2) Describe all cement additives associated with each cement Conductor: no additives, Class A cement.  Surface: Class A cement with 2% calcium and 1/4 lb flake, 5 g	t type.  allons of clay treat  clay treat

23) Proposed borehole conditioning procedures. Conductor: blowhole clean with air, run casing, 10 bbls fresh water. Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer. Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water. Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

\*Note: Attach additional sheets as needed.



# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation	OP Code 494488557
Watershed (HUC 10)_Buffalo Calf Fork Quadrang	le Salem
Elevation 1318' County Doddridge	District Greenbrier
Do you anticipate using more than 5,000 bbls of water to complete the propose Will a pit be used for drill cuttings? Yes No X No pit will be used at this site (D If so, please describe anticipated pit waste: tanked and hauled off site.)  Will a synthetic liner be used in the pit? Yes N/A No N/A Proposed Disposal Method For Treated Pit Wastes:	prilling and Flowback Fluids will be stored in tanks. Cuttings will be
Land Application Underground Injection (UIC Permit Number Reuse (at API Number Future permitted well locations when a Off Site Disposal (Meadowfill Landfill Permit #SWF-1 Other (Explain	
Will closed loop system be used? Yes	
Drilling medium anticipated for this well? Air, freshwater, oil based, etc. Surface	a - Air/Freshwater, Intermediate - Dust/Stiff Foam, Production - Water Based Mud
-If oil based, what type? Synthetic, petroleum, etc. N/A	
Additives to be used in drilling medium? Please See Attachment	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Store	red in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cement,	
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF	
I certify that I understand and agree to the terms and conditions of the on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department provisions of the permit are enforceable by law. Violations of any term or collaw or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and application form and all attachments thereto and that, based on my inquire obtaining the information, I believe that the information is true, accurate, a penalties for submitting false information, including the possibility of fine or in Company Official Signature  Company Official Title  Environmental Specialist	ent of Environmental Protection. I understand that the ondition of the general permit and/or other applicable I am familiar with the information submitted on this ry of those individuals immediately responsible for and complete. I am aware that there are significant
Subscribed and sworn before me this 9 day of Sept  My commission expires 119 2016	, 20 S LISA BOTTINELLI Notary Public Notary Public State of Colorado Notary ID 20124072365 My Commission Expires Nov. 9, 2016

Proposed Revegetation Treatment: Acres Disturbed 18.18	Prevegetation pH
Mulch 2-3  Road A (6.79)+ Road B (2.56) + Drill Pad & Tree Brush Storage (	Hay or straw or Wood Fiber (will be used where needed bs/acre (500 lbs minimum)  s/acre  4.81) + Water Tank Pad (3.57) + Topsoil/Spoil Pile (0.45) = 18.18 Acres
	eed Mixtures
Area I (Temporary) Seed Type lbs/acre	Area II (Permanent) Seed Type Ibs/acre
Tall Fescue 45	Tall Fescue 45
Perennial Rye Grass 20	Perennial Rye Grass 20
or type of grass seed requested by surface owner	*or type of grass seed requested by surface owner
brawing(s) of road, location,pit and proposed area for land appropriate the hotocopied section of involved 7.5' topographic sheet.	plication.
Attach:  Drawing(s) of road, location, pit and proposed area for land appropriate section of involved 7.5' topographic sheet.  Ian Approved by:  Douglas Mulch  Teopla Line 9	Install Ers to wo Dep
hotocopied section of involved 7.5' topographic sheet.  lan Approved by:  Preseed & Mulch  omments:	
hotocopied section of involved 7.5' topographic sheet.  Ian Approved by:  Douglas  Agular	

# west virginia department of environmental protection





# Water Management Plan: Primary Water Sources



WMP-01531

API/ID Number:

047-017-06387

Operator:

Antero Resources

Fuego Unit 2H

#### Important:

For each proposed primary water source (including source intakes for purchased water sources) identified in your water management plan, and summarized herein, DEP has made an evaluation concerning water availability over the specified date range. DEP's assessment is based on the following considerations:

- Statistical analysis of historical USGS stream gauge data (transferred to un-gauged locations as necessary);
- Identification of sensitive aquatic life (endangered species, mussels, etc.);
- •Quantification of known existing demands on the water supply (Large Quantity Users);
- •Minimum flows required by the Army Corps of Engineers; and
- · Designated stream uses.

Based on these factors, DEP has provided, for each intake location (and origination point for purchased water), a reference gauge location and discharge flow reading which must be surpassed prior to withdrawals. Additionally, DEP has established a minimum passby flow at the withdrawal location which must also be surpassed prior to withdrawals. These thresholds are considered terms of the permit and are enforceable as such.

DEP is aware that some intake points will be used for mutiple wells and well sites. In these cases, the thresholds set by the Water Management Plan are to be interepreted as total withdrawal limits for each location over the specified date range regardless of how many wells are supported by that intake.

For all purchased water intakes, determinations of water availability are made at the original source intake location. It is the responsibility of the Oil and Gas Operator, not the seller, to cease withdrawal of water from the seller when flows are less than the minimum gauge reading at the stream gauge referenced by the Water Management Plan in order to protect stream uses.

Note that the determinations made herein are based on the best available data, but it is impossible to predict water availability in the future. While the DEP has carefully established these minimum withdrawal thresholds, it remains the operator's responsibility to protect aquatic life at all times. Approval to withdrawal is contingent upon permission from the land owner. It is the responsibility of the operator to secure and maintain permission prior to any withdrawals.

The operator is reminded that 24-48 hours prior to withdrawing (or purchasing) water, DEP must be notified by email at DEP.water.use@wv.gov.

#### **Source Summary**

WMP-01531

API Number:

047-017-06387

Operator:

Antero Resources

Fuego Unit 2H

Stream/River

Source Ohio River @ Ben's Run Withdrawal Site Tyler

Owner:

**Ben's Run Land Company** 

**Limited Partnership** 

Start Date

**End Date** 

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

4/8/2014

4/8/2015

6.490.000

39.46593

-81.110781

✓ Regulated Stream?

Ohio River Min. Flow

Ref. Gauge ID:

9999999

Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm):

3.360

Min. Gauge Reading (cfs):

6.468.00

Min. Passby (cfs)

**DEP Comments:** 

Refer to the specified station on the National Weather Service's Ohio River forecast

website: http://www.erh.noaa.gov/ohrfc//flows.shtml

Source

West Fork River @ JCP Withdrawal

Harrison

Owner:

**James & Brenda Raines** 

Start Date

**End Date** 

Total Volume (gal)

Max. daily purchase (gal)

39.320913

Intake Latitude: Intake Longitude: -80.337572

4/8/2014

4/8/2015

6,490,000

3061000

WEST FORK RIVER AT ENTERPRISE, WV

Max. Pump rate (gpm):

2,000

Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID:

Min. Gauge Reading (cfs):

175.00

Min. Passby (cfs)

146.25

**DEP Comments:** 

Source

West Fork River @ McDonald Withdrawal

Harrison

Owner:

**David Shrieves** 

Start Date

**End Date** 

Total Volume (gal)

Max. daily purchase (gal)

39.16761

Intake Latitude: Intake Longitude: -80.45069

4/8/2014

4/8/2015

Regulated Stream? Stonewall Jackson Dam

6,490,000

3061000

WEST FORK RIVER AT ENTERPRISE, WV

Max. Pump rate (gpm):

3.000

Min. Gauge Reading (cfs):

Ref. Gauge ID:

175.00

Min. Passby (cfs)

106,30

0	Source	West Fork Rive	er @ GAL Withdr	awal		Harrison	Owner:	David Shrieves
	Start Date 4/8/2014	End Date <b>4/8/2015</b>		al Volume (gal) 5 <b>,490,000</b>	Max. daily p	ourchase (gal)	Intake Latitude <b>39.16422</b>	: Intake Longitude: -80.45173
	<b>☑</b> Regulated	Stream? <b>Ston</b>	ewall Jackson Da	<b>m</b> Ref. Gauge I	D: <b>30610</b> 0	00	WEST FORK RIVER AT EN	TERPRISE, WV
	Max. Pump i	rate (gpm):	<b>2,000</b> N	in. Gauge Read	ding (cfs):	175.00	Min. Passby (	cfs) <b>106.30</b>
		DEP Comme	nts:					
0	Source	Middle Island	Creek @ Mees W	ithdrawal Site		Pleasants	Owner:	Sarah E. Mees
	Start Date 4/8/2014	End Date <b>4/8/2015</b>		al Volume (gal) <b>5,490,000</b>	Max. daily p	ourchase (gal)	Intake Latitude <b>39.43113</b>	: Intake Longitude: -81.079567
	☐ Regulated	Stream?		Ref. Gauge	D: <b>31145</b> 0	00	MIDDLE ISLAND CREEK A	AT LITTLE, WV
	Max. Pump ı	rate (gpm):	<b>3,360</b> N	lin. Gauge Read	ding (cfs):	52.59	Min. Passby (	cfs) 47.63
		DEP Comme	nts:					
0	Source	Middle Island	Creek @ Dawsor	Withdrawal		Tyler	Owner:	Gary D. and Rella A. Dawson
	Start Date 4/8/2014	End Date <b>4/8/2015</b>		al Volume (gal) 6 <b>,490,000</b>	Max. daily p	ourchase (gal)	Intake Latitude <b>39.379292</b>	: Intake Longitude: -80.867803
	☐ Regulated	Stream?		Ref. Gauge I	D: <b>31145</b> (	00	MIDDLE ISLAND CREEK A	T LITTLE, WV
	Max. Pump i	rate (gpm):	3,000 №	in. Gauge Read	ding (cfs):	76.03	Min. Passby (	cfs) <b>28.83</b>

11/01/2013

0	Source	McElroy Creek	@ Forest	Withdrawal		Tyler	Owner: <b>F</b>	orest C. & Brenda L. Moore
	Start Date 4/8/2014	End Date <b>4/8/2015</b>		Total Volume (gal) <b>6,490,000</b>	Max. daily	purchase (gal)	Intake Latitude <b>39.39675</b>	: Intake Longitude: -80.738197
	☐ Regulated	Stream?		Ref. Gauge I	D: <b>3114</b>	500	MIDDLE ISLAND CREEK	AT LITTLE, WV
	Max. Pump	rate (gpm):	1,000	Min. Gauge Reac	ling (cfs):	74.77	Min. Passby (	cfs) <b>13.10</b>
		DEP Comme	nts:					
ø	Source	Meathouse Fo	ork @ Gagn	on Withdrawal		Doddridge	Owner: <b>Ge</b>	eorge L. Gagnon and Susan C. Gagnon
	Start Date 4/8/2014	End Date 4/8/2015		Total Volume (gal) <b>6,490,000</b>	Max. daily	purchase (gal)	Intake Latitude <b>39.26054</b>	: Intake Longitude: -80.720998
	☐ Regulated	Stream?		Ref. Gauge I	D: <b>3114</b>	500	MIDDLE ISLAND CREEK	AT LITTLE, WV
	Max. Pump	rate (gpm):	1,000	Min. Gauge Read	ling (cfs):	71.96	Min. Passby (	cfs) 11.74
		DEP Comme	nts:					
Ø	Source	Meathouse Fo	rk @ White	ehair Withdrawal		Doddridge	Owner:	Elton Whitehair
	Start Date 4/8/2014	End Date 4/8/2015		Total Volume (gal) <b>6,490,000</b>	Max. daily	purchase (gal)	Intake Latitude <b>39.211317</b>	: Intake Longitude: -80.679592
	☐ Regulated	Stream?		Ref. Gauge I	D: <b>3114</b>	500	MIDDLE ISLAND CREEK A	AT LITTLE, WV
	Max. Pump i	rate (gnm):	1.000	Min. Gauge Read	ling (cfs):	69.73	Min. Passby (	cfs) 7.28

Tom's Fork @ Erwin Withdrawal Doddridge Owner: John F. Erwin and Sandra E. Source **Erwin** Intake Latitude: Intake Longitude: Total Volume (gal) Max. daily purchase (gal) Start Date **End Date** -80.702992 6,490,000 39.174306 4/8/2014 4/8/2015 ☐ Regulated Stream? MIDDLE ISLAND CREEK AT LITTLE, WV Ref. Gauge ID: 3114500 69.73 Min. Passby (cfs) 0.59 Max. Pump rate (gpm): 1,000 Min. Gauge Reading (cfs): **DEP Comments:** Arnold Creek @ Davis Withdrawal Doddridge Source Owner: **Jonathon Davis** Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 4/8/2014 6,490,000 4/8/2015 39.302006 -80.824561 ☐ Regulated Stream? Ref. Gauge ID: 3114500 MIDDLE ISLAND CREEK AT LITTLE, WV Max. Pump rate (gpm): Min. Gauge Reading (cfs): 1,000 69.73 Min. Passby (cfs) 3.08 **DEP Comments: Dennis Powell Buckeye Creek @ Powell Withdrawal** Doddridge Source Owner: Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 4/8/2014 4/8/2015 6,490,000 39.277142 -80.690386 ☐ Regulated Stream? Ref. Gauge ID: 3114500 MIDDLE ISLAND CREEK AT LITTLE, WV

Min. Gauge Reading (cfs):

69.73

11/01/2013

4.59

Max. Pump rate (gpm):

1,000

**DEP Comments:** 

Min. Passby (cfs)

Tracy C. Knight & Source South Fork of Hughes River @ Knight Withdrawal Ritchie Owner: Stephanie C. Knight Max. daily purchase (gal) Intake Latitude: Intake Longitude: Start Date **End Date** Total Volume (gal) 39.198369 -80.870969 6,490,000 4/8/2014 4/8/2015 ☐ Regulated Stream? **JOUTH FORK HUGHES RIVER BELOW MACFARLAN, W**\ Ref. Gauge ID: 3155220 39.80 Min. Passby (cfs) 1.95 3,000 Min. Gauge Reading (cfs): Max. Pump rate (gpm): **DEP Comments:** North Fork of Hughes River @ Davis Withdrawal Ritchie Owner: Lewis P. Davis and Norma Source J. Davis Intake Latitude: Intake Longitude: **End Date** Total Volume (gal) Max. daily purchase (gal) Start Date 4/8/2014 4/8/2015 6,490,000 39.322363 -80.936771 ☐ Regulated Stream? **JOUTH FORK HUGHES RIVER BELOW MACFARLAN, W**\ Ref. Gauge ID: 3155220 Max. Pump rate (gpm): 1,000 Min. Gauge Reading (cfs): 35.23 Min. Passby (cfs) 2.19

#### Source Summary

API Number: 047-017-06387 Operator: Antero Resources WMP-01531

Fuego Unit 2H

**Purchased Water** 

 Source Ohio River @ Select Energy Pleasants Owner: Select Energy

Max. daily purchase (gal) Total Volume (gal) Intake Latitude: Intake Longitude: Start Date End Date

4/8/2015 6,490,000 500,000 39.346473 -81.338727 4/8/2014

✓ Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: Ohio River Station: Racine Dam 9999998

Max. Pump rate (gpm): 1,680 Min. Gauge Reading (cfs): 7.216.00 Min. Passby (cfs)

> **DEP Comments:** Refer to the specified station on the National Weather Service's Ohio River forecast

website: http://www.erh.noaa.gov/ohrfc//flows.shtml

Middle Island Creek @ Solo Construction Solo Construction, LLC Source Pleasants Owner:

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

4/8/2014 4/8/2015 6,490,000 1,000,000 39.399094 -81.185548

▼ Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: Ohio River Station: Willow Island Lock & Dam 9999999

Max. Pump rate (gpm): Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

> **DEP Comments:** Elevation analysis indicates that this location has the same elevation as Middle Island

> > Creek's pour point into the Ohio River. As such, it is deemed that water flow at this

location is heavily influenced by the Ohio River.

Source Claywood Park PSD Wood Owner: Claywood Park PSD

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

4/8/2014 4/8/2015 6,490,000

✓ Regulated Stream? Ref. Gauge ID: Ohio River Station: Racine Dam 9999998

Max. Pump rate (gpm): Min. Gauge Reading (cfs): 7,216.00 Min. Passby (cfs)

> **DEP Comments:** Elevation analysis indicates that this location has approximately the same elevation as

Little Kanawha's pour point into the Ohio River. As such, it is deemed that water flow

at this location is heavily influenced by the Ohio River.

**Sun Valley PSD Sun Valley Public Service District** Harrison Source Owner:

Start Date **End Date** 

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

4/8/2014

4/8/2015

6,490,000

200,000

3061000

WEST FORK RIVER AT ENTERPRISE, WV

Max. Pump rate (gpm):

Min. Gauge Reading (cfs):

171.48


Min. Passby (cfs)

**DEP Comments:** 

Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID:

API/ID Number: 047-017-06387 Operator: Antero Resources WMP-01531 Fuego Unit 2H Source Latitude: 39.346473 Ohio River @ Select Energy 27354 Source ID: Source Name Select Energy Source Longitude: -81.338727 5030201 HUC-8 Code: Anticipated withdrawal start date: 4/8/2014 25000 Pleasants Drainage Area (sq. mi.): County: 4/8/2015 Anticipated withdrawal end date: **Endangered Species?** ✓ Mussel Stream? 6,490,000 Total Volume from Source (gal): Trout Stream? ☐ Tier 3? 1,680 Max. Pump rate (gpm): Regulated Stream? Ohio River Min. Flow Max. Simultaneous Trucks: Proximate PSD? Max. Truck pump rate (gpm) ✓ Gauged Stream? Ohio River Station: Racine Dam Reference Gaug 9999998 25,000.00 7216 Drainage Area (sq. mi.) Gauge Threshold (cfs):

Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	50,956.00	*	+
2	54,858.00		2
3	73,256.00	-	12
4	62,552.00		-
5	43,151.00	-	
6	27,095.00	~	
7	17,840.00	180	-
8	14,941.00	9.1	-
9	14,272.00	-	
10	17,283.00	4	
11	29,325.00	-	-
12	46,050.00	(4)	1.4




#### Water Availability Assessment of Location

Min. Gauge Reading (cfs): Passby at Location (cfs):	
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	0.00
Pump rate (cfs):	3.74
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	-


Antero Resources API/ID Number: 047-017-06387 Operator: WMP-01531 Fuego Unit 2H Source Latitude: 39.399094 Middle Island Creek @ Solo Construction 27355 Source ID: Source Name Source Longitude: -81.185548 Solo Construction, LLC 5030201 HUC-8 Code: 4/8/2014 Anticipated withdrawal start date: 25000 Pleasants Drainage Area (sq. mi.): County: 4/8/2015 Anticipated withdrawal end date: **Endangered Species?** ✓ Mussel Stream? 6,490,000 Total Volume from Source (gal): Trout Stream? ☐ Tier 3? Max. Pump rate (gpm): Ohio River Min. Flow Regulated Stream? Max. Simultaneous Trucks: Proximate PSD? City of St. Marys Max. Truck pump rate (gpm) Gauged Stream? Ohio River Station: Willow Island Lock & Dam Reference Gaug 9999999 6468 25,000.00 Drainage Area (sq. mi.) Gauge Threshold (cfs): Median Estimated Threshold

Month	monthly flow (cfs)	(+ pump	Available water (cfs)
1	45,700.00	-	-
2	49,200.00	7	-
3	65,700.00	-	-
4	56,100.00	- 4	-
5	38,700.00	-	-
6	24,300.00	-	-
7	16,000.00	-	-
8	13,400.00		-
9	12,800.00	1.5	-
10	15,500.00	*	
11	26,300.00	-	2
12	41,300.00	-	-




#### Water Availability Assessment of Location

Base Threshold (cfs):	-
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00








#### Water Availability Assessment of Location

Base Threshold (cfs):	0.00
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	
Passby at Location (cfs):	



"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

10

11

12

Min. Gauge Reading (cfs): Passby at Location (cfs):

9

1

2


3

5

6

7

Median Monthly Flow — Threshold



"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

0.00

Ungauged Stream Safety (cfs):

Min. Gauge Reading (cfs): Passby at Location (cfs):

1

2

3

4

5

6

7

Median Monthly Flow — Threshold

8

9


10

11

12







#### Water Availability Assessment of Location

Upstream Demand (cfs):	24.29
Downstream Demand (cfs):	0.00
Pump rate (cfs):	4.46
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

8

9

10

11 12 430.37

299.45


293.59 736.74

1,257.84



Month	Median monthly flow (cfs)	Threshold (+ pump	Available water (cfs)
1	964.98		+
2	1,086.47	2	+
3	1,399.42	4.	4
4	800.34	¥	*
5	821.52	1.8	÷
6	411.64		
7	266.70	*	4
8	254.66		
9	177.19	(*)	
10	173.72		
11	435.94	(8)	
12	744.28		-

## **Water Availability Profile**




#### Water Availability Assessment of Location

Unstraam Damand (afe)	24.29
Upstream Demand (cfs):	24.29
Downstream Demand (cfs):	0.00
Pump rate (cfs):	6.68
Headwater Safety (cfs):	24.27
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	
Passby at Location (cfs):	

API/ID Number: 047-017-06387 Antero Resources Operator: WMP-01531 Fuego Unit 2H West Fork River @ GAL Withdrawal Source Latitude: 39.16422 27343 Source ID: Source Name Source Longitude: -80.45173 David Shrieves 5020002 HUC-8 Code: 4/8/2014 Anticipated withdrawal start date: 313.67 Harrison Drainage Area (sq. mi.): County: 4/8/2015 Anticipated withdrawal end date: **Endangered Species?** ✓ Mussel Stream? 6,490,000 Total Volume from Source (gal): Trout Stream? ☐ Tier 3? 2,000 Max. Pump rate (gpm): Stonewall Jackson Dam Regulated Stream? Max. Simultaneous Trucks: Proximate PSD? Max. Truck pump rate (gpm) Gauged Stream? WEST FORK RIVER AT ENTERPRISE, WV Reference Gaug 3061000 234 759.00 Drainage Area (sq. mi.) Gauge Threshold (cfs): Estimated Median Threshold Available monthly flow (+ pump Month (cfs) water (cfs) 1 961.18 2 1,082.19 3 1,393.91 4 797.19 5 818.28 6

# **Water Availability Profile**



#### Water Availability Assessment of Location

Base Threshold (cfs):	-
Upstream Demand (cfs):	24.29
Downstream Demand (cfs):	0.00
Pump rate (cfs):	4.46
Headwater Safety (cfs):	24.18
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	-
Passby at Location (cfs):	_

<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

410.02

265.65

253.65

176.49

173.04

434.22

741.35

7

8

9


10

11

12

WMP-01531	API/ID Number:	047-017-06387	Operator: Anter	o Resources
	Fuego	Unit 2H		
Source ID: 27344 Source Name Mid	ddle Island Creek @ Mee	s Withdrawal Site	Source Latitude: 3	39.43113
Sar	ah E. Mees		Source Longitude: -	81.079567
HUC-8 Code: 5030201  Drainage Area (sq. mi.): 48	4.78 County: PI	easants	nticipated withdrawal start date:	
✓ Endangered Species? ✓ Mussel ☐ Trout Stream? ☐ Tier 3?	Stream?		Total Volume from Source (gal):	
Regulated Stream?			Max. Pump rate (gpm):	3,360
<ul><li>□ Proximate PSD?</li><li>✓ Gauged Stream?</li></ul>			Max. Simultan Max. Truck pum	
Reference Gaug 3114500	MIDDLE ISLAND CRE	EEK AT LITTLE, WV		
Drainage Area (sq. mi.)	58.00		Gauge Threshold (cfs)	: 45

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	519.88	55.12	465.14
2	653.95	55.12	599.22
3	731.75	55.12	677.01
4	543.38	55.12	488.65
5	286.64	55.12	231.90
6	100.10	55.12	45.36
7	56.65	55.12	1.91
8	46.64	55.12	-8.10
9	23.89	55.12	-30.85
10	30.01	55.12	-24.72
11	146.56	55.12	91.83
12	358.10	55.12	303.37




7.49 0.00 0.00
7.49
0.00
0.00
47.63

WMP-01531	API/ID Number:	047-017-06387	7 Operator: Ant	tero Resources
	Fuego	Unit 2H		
Source ID: 27345 Source Name	Middle Island Creek @ Daw	son Withdrawal	Source Latitude:	39.379292
	Gary D. and Rella A. Dawson	Gary D. and Rella A. Dawson		-80.867803
1100 0 0000.	30201	+16	Anticipated withdrawal start dat	te: 4/8/2014
Drainage Area (sq. mi.):	181.34 County:	Tyler	Anticipated withdrawal end dat	te: 4/8/2015
	Aussel Stream? Tier 3?		Total Volume from Source (ga	6,490,000
☐ Regulated Stream?			Max. Pump rate (gpm	1): 3,000
Proximate PSD?			Max. Simult	taneous Trucks: 0
✓ Gauged Stream?			Max. Truck pu	ump rate (gpm) 0
Reference Gaug 311	4500 MIDDLE ISLAND CRI	EEK AT LITTLE, WY	V	
Drainage Area (sq. mi.)	458.00		Gauge Threshold (c	rfs): 45

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)	
1	194.47	42.06	152.68	
2	244.62	42.06	202.83	
3	273.72	42.06	231.93	
4	203.26	42.06	161.47	
5	107.22	42.06	65.43	
6	37.44	42.06	-4.35	
7	21.19	42.06	-20.60	
8	17.45	42.06	-24.34	
9	8.94	42.06	-32.85	
10	11.23	42.06	-30.56	
11	54.82	42.06	13.04	
12	133.96	42.06	92.17	

# **Water Availability Profile**




#### Water Availability Assessment of Location

Min. Gauge Reading (cfs): Passby at Location (cfs):	76.03 28.82
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	4.45
Pump rate (cfs):	6.68
Downstream Demand (cfs):	6.55
Upstream Demand (cfs):	13.10
Base Threshold (cfs):	17.82

WMP-01531	API/ID Number:	047-017-06387	Operator: Ante	ero Resources	
	Fueg	o Unit 2H			
Source ID: 27346 Source Name McElr	oy Creek @ Forest W	ithdrawal	Source Latitude:	39.39675	
Fores	t C. & Brenda L. Moor	e	Source Longitude:	-80.738197	
HUC-8 Code: 5030201  Drainage Area (sq. mi.): 88.8  Endangered Species? Mussel St  Trout Stream? Tier 3?  Regulated Stream?		Tyler	nticipated withdrawal start date Anticipated withdrawal end date Total Volume from Source (gal) Max. Pump rate (gpm)	4/8/2 ): 6,490	015 ,000
Proximate PSD?			Max. Simulta	neous Trucks:	0
☐ Gauged Stream?			Max. Truck pur	mp rate (gpm)	0
Reference Gaug 3114500	MIDDLE ISLAND CR	EEK AT LITTLE, WV			
Drainage Area (sq. mi.) 458	3.00		Gauge Threshold (cf	s): 4	5

Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	95.28	19.78	75.68
2	119.86	19.78	100.25
3	134.11	19.78	114.51
4	99.59	19.78	79.99
5	52.54	19.78	32.93
6	18.35	19.78	-1.26
7	10.38	19.78	-9.22
8	8.55	19.78	-11.05
9	4.38	19.78	-15.23
10	5.50	19.78	-14.10
11	26.86	19.78	7.26
12	65.63	19.78	46.03

# **Water Availability Profile**




#### Water Availability Assessment of Location

Min. Gauge Reading (cfs):	74.19
Ungauged Stream Safety (cfs):	2.18
Headwater Safety (cfs):	2.18
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	4.46
Base Threshold (cfs):	8.73

WMP-01531	API/ID Number	047-017-06387	7 Operator: Ante	ero Resources
	Fu	uego Unit 2H		
Source ID: 27347 Source Name	Meathouse Fork @ Gag	non Withdrawal	Source Latitude:	39.26054
	George L. Gagnon and S	usan C. Gagnon	Source Longitude:	-80.720998
HUC-8 Code: 5030 Drainage Area (sq. mi.):	60.6 County:	Doddridge	Anticipated withdrawal start date Anticipated withdrawal end date	
	ussel Stream? er 3?		Total Volume from Source (gal)	6,490,000
Regulated Stream?			Max. Pump rate (gpm)	): 1,000
☐ Proximate PSD? ☐ Gauged Stream?			Max. Simulta Max. Truck pur	mp rate (gpm) 0
Reference Gaug 31145	MIDDLE ISLAND	CREEK AT LITTLE, WV	1	
Drainage Area (sq. mi.)	458.00		Gauge Threshold (cf	s): 45


Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	64.99	13.39	51.70
2	81.75	13.39	68.46
3	91.47	13.39	78.19
4	67.93	13.39	54.64
5	35.83	13.39	22.55
6	12.51	13.39	-0.77
7	7.08	13.39	-6.20
8	5.83	13.39	-7.45
9	2.99	13.39	-10.30
10	3.75	13.39	-9.53
11	18.32	13.39	5.04
12	44.76	13.39	31.48



Min. Gauge Reading (cfs):  Passby at Location (cfs):	71.96
Ungauged Stream Safety (cfs):	1.49
Headwater Safety (cfs):	1.49
Pump rate (cfs):	2.23
Downstream Demand (cfs):	2.81
Upstream Demand (cfs):	2.23
Base Threshold (cfs):	5.95

WMP-01531	API/ID Number:	047-017-06387 Operator: Antero	Resources
	Fuego	Unit 2H	
ource ID: 27348 Source Nam	ne Meathouse Fork @ Whitehai Elton Whitehair		9.211317 80.679592
Drainage Area (sq. mi.):  Endangered Species?	30.37 County: Doc Mussel Stream? Tier 3?	Anticipated withdrawal start date: Anticipated withdrawal end date: Total Volume from Source (gal): Max. Pump rate (gpm):	4/8/2014 4/8/2015 6,490,000 1,000
☐ Proximate PSD? ☐ Gauged Stream?		Max. Simultane Max. Truck pump	7

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	32.57	6.70	26.15
2	40.97	6.70	34.55
3	45.84	6.70	39.42
4	34.04	6.70	27.62
5	17.96	6.70	11.54
6	6.27	6.70	-0.15
7	3.55	6.70	-2.87
8	2.92	6.70	-3.50
9	1.50	6.70	-4.92
10	1.88	6.70	-4.54
11	9.18	6.70	2.76
12	22.43	6.70	16.01



Passby at Location (cfs):	7.29
Min. Gauge Reading (cfs):	69.73
Ungauged Stream Safety (cfs):	0.75
Headwater Safety (cfs):	0.75
Pump rate (cfs):	2.23
Downstream Demand (cfs):	2.81
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	2.98



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	4.30	2.82	1.88
2	5.41	2.82	2.98
3	6.05	2.82	3.63
4	4.49	2.82	2.07
5	2.37	2.82	-0.05
6	0.83	2.82	-1.60
7	0.47	2.82	-1.96
8	0.39	2.82	-2.04
9	0.20	2.82	-2.23
10	0.25	2.82	-2.18
11	1.21	2.82	-1.21
12	2.96	2.82	0.54

#### **Water Availability Profile** Median Monthly Flow — Threshold

W	ater	Avai	lability	Assessment	of	Location

Min. Gauge Reading (cfs):  Passby at Location (cfs):	69.73 0.59
Ungauged Stream Safety (cfs):	0.10
Headwater Safety (cfs):	0.10
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	0.39

API/ID Number: 047-017-06387 WMP-01531 Operator: Antero Resources Fuego Unit 2H Arnold Creek @ Davis Withdrawal Source Latitude: 39.302006 27350 Source ID: Source Name Jonathon Davis Source Longitude: -80.824561 5030201 HUC-8 Code: Anticipated withdrawal start date: 4/8/2014 Drainage Area (sq. mi.): 20.83 Doddridge County: 4/8/2015 Anticipated withdrawal end date: **Endangered Species?** ✓ Mussel Stream? 6,490,000 Total Volume from Source (gal): Trout Stream? ☐ Tier 3? 1,000 Max. Pump rate (gpm): Regulated Stream? Proximate PSD? Max. Simultaneous Trucks: Max. Truck pump rate (gpm) Gauged Stream? MIDDLE ISLAND CREEK AT LITTLE, WV Reference Gaug 3114500

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	22.34	5.30	17.29
2	28.10	5.30	23.05
3	31.44	5.30	26.39
4	23.35	5.30	18.30
5	12.32	5.30	7.26
6	4.30	5.30	-0.75
7	2.43	5.30	-2.62
8	2.00	5.30	-3.05
9	1.03	5.30	-4.03
10	1.29	5.30	-3.76
11	6.30	5.30	1.25
12	15.39	5.30	10.34

Drainage Area (sq. mi.)

# Water Availability Profile 40 30 20 10 1 2 3 4 5 6 7 8 9 10 11 12 Median Monthly Flow Threshold


458.00

	Water Availability	Assessment	of	Location
--	--------------------	------------	----	----------


Gauge Threshold (cfs):

45

Min. Gauge Reading (cfs):  Passby at Location (cfs):	69.73 3.07
Ungauged Stream Safety (cfs):	0.51
Headwater Safety (cfs):	0.51
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	2.05




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	33.41	6.82	26.95
2	42.02	6.82	35.56
3	47.02	6.82	40.56
4	34.92	6.82	28.46
5	18.42	6.82	11.96
6	6.43	6.82	-0.03
7	3.64	6.82	-2.82
8	3.00	6.82	-3.46
9	1.53	6.82	-4.92
10	1.93	6.82	-4.53
11	9.42	6.82	2.96
12	23.01	6.82	16.55



Min. Gauge Reading (cfs):  Passby at Location (cfs):	69.73 4.59
Ungauged Stream Safety (cfs):	0.77
Headwater Safety (cfs):	0.77
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	3.06

	Longitude: -80	198369 .870969
HUC-8 Code: 5030203  Prainage Area (sq. mi.): 16.26 County: Ritchie  Anticipated withdraw	Longitude: -80	
HUC-8 Code: 5030203  Anticipated withdraw  Drainage Area (sq. mi.): 16.26 County: Ritchie	2011811011	.870303
<ul><li>✓ Endangered Species?</li><li>✓ Mussel Stream?</li><li>Trout Stream?</li><li>Tier 3?</li></ul>	wal end date:	4/8/2014 4/8/2015 6,490,000 3,000
Proximate PSD?	Max. Simultaneou Max. Truck pump ra	

Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	45.67	14.26	31.44
2	59.55	14.26	45.31
3	65.21	14.26	50.97
4	36.87	14.26	22.63
5	25.86	14.26	11.63
6	13.90	14.26	-0.33
7	6.89	14.26	-7.34
8	3.98	14.26	-10.25
9	4.79	14.26	-9.45
10	5.20	14.26	-9.04
11	15.54	14.26	1.30
12	32.06	14.26	17.82



Base Threshold (cfs):	1.56
Upstream Demand (cfs):	5.62
Downstream Demand (cfs):	0.00
2	

Water Availability Assessment of Location

Pump rate (cfs): 6.68
Headwater Safety (cfs): 0.39

Ungauged Stream Safety (cfs): 0.00

Min. Gauge Reading (cfs):


39.80

Passby at Location (cfs):

1.95



Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
42.64	4.42	38.36
55.59	4.42	51.32
60.88	4.42	56.60
34.42	4.42	30.14
24.15	4.42	19.87
12.98	4.42	8.70
6.44	4.42	2.16
3.72	4.42	-0.56
4.47	4.42	0.19
4.85	4.42	0.57
14.50	4.42	10.23
29.93	4.42	25.65
	monthly flow (cfs) 42.64 55.59 60.88 34.42 24.15 12.98 6.44 3.72 4.47 4.85 14.50	monthly flow         (+ pump)           42.64         4.42           55.59         4.42           60.88         4.42           34.42         4.42           24.15         4.42           12.98         4.42           6.44         4.42           3.72         4.42           4.47         4.42           4.85         4.42           14.50         4.42



Min. Gauge Reading (cfs):	35.23
Ungauged Stream Safety (cfs):	0.36
Headwater Safety (cfs):	0.36
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	1.46

Passby at Location (cfs):

Water Availability Assessment of Location

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

2.19

# west virginia department of environmental protection



# Water Management Plan: Secondary Water Sources



WMP-01531

API/ID Number

047-017-06387

Operator:

Antero Resources

Fuego Unit 2H

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

## Lake/Reservior

Source ID: 27358 Source Name

City of Salem Reservior (Lower Dog Run)

Source start date:

Source end date:

4/8/2014 4/8/2015

Source Lat:

39.28834

Public Water Provider

Source Long:

-80.54966

County

Harrison

Max. Daily Purchase (gal)

1,000,000

Total Volume from Source (gal):

6,490,000

WMP-01531 API/ID Number 047-017-06387 Operator: Antero Resources

#### Fuego Unit 2H

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 27359 Source Name Pennsboro Lake Source start date: 4/8/2014
Source end date: 4/8/2015

Source Lat: 39.281689 Source Long: -80.925526 County Ritchie

Max. Daily Purchase (gal)

Total Volume from Source (gal): 6,490,000

**DEP Comments:** 

Source ID: 27360 Source Name Powers Lake (Wilderness Water Park Dam) Source start date: 4/8/2014

Private Owner Source end date: 4/8/2015

Source Lat: 39.255752 Source Long: -80.463262 County Harrison

Max. Daily Purchase (gal)

Total Volume from Source (gal): 6,490,000

WMP-01531 API/ID Number 047-017-06387 Operator: Antero Resources

Fuego Unit 2H

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Powers Lake Two Source ID: 27361 Source Name Source start date: 4/8/2014 4/8/2015

Source end date:

-80.466642 39.247604 Harrison Source Lat: Source Long: County

6,490,000 Total Volume from Source (gal): Max. Daily Purchase (gal)

#### Fuego Unit 2H

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

#### Other

Source ID: 27362 Source Name

Poth Lake (Landowner Pond)

Private Owner

39.221306

Source start date: Source end date: 4/8/2014 4/8/2015

Source Long: -80.463028 County

Harrison

Max. Daily Purchase (gal)

Source Lat:

Total Volume from Source (gal):

6,490,000

**DEP Comments:** 

Source ID: 27363 Source Name

Williamson Pond (Landowner Pond)

Source start date:

4/8/2014

Source end date:

4/8/2015

Source Lat:

39.19924

Source Long:

-80.886161

County

Ritchie

Max. Daily Purchase (gal)

Total Volume from Source (gal):

6,490,000

WMP-01531	API/ID Number	047-017-06387	Operator:	Antero Resources
-----------	---------------	---------------	-----------	------------------

#### Fuego Unit 2H

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 27364 Source Name Eddy Pond (Landowner Pond) Source start date: 4/8/2014

4/8/2015 Source end date:

39.19924 -80.886161 Source Lat: Source Long: County Ritchie

6,490,000 Max. Daily Purchase (gal) Total Volume from Source (gal):

**DEP Comments:** 

Hog Lick Quarry Source ID: 27365 Source Name 4/8/2014 Source start date: Industrial Facility 4/8/2015 Source end date:

> -80.217941 Source Lat: 39.419272 Source Long: County Marion

6,490,000 1,000,000 Max. Daily Purchase (gal) Total Volume from Source (gal):

WMP-01531	API/ID Number	047-017-06387	Operator:	Antero Resources	

#### Fuego Unit 2H

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID:	27366	Source Name	Glade Fork Mine			Source start date:	4/8/2014
			Industrial Facility		Source end date:	4/8/2015	
		Source Lat:	38.965767	Source Long:	-80.299313	County	Upshur
		Max. Daily Pur	rchase (gal)	1,000,000	Total Volume from Source (gal):		6,490,000

	Source ID:	27367	Source Name	Fuego Unit 1H	Source start date:	4/8/2014
					Source end date:	4/8/2015

Source Lat: Source Long: County

Max. Daily Purchase (gal) Total Volume from Source (gal): 6,490,000

**DEP Comments:** 

Recycled Frac Water

