

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, February 28, 2022 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET DENVER, CO 80202

Re: Permit approval for LOCKE 5V 47-017-06920-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (3041926-0450.

ames / Martin Chief

Operator's Well Number: LOCKE 5V Farm Name: ROBERT LEE BROWNFIELD U.S. WELL NUMBER: 47-017-06920-00-00 Horizontal 6A New Drill Date Issued: 2/28/2022

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

PERMIT CONDITIONS

4701706920

ł

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

•

,

,

03/04/2022



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 Fax: (304) 926-0452 Harold D. Ward, Cabinet Secretary dep.wv.gov

ORDER ISSUED UNDER WEST VIRGINIA CODE, CHAPTER 22, ARTICLE 6A

TO: Antero Resources Corporation 1615 Wynkoop Street Denver, CO 80202 DATE: February 24, 2022 ORDER NO.: 2022-W-3

INTRODUCTION

This Order (hereinafter "Order") is issued by the Office of Oil and Gas (hereinafter "OOG"), by and through its Chief, pursuant to the authority of W. Va. Code §§ 22-1-1, 22-6-1 and 22-6A-1 *et seq.* to Antero Resources Corporation (hereinafter "Antero" or "Operator"), collectively the "Parties."

FINDINGS OF THE CHIEF

In support of this Order, the Chief hereby finds the following:

- 1. OOG, an office within the West Virginia Department of Environmental Protection, is the agency with the duty and authority to execute and enforce W. Va. Code §22-6-1 and §22-6A-1 *et seq.*, and the rules and regulations promulgated thereunder.
- Antero is a "person" as defined by W. Va. Code §22-6-1(n), with a corporate address as 1615 Wynkoop Street, Denver, CO 80202.
- On January 27, 2022, Antero submitted a well work permit application identified as API# 47- 17-06920. The well is located on the Locke Pad in the Southwest District of Doddridge County, West Virginia.
- On January 27, 2022, Antero requested a waiver for Wetlands DC, JB, and KB as outlined in Attachment 1, from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47-017-06920.

CONCLUSIONS OF LAW

- 1. West Virginia Code §22-1-6(d) requires, in part, that "in addition to other powers, duties and responsibilities granted and assigned to the secretary by this chapter, the secretary is authorized and empowered to...(3) Enter private lands to make surveys and inspections for environmental protection purposes; to investigate for violations of statutes or rules which the Office of Oil and Gas is charged with enforcing; to serve and execute warrants and processes; to make arrests; issue orders, which for the purposes of this chapter include consent agreements; and to otherwise enforce the statutes or rules which the Office of Oil and Gas is charged with enforcing."
- 2. West Virginia Code §22-6A-2(a)(6) requires, in part, that "Concomitant with the broad powers to condition the issuance of well work permits, the secretary should also have broad authority to waive certain minimum requirements of this article when, in his or her discretion, such waiver is appropriate: *Provided*, That the secretary shall submit a written report of the number of waivers granted to the Legislature commencing January 1, 2013, and each year thereafter."
- 3. West Virginia Code §22-6A-12(b) requires, in part, that "no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the Office of Oil and Gas shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The Office of Oil and Gas may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary."

....

<u>ORDER</u>

West Virginia Code §22-6A-12(b) requires, in part, that "no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland. The Office of Oil and Gas grants the request for a waiver for Wetlands DC, JB, and KB from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit application identified as API# 47-017-06920. The Office of Oil and Gas hereby **ORDERS** that Antero shall meet the following site construction and operational requirements for the Locke Well Pad:

- a. A berm shall be constructed around the perimeter of the pad to contain any potential spills and storm water runoff. Berm is to be at least twenty-four inches (24") in height;
- b. Erosion control blankets shall be installed on all slopes and down gradient locations of the pad as erosion and sediment controlling BMPs;
- c. Wetlands DC, JB, and KB shall be protected by two rows of forty-two inch (42") SMARTFence. This along with temporary and permanent vegetative cover will prevent sediment from reaching the wetlands
- d. Disturbed areas not used for operations shall be seeded and mulched per the seeding tables in the WVDEP-OOG Erosion and Sediment Control Manual;
- e. Drill cuttings and associated drilling mud shall be disposed of in a permitted landfill;
- f. Waste generated by the flowback treatment systems shall be sent to offsite disposal at a permitted landfill;
- g. Weekly site inspections shall be conducted to monitor and maintain the integrity of the BMP storm water controls;
- h. Weekly storm water and spill prevention inspections shall be conducted focusing on storm water and spill prevention BMPs and maintenance of these BMPs;
- i. Inspections of the storm water and spill prevention measures shall be conducted after any major storm event defined as a half inch (½") rain within any twenty-four (24) hour period;
- j. Pad inspections shall be conducted no less than once a week to identify and mitigate potential deficiencies;

Order No. 2022-W-3

03/04/2022

Page 3

k. All records from inspections shall be maintained on site for the life of the project and be available upon request.

• •

**

Thus ORDERED, the 24th day of February 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA:

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

By: JAMES A. MARTIN, CHIEF



Attachment #1



1

11/3/14 Wetland and Perennial Stream Waiver Request API Number: _____ Operator's Well Number: _____

Well Operator: Antero Resources Corporation

Well Number:	Locke Well Pad	
County, District, Quadrangle of Well Location:	Doddridge County, Sout	thwest District, Oxford Quad

Answer the questions below to request a waiver from West Virginia Department of Environmental Protection for any wetlands or perennial streams which lie within one hundred feet of proposed project Limit of Disturbance (LOD), which includes any erosion and sediment control devices to be used.

This waiver shall be requested pursuant to Chapter 22 Article 6A Section 12 of West Virginia Code, which states:

§22-6A-12(b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows:

(1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir.

(2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake.

(3) For a groundwater source, the distance shall be measured from the wellhead or spring.

The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary.

§22-6A-12(c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section.

Answer in the space provided, or use additional pages as necessary to fully answer the questions below:

1. Describe the proposed project location, including unique identifying names of all wetlands, and the names of perennial streams for which the waiver is sought.

The Locke Well Pad is located in Doddridge County, West Virginia. The well pad primarily consists of cattle pasture with timber along its periphery. The access road generally follows parallel to an existing logging haul road. The topography of the planned Limits of Disturbance (LOD) varies between relatively level pasture, to moderately to steeply sloped wooded terrain.

A waiver is being requested for Wetlands DC, JB, and KB, as designated on the Locke Well Pad Final Design Plan Set, dated December 17, 2021. These wetlands are located within 100' of the well pad LOD on the southwest side of the pad, but are not within 100' of the well pad surface.

2. Justify the proposed activity by describing alternatives to this project that were considered.

- a. Include a No-Action Alternative as to show "the future without the project"
- b. Location Alternatives must be shown
- c. Must demonstrate why a one hundred foot buffer cannot be maintained
- d. Describe how the proposed project is the least environmentally damaging practicable alternative

A No-Action-Alternative would include reducing the pad size to move the well pad LOD 100' from the wellands. As a result, operations on the well pad would be constrained for space. This would create a less safe work environment for all planned operations on the pad. The wetland exhibit on page 4 of this document represents the no-action alternative to reduce the pad size and well pad LOD.

In this no-action alternative, there would still need to be construction activities associated with access roads and stockpiles within 100' of these wetlands. Due to the entirety of the well pad slopes within the 100-buffer being fill, the required size of the material stockpiles would also grow if the well pad were downsized. This would cause additional environmental impacts and tree clearing.

The footprint of the actual well pad is positioned over 100 feet away from the subject wetland. Additionally, two (2) sets of erosion and sediment control measures will be installed upgradient of all nearby wetlands within proximity of the site grading limits.

API Number: ____ Operator's Well Number: ____

3. Identify sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. This description should include all additional erosion and sediment control measures and devices that will be used.

Two (2) sets of erosion and sediment controls will be installed within the respective drainage area of Wetlands DC, JB and KB. Specifically, the planned controls will consist of two (2) rows of 42-inch tall SMARTfence. During the construction phase, all erosion and sediment controls will be inspected and maintained by on-site personnel. Upon completion of construction, permanent drainage structures and features will be in place to properly manage stormwater runoff.

During the operational phases of the Locke Well Pad, the corresponding well pad sumps will be closed, monitored and tested prior to reopening the sump valves. Additionally, surrounding erosion and sediment controls will be inspected at the required intervals, as specified in the Locke Well Pad Final Plan Set.

- 4. Provide mapping, plans, specifications and design analysis for the preferred alternative to the project.
 - a. Specify in writing what additional controls, measures, devices, monitoring, etc. will be used to protect these wetlands and/or perennial streams for which the waiver is sought.

Two (2) sets of erosion and sediment controls will be installed within the respective drainage area of Wetlands DC, JB and KB. As referenced above, the controls will consist of two (2) rows of 42-inch tall SMARTfence. All erosion and sediment controls will be monitored at the required intervals, per the Locke Well Pad Final Plan Set.

Drainage structures associated with the site will be monitored and maintained, as required. The well pad sumps will be closed during the operational phases and tested prior to reopening.

Please refer to the subsequent pages for reference to the information provided herein.

WW-6B (04/15) API NO. 47-017

OPERATOR WELL NO. Locke Unit 5V Well Pad Name: Locke Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION. OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator:	Antero Reso	ources Corpo	rai 494507062	017 - Dodd	ri Southwe	Oxford 7.5'
., nen operatori			Operator II		District	Quadrangle
2) Operator's Well	Number: Loc	ke Unit 5V	We	I Pad Name: Loc	ke Pad	
3) Farm Name/Surl	face Owner:	Robert Lee Brow	vnfield, Jr Public	Road Access: Ta	aylor Drain F	load
4) Elevation, curren	nt ground:	1108'	Elevation, prop	osed post-construc	tion: 1100'	
	Gas <u>X</u> her	Oil		Underground Stor	age	
(b)		llow X izontal X	Dee			5pw 2/22/201
6) Existing Pad: Ye	es or No No					2/22/200
 Proposed Target Marcellus Shale: 				ess and Expected ssociated Pressure		
8) Proposed Total	Vertical Deptl	1: 7000' TVE)			
9) Formation at To						
10) Proposed Total	Measured Do	epth: 7000'				
11) Proposed Horiz			pen to modifica	ation at a later da	te	
12) Approximate F	resh Water St	rata Depths:	319'			
13) Method to Dete14) Approximate S			47017000980000 Of	fset well records. Depths h	ave been adjusted	according to surface elevations.
15) Approximate C	Coal Seam De	pths: None A	nticipated			
16) Approximate I	Depth to Possi	ble Void (coal	l mine, karst, oth	er): None Anticip	bated	
17) Does Proposed directly overlying				11	40 X	
(a) If Yes, provid	le Mine Info:	Name:				
		Depth:				
		Seam:				
		Owner:				

Page 1 of 3



4701706920 API NO. 47-017

OPERATOR WELL NO. Locke Unit 5V Well Pad Name: Locke Pad

WW-6B (04/15)

18)

CASING AND TUBING PROGRAM

ТҮРЕ	<u>Size</u> (in)	<u>New</u> <u>or</u> <u>Used</u>	<u>Grade</u>	<u>Weight per ft.</u> (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	<u>CEMENT:</u> <u>Fill-up</u> (Cu. Ft.)/CTS
Conductor	20"	New	H-40	79#	80'	80'	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J/K-55	54.5#	369'	369'	CTS, 384 Cu. Ft.
Coal	9-5/8"	New	J-/K55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110CY	20#	7000'	7000'	CTS, 841 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#			
Liners							

Size (in)	<u>Wellbore</u> Diameter (in)	<u>Wall</u> <u>Thickness</u> <u>(in)</u>	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	<u>Cement</u> <u>Type</u>	<u>Cement</u> <u>Yield</u> (cu. ft./k)
20"	24"	0.375"	2250	50	Class A	~1.18
13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
5-1/2"	8-3/4" & 8-1/2"	0.415"	14,360	2500	Class G/H	~1.8
2-3/8"	4.778"	0.19"	11,200			
	20" 13-3/8" 9-5/8" 5-1/2"	Size (in) Diameter (in) 20" 24" 13-3/8" 17-1/2" 9-5/8" 12-1/4" 5-1/2" 8-3/4" & 8-1/2"	Size (in) Wellbore Diameter (in) Thickness (in) 20" 24" 0.375" 13-3/8" 17-1/2" 0.38" 9-5/8" 12-1/4" 0.352" 5-1/2" 8-3/4" & 8-1/2" 0.415"	Size (in) Wellbore Diameter (in) Thickness (in) Burst Pressure (psi) 20" 24" 0.375" 2250 13-3/8" 17-1/2" 0.38" 2730 9-5/8" 12-1/4" 0.352" 3520 5-1/2" 8-3/4" & 8-1/2" 0.415" 14,360	Size (in) Wellbore Diameter (in) Thickness (in) Burst Pressure (psi) Max. Internal Pressure (psi) 20" 24" 0.375" 2250 50 13-3/8" 17-1/2" 0.38" 2730 1000 9-5/8" 12-1/4" 0.352" 3520 1500 5-1/2" 8-3/4" & 8-1/2" 0.415" 14,360 2500	Size (in) Wellbore Diameter (in) Thickness (in) Burst Pressure (psi) Max. Internal Pressure (psi) Cement Type 20" 24" 0.375" 2250 50 Class A 13-3/8" 17-1/2" 0.38" 2730 1000 Class A 9-5/8" 12-1/4" 0.352" 3520 1500 Class A 5-1/2" 8-3/4" & 8-1/2" 0.415" 14,360 2500 Class G/H

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

Page 2 of 3



19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill a new horizontal shallow well into the Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 27.54 acres

22) Area to be disturbed for well pad only, less access road (acres): 13.31 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement. Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water. Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe

capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing,

circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.

Page 3 of 3



WW-9

(4/16)	API Number 47 - 017 -
	Operator's Well No. Locke Unit 5V STATE OF WEST VIRGINIA
DEPART	IMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS
FLUIDS/	CUTTINGS DISPOSAL & RECLAMATION PLAN
Operator Name Antero Resources Corporation	OP Code 494507062
Watershed (HUC 10) South Fork Hughes R	iver Quadrangle Oxford 7.5'
Do you anticipate using more than 5,000 bbls Will a pit be used? Yes No 🗸	s of water to complete the proposed well work? Yes 🖌 No
If so, please describe anticipated pit	Waste: No pit will be used at this site (Ontling and Flowback Fluids will be stored in tanks. Cuttings will be tanked and hauled off site.)
Will a synthetic liner be used in the	pit? Yes No 🗸 If so, what ml.? N/A
Proposed Disposal Method For Trea	pit? Yes No ✓ If so, what ml.? N/A 5DW uted Pit Wastes: 212212022
Reuse (at API Nu Off Site Disposal	Ction (UIC Permit Number_*UIC Permit # will be provided on Form WR-34) mber_Future permitted well locations when applicable. API# will be provided on Form WR-34) (Supply form WW-9 for disposal location)(<u>Meadowfill Landfill Permit #SWF-1032-98</u>)
Other (Explain	Northwestern Landfill Permit #SWF-1025/ WV0109410
Will closed loop system be used? If so, descr	ribe: Yes, fluids stored in tanks, cuttings removed offsite and taken to landfill.
Drilling medium anticipated for this well (ver	tical and horizontal)? Air, freshwater, oil based, etc.
-If oil based, what type? Synthetic, 1	
Additives to be used in drilling medium? Pla	ease See Attachment
Drill cuttings disposal method? Leave in pit,	landfill, removed offsite, etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.
	at medium will be used? (cement, lime, sawdust) N/A
	ber? Meadowfill Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit # SWF-1025/WV0109410)
Permittee shall provide written notice to the O	Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any shall be provided within 24 hours of rejection and the permittee shall also disclose
provisions of the permit are enforceable by la law or regulation can lead to enforcement action I certify under penalty of law that I application form and all attachments thereto obtaining the information, I believe that the penalties for submitting false information, incl	I have personally examined and am familiar with the information submitted on this o and that, based on my inquiry of those individuals immediately responsible for information is true, accurate, and complete. I am aware that there are significant luding the possibility of fine or imprisonment.
Company Official Signature Gretchen K	iohler
Company Official (Typed Name) Gretchen Ke	ohier
Company Official Title Director Environmenta	L& Regulatory Compliance
Subscribed and sworn before me this 26	day of Jan, 2022
Marnet,	Notary Public DIANE BLAIR
My commission expires 27	Apr 2024 Motary Public STATE OF COLORADO NOTARY ID 19994011871 MY COMMISSION EXPIRES 27 Apr 2024 03/04/2022

Form WW-9

Antero Resources Corporation

Operator's Well No. Locke Unit 5V

Proposed Revegetation Treatment	nt: Acres Disturbed 27.54 a	cres Prevegetation p	оН	
Lime 2-4	_ Tons/acre or to correct to pF	I <u>6.5</u>		
Fertilizer type Hay or st	raw or Wood Fiber (will be used	where needed)		
Fertilizer amount 500	lt	os/acre		
Mulch 2-3	Tons/			
Access Road (7,89 a	eres) + Well Pad (13.31 acres) Spoil Pile (1.58 acres) + Topsoil Stripping 1 (2.80 acres) + To 27.54 Acres	opsoil Stripping 2 (1.96 acres) =	
	See	d Mixtures		
Temp	orary	Perm	anent	
Seed Type	lbs/acre	Seed Type	lbs/acre	
Annual Ryegrass	40	Crownvetch	10-15	
Field Bromegrass	40	Tall Fescue	30	
See attached Table IV-3 for additional seed type (Cashew Pad Design)		See attached Table IV-4A for additional seed type (Cashew Pad De		
or type of grass seed reque	ested by surface owner	*or type of grass seed requ	ested by surface owner	

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions ($L \times W \times D$) of the pit, and dimensions ($L \times W$), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by:	> Devo	nelA	17		
Comments: <u>pre-</u>	seed Mulch	as reaser	nakly possible	per Ets ma	nevel.
Upgrad Es	18 as neede	d Per W	UDEP EAS	per Ets ma manual	
0.0.0	_				
Title: <u>006</u>	Inspector		Date: 2/22/2	Terap	
Field Reviewed?	(V) Yes	(_) No		

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1.	Alpha 1655
	Salt Inhibitor
2.	Mil-Carb
	Calcium Carbonate
3.	Cottonseed Hulls

Cellulose-Cottonseed Pellets - LCM

- 4. Mil-Seal
 - Vegetable, Cotton & Cellulose-Based Fiber Blend LCM
- 5. Clay-Trol

Amine Acid Complex – Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion - Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

- 10. Mil-Lime Calcium Hydroxide – Lime
- 11. LD-9
 - Polyether Polyol Drilling Fluid Defoamer
- 12. Mil Mica

Hydro-Biotite Mica – LCM

RECEIVED Cifice of Cil and Gas

JAN 27 2022

WV Department of Environmental Protection



13. Escaid 110
Drilling Fluild Solvent – Aliphatic Hydrocarbon
14. Ligco
Highly Oxidized Leonardite – Filteration Control Agent
15. Super Sweep
Polypropylene – Hole Cleaning Agent
16. Sulfatrol K
Drilling Fluid Additive – Sulfonated Asphalt Residuum
17. Sodium Chloride, Anhydrous
Inorganic Salt
18. D-D
Drilling Detergent – Surfactant
19. Terra-Rate
Organic Surfactant Blend
20. W.O. Defoam
Alcohol-Based Defoamer
21. Perma-Lose HT
Fluid Loss Reducer For Water-Based Muds
22. Xan-Plex D
Polysaccharide Polymer – Drilling Fluid Viscosifier
23. Walnut Shells
Ground Cellulosic Material – Ground Walnut Shells – LCM
24. Mil-Graphite
Natural Graphite – LCM
25. Mil Bar
Barite – Weighting Agent
26. X-Cide 102
Biocide
27. Soda Ash
Sodium Carbonate – Alkalinity Control Agent
28. Clay Trol
Amine Acid complex – Shale Stabilizer
29. Sulfatrol
Sulfonated Asphalt – Shale Control Additive
30. Xanvis Viscosifier For Water Deced Made
Viscosifier For Water-Based Muds
31. Milstarch Starch – Fluid Loss Reducer For Water Based Muds
32. Mil-Lube
Drilling Fluid Lubricant

RECEIVED Office of Oil and Gas

JAN 27 2022

No. Copartment of Ecologiamental Protection





911 Address 2703 Taylor Drain Rd, West Union WV 26456

Well Site Safety Plan Antero Resources

Well Name: Locke Unit 5V

Pad Location: LOCKE PAD

Doddridge County/Southwest District

GPS Coordinates:

Entrance - 39.178401, -80.836153(NAD83) Pad Center - 39.177765, -80.833194 (NAD83)

Driving Directions:

SOW 2/22/2022

From Pullman; Head northeast on Main St towards Ash Hill St for 0.3 miles. Turn right onto Oxford Rd for 5.1 miles. Continue onto S Fork of Hughes River for 0.8 miles. Turn right onto Taylor Drain Rd for 2.7 miles. Lease road will be on the left.

Alternate Route:

From Auburn; Head west on Auburn Rd/ Main St toward Toll Gate Rd for 30 ft. Take Co Rd 7/13 and Summers Rd Brushy Fork to Taylor Drain Rd in Doddridge County for 6.5 miles. Turn left onto Taylor Drain Rd for 1.5 miles. Lease road will be on the right.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

1







WW-6A1 (5/13)

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Eook/Page
E.W. Osbourne et al	Granter, Lesson, etc.			200101 480
			. 4-	
	E.W. Osbourne, et al	Hope Natural Gas	1/8	0057/0132
	Hope Natural Gas	Trio Oil and Gas Company	Assignment	0072/0496
	Trio Oil and Gas Company	Charter D. Stinespring, Paul B. Davis		
	···· ··· ··· ··· ··· ··· ··· ···	and G.W. Hill	Assignment	0131/0687
	Charter D. Stinespring, Paul B. Davis		-	
	and G.W. Hill	J & J Enterprises, Inc	Assignment	0131/0762
	J & J Enterprises, Inc	Eastern American Energy Corpation	Assignment	0159/0139
	Eastern American Energy Corporation	Energy Corporation of America	Merger	0005/0450
	Energy Corporation of America	Antero Resources Appalachian Corp.	Assignment	0272/0307
	Antero Resources Appalachian Corp.	Antero Resources Corporation	Name Change	0046/0523

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

• WV Division of Water and Waste Management

- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may-be necessary and further affirms that all-needed – permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Reso	ources Corporation
By:	Tim Rady	(m /lech
Its:	VP of Land	



Operator's Well Number Locke Unit 5V 4701706920

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
E.W. Osbourne, et al Lease			
E.W. Osbourne et al	Hope Natural Gas	1/8	0057/0132
Hope Natural Gas	Trio Oil and Gas Company	Assignment	0072/0496
Trio Oil and Gas Company	Charter D. Stinespring, Paul B. Davis and G.W. Hill	Assignment	0131/0687
Charter D. Stinespring, Paul B. Davis and G.W. Hill	J & J Enterprises, Inc	Assignment	0131/0762
J & J Enterprises, Inc	Eastern American Energy Corporation	Assignment	0159/0139
Eastern American Energy Corporation	Energy Corporation of America	Merger	0006/0450
Energy Corporation of America	Antero Resources Appalachian Corporation	Assignment	0272/0307
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	0046/0523

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

03/04/2022



Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Locke Unit 5V Quadrangle: Porter Falls 7.5' Doddridge County/Southwest District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following applications for a new well work permits for the Locke Unit 5V horizontal shallow wells. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Locke wells horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

The Marchall

Tyler Skavdahl Senior Landman

RECEIVED Clifice of Oil and Gas

JAN 27 2022

WV Department of Environmental Protection



STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE CERTIFICATION</u>

Date of Notice Certification: 01/25/2022

API No. 47- 017	-
Operator's Well N	No. Locke Unit 5V
Well Pad Name:	Locke Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	West Virginia	UTM NAD 83 Easting	514478m
County:	Doddridge	Northin	g: 4336581m
District:	Southwest	Public Road Access:	Taylor Drain Road
Quadrangle:	Oxford 7.5'	Generally used farm name	e: Robert Lee Brownfield, Jr.
Watershed:	South Fork Hughes River		

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article by the applicant.

Pursuant to West Virginia Code § 22-6A, the Op that the Operator has properly served the require *PLEASE CHECK ALL THAT APPLY	perator has attached proof to this Notice Certification d parties with the following:	OOG OFFICE USE ONLY
□ 1. NOTICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED	RECEIVED/ NOT REQUIRED
\Box 2. NOTICE OF ENTRY FOR PLAT SURV	/EY or 🔳 NO PLAT SURVEY WAS CONDUCTED	RECEIVED
3. NOTICE OF INTENT TO DRILL or	□ NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or	RECEIVED/ NOT REQUIRED
	□ WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)	
■ 4. NOTICE OF PLANNED OPERATION	RECEIVED Gas	RECEIVED
■ 5. PUBLIC NOTICE	Chick of Chica	RECEIVED
■ 6. NOTICE OF APPLICATION	JAN 2 WV Department of WV Departmental Protection	RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.



Certification of Notice is hereby given:

4701706920

THEREFORE, I Diana Hoff ______, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A. I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation		Address:	1615 Wynkoop Street	
By:	Diana Hoff Diana O. Hoff		Denver, CO 80202	
Its:	Senior VP of Operations	Facsimile:	303-357-7315	
Telephone:	303-357-7310	Email:	mstanton@anteroresources.com	
L-2024	Subs		orm before me this 25 day of 32022 .	

MA COMMISSION EXPIRES 27-Apr	Subscribed and sworn before ine	day of god	all.
STATE OF COLORADO	Dianel	risola	Notary Public
RIAJA JNAIO DIJAUS YRATON	My Commission Expires	27 Apr 2024	ł

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Critice of Oil and Gas VIN Decare Environmenter

Environne

03/04/2022

entof

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF APPLICATION</u>

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice:	1/26/2022	Date Permit Application Filed:	1/26/2022

Notice of	•
-----------	---

1	PERMIT FOR ANY	CERTIFICATE OF APPROVAL FOR THE
	WELL WORK	CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

PERSONAL	REGISTERED	METHOD OF DELIVERY THAT REQUIRES A
SERVICE	MAIL	RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the crosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)	COAL OWNER OR LESSEE
Name: Robert Lee Brownfield, Jr.	Name: NO DECLARATIONS ON RECORD WITH COUNTY
Address: 2864 Taylor Drain Road	Address:
West Union, WV 26456-6117	
Name:	COAL OPERATOR
Address:	Name: NO DECLARATIONS ON RECORD WITH COUNTY
	Address:
SURFACE OWNER(s) (Road and/or Other Dist	(irbance)
Name: Robert Lee Brownfield, Jr.	SURFACE OWNER OF WATER WELL
Address: 2864 Taylor Drain Road	ND/OR WATER PURVEYOR(s)
West Union, WV 26456-6117	Name: Robert Lee Brownfield, Jr
Name:	Address: 2864 Taylor Drain Road
Address:	West Union, WV 26456-6117
	OPERATOR OF ANY NATURAL GAS STORAGE FIELD
□ SURFACE OWNER(s) (Impoundments or Pits)	
Name:	Address:
Address:	*Please attach additional forms if necessary
	*Please attach additional forms if necessary
	100 27 2022
	IN 9 COL

OPERATOR WELL NO. Locke Unit 5V Well Pad Name: Multiple Wells on Locke Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include; (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oll-and-gas/pages/default.aspx</u>.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items



API NO. 47-<u>017</u>-____

OPERATOR WELL NO. Locke Unit 5V Well Pad Name: Multiple Wells on Locke Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450 JAN 27 2022

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.



API NO.47-017 1 7 0 6 9 2 (OPERATOR WELL NO. Locke Unit 5V Well Pad Name: Multiple Wells on Locke Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-

<u>Permits/Pages/default.aspx</u> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Chica of Orland Gas of the manual to the EDVICINITION La Prov



API NO. 47-017-017-06-920 OPERATOR WELL NO. Locke Unit 5V Well Pad Name: Multiple Wells on Locke Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation		
Telephone:	(303) 357-7310	Diana O. Holl
Email:	mstanton@antero	

Address:	1615 Wynkoop Street	
	Denver, CO 80202	
Facsimile:	303-357-7315	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

	DIANE BLAIR
	NOTARY PUBLIC
	STATE OF COLORADO
	NOTARY ID 19994011871
MY	COMMISSION EXPIRES 27-Apr-2024

Subscribed and sworn before	me this $2b$ day of 5	Jan. 2022.
Diana	Blour	Notary Public
My Commission Expires	27 Apr 2	624

RECEIVED Chird of Oil and Gas JAN 27 2022. JAN 2 restment of Commental Protection





Operator Well No. Locke Unit 5V Multiple Wells on Locke Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS <u>NOTICE OF INTENT TO DRILL</u>

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application.
Date of Notice: 12/30/2021 Date Permit Application Filed: 01/26/2022

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND	CERTIFIED MAIL
DELIVERY	RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided*, *however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name:	Robert Lee Brownfield, Jr.	Name:
Address:	2864 Taylor Drain Road	Address:
	West Union, WV 26456-6117	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	LITE (NIA D 02	Easting:	514478m	
County:	Doddridge	UTM NAD 83	Northing:	4336581m	
District:	Southwest	Public Road Acc	ess:	Taylor Drain Rd.	
Quadrangle:	Oxford 7.5'	Generally used f	arm name:	Robert Lee Brownfield, Jr.	
Watershed:	South Fork Hughes River				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Notice is hereby given by:

Well Operator:	Antero Resources Corporation	Authorized Representative:	Mallery Stanton	COL and Gas
Address:	1615 Wynkoop St.	Address:	1615 Wynkoop St.	-1100 and 20
10 A	Denver, CO 80202		Denver, CO 80202	INN 27 LOLD
Telephone:	303-357-7310	Telephone:	303-357-7310	Jet unent of un
Email:	mstanton@anterpresources.com	Email:	mstanton@anteroresou	Inces.com
Facsimile:	303-357-7315	Facsimile:	303-357-7315	EDMILCONICS

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



STATE OF WEST VIRGINIA 4701706920 DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 01/26/2022 Date Permit Application Filed: 01/26/2022

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL	HAND
RETURN RECEIPT REQUESTED	DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name:	Robert Lee Brownfield, Jr.	Name:
Address:	2864 Taylor Drain Road	Address:
1	West Union, WV 26456-6117	

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	West Virginia	LITMAN AD 92	Easting:	514478m	
County:	Doddridge	UTM NAD 83	Northing:	4336581m	
District:	Southwest	Public Road Acce	SS:	Taylor Drain Road	
Quadrangle:	Oxford 7.5'	Generally used far	rm name:	Robert Lee Brownfield, Jr.	
Watershed:	South Fork Hughes River				

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1)A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <u>www.dep.wv.gov/oil-and-gas/pages/default.aspx</u>.

Well Operator:	Antero Resources Corporation	Address:	1615 Wynkoop Street	
Telephone:	(303) 357-7310		Denver, CO 80202	
Email:	mstanton@anteroresources.com	Facsimile:	303-357-7315	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at <u>depprivacyofficer@wv.gov</u>.

CHICO OF AND GAS



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

D. Alan Reed, P.E. State Highway Engineer Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

January 25, 2022

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Locke Pad, Doddridge County Locke Unit 5V Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #04-2021-0946 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off Doddridge County Route 19 SLS MP 9.31.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Dary K. Clayton

Gary K. Clayton, P.E. Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Diane Blair Antero Resources Corporation CH, OM, D-4 File

HECEIVED Critice of Oil and Gas JAN 27 2022 WV Department of Environmental Protection

E.E.O./AFFIRMATIVE ACTION EMPLOYER

03/04/2022

Subdivision 3.3.e A listing of the anticipated additives that may be used in the water used for fracturing or stimulating the well. (A listing of the additives that were actually used in the fracturing or stimulating of the well shall be submitted as part of the completion report required by W. Va. Code 22-6-22.) 4701706920

FRACTURING/STIMULATING INTERVAL

	Additive	Chemical Abs	stract Service Nur	nber (CAS #)		
1.	Fresh Water		7732-18-5				
2.	2 Phosphobutane 1,2,4 tricarboxylic acid		37971-36 - 1				
3.	Ammonium Persulfate		7727-54-0				
4.	Anionic copolymer		Proprietary				
5.	Anionic polymer		Proprietary				
6.	BTEX Free Hydrotreated Heavy Naphtha		64742-48-9				
7.	Cellulase enzyme		(Proprietary)				
8.	Demulsifier Base		(Proprietary)				
9.	Ethoxylated alcohol blend		Mixture				
	. Ethoxylated Nonylphenol		68412-54-4				
	. Ethoxylated oleylamine		26635-93-8				
	. Ethylene Glycol		107-21-1				
	. Glycol Ethers		111-76-2				
14	. Guar gum		9000-30-0				
15	. Hydrogen Chloride		7647-01-0				
16	. Hydrotreated light distillates, non-aromatic, BTEX free		64742-47-8				
17	. Isopropyl alcohol		67-63-0				
18	. Liquid, 2,2-dibromo-3- nitrilopropionamide		10222-01-2				
19	. Microparticle		Proprietary				
	. Petroleum Distillates (BTEX Below Detect)		64742-47-8				
	. Polyacrylamide		57-55-6				
	. Propargyl Alcohol		107-19-7				i i
	. Propylene Glycol		57-55-6				
	. Quartz		14808-60-7				
	. Sillica crystalline quartz		7631-86-9			ļ	
	. Sodium Chloride		7647-14-5				
	. Sodium Hydroxide		1310-73-2				
	. Sugar		57-50-1				
1	-		68439-51-0				
-	Surfactant		14808-60-7				
	- Suspending agent (solid)		72480-70-7				
	. Tar bases, quinolone derivs, benzyl chloride-quarternized						
	. Solvent Naptha, petroleum, heavy aliph		64742-96-7				
1	. Soybean Oil, Me ester		67784-80-9				
	. Copolymer of Maleic and Acrylic Acid		52255-49-9				
	. DETA Phosphonate		15827-60-8			ſ	
	. Hexamythylene Triamine Penta		34690-00-1				
1	. Phosphino Carboxylic acid polymer		<u> </u>				
	. Hexamethylene diamine penta		23605-74-5				ł
	. 2-Propenoic acid, polymer with 2 propenamide		9003-06-9				
	. Hexamethylene diamine penta (methylene phosphonic a	icid)	23605-74-5				
	. Diethylene Glycol		111-46-6				
	. Methenamine		100-97-0				
	. Polyethylene polyamine		68603-67-8				
	. Coco amine		61791-14-8				
45	. 2-Propyn-1-olcompound with methyloxirane		38172-91-7				
							I I



