

Latitude 39° 15' 00"

88° 42' 30"

Longitude

+ 7.5'

Topo Location

7.5' Loc. 1.36S 15' Loc. 1.36S
1.74W (calc.) 3.97W

Company _____

Farm Porter Maxwell #34

15' Quad Vadis NW
(sec.)

7.5' Quad New Milton

District New Milton

WELL LOCATION PLAT

County 017 Permit 30121

.....District, Doddridge County, W. Va.
By Michael Murphy, Room 1434 Land Title Bldg., S. W. cor.
Broad and Chestnut Sts., Philadelphia, Pa.
Completed January 16, 1905.
Made 6 bbls. when first drilled.
Record received July 13+, 1911.

	Top.	Bottom.
<i>Stop 2374</i> Gordon Sand (oil)	2393	2397
Total depth		2415

Item	Quantity	Character	Full Use or Water	Top	Bottom	Thickness	Total Depth	Remarks
GRAVEL				620	920			
CLAY SAND				970	1005			
CLAY SAND				1180	1220			
SAND				1645	1570			
CLAY SAND				1685	1760			
CLAY SAND				1760	1850			
CLAY SAND				2378	2382			
CLAY SAND				2393	2398			
Total Depth		011	2376 and in Gerdon				2418	

Date: _____
 Loc: _____
 Name: _____
 Title: _____
 Date: July 30, 1936
 Approved: *Luther Marwell*
 Date: _____

NOTE: All bottom formations must be noted as indicated above and all top levels and of and for sample must be recorded with date proper geological names in the column on top or any level below, including and in the column for each level.



WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION
PRELIMINARY DATA SHEET NO. 1

AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL
WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

Well No. 36

Page No. 36

Company of Porter Maxwell

Charleston, W. Va. at the Porter Maxwell mine, Location Box Hillton County, West Virginia
1835

The surface of the above tract is owned in fee by Palmer Petroleum Co

Clayburg Palmer address, and the mineral rights are owned by Porter Maxwell Inc. of West Union

This oil and gas privilege was held under lease by the above named company, and this well is drilled under permit
No. 1 issued by the West Virginia Department of Mines, Oil and Gas Division

Drilled by Murphy Oil Co.

Elevation of surface at top of well _____ feet
The number of feet of the different sized casings used in the well
_____ feet _____ size: Wood conductor.

140 feet 10" _____ size: _____

878 feet 8 1/4" _____ size: _____

1870 feet 6 5/8" _____ size: _____

_____ feet _____ size: _____

_____ feet _____ size: _____

_____ feet _____ size: _____

_____ feet _____ size: _____

July 29, 1936

Approved: Lima Gas Co. Owner.

_____ Box Hillton District
_____ West Union County
_____ Palmer _____
_____ Palmer _____

Well No. 36

STATE OF WEST VIRGINIA }
COUNTY OF Putnam }
I, Walter B. Smith,
being first duly sworn, according to law depose and say that they are experienced in the work of plugging
and filling oil and gas wells and were employed by Lima Gas Co. well operator,
and participated in the work of plugging and filling the above well, that said work was commenced on the
_____ day of July 1936, and that the well was plugged and filled in
the following manner:

Manner in which said well plugged: Well was filled from the bottom to
removed 6 5/8" casing. Filled with clay and cemented to 1870.
1882 with clay. Cement not full the 6 1/4" casing, and filled to
filled with clay to 149. Drilled wood plug cementing on top.
filled to the top of the casing in first.

Manner in which said well plugged:

Description of measurements: Casing set in concrete with 1/2" steel
well number and size 1882, 1883.

and the work of plugging and filling said well was completed on the 2 day of August

19 36
And further deposes with said

