

Latitude 39° 17' 30"

75'
+

39° 17' 30"

Longitude

Topo Location

7.5' Loc. 1.02S 15' Loc. 390S
0.22W (calc.) 2.45W

Company C-1258

Farm E. H. Dotson

15' Quad Wsl Union SE
(sec.)

7.5' Quad Pennsboro

District Central

WELL LOCATION PLAT

County 017 Permit 30136

Central District, Doddridge County, W. Va.
 By Hope Cons. & Ref. Co., 445 W. Main St., Clarksburg, W. Va.
 On 40 acres, surface and mineral rights owned by J. L. Young,
 Greenwood, W. Va.
 Elevation, 876' L.
 6-5/8" casing, 1772'; 2" tubing, 1893'.
 Coal was encountered at 568-571'.
 Abandonment reported to Dept. of Mines Oct. 1, 1935.
 Well was shot at 1873'.
 No water recorded.
 Oil well; now exhausted.

	Top.	Bottom.	Thickness.
Pittsburgh Coal	568	571	3
Red rock cave	571	850	279
First Cow Run Sand	850	905	55
Second Cow Run Sand	1025	1094	69
First Salt Sand	1275	1305	30
Second Salt Sand	1334	1370	36
Third Salt Sand	1460	1572	112
Maxton Sand	1672	1700	28
Little Lime	1722	1754	32
Pencil Cave	1754	1762	8
Big Lime	1762	1848	86
Big Injun Sand (oil, 1873')	1848		
Total depth		1903	

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

No. Dod 136 Well No. 1288
Hojo Construction & Refining Company Company of 648 West Main St.
Charleston, W. Va. on the J. L. Young
 containing Oil area, Location Central District, in Doddridge County, West Virginia
 The surface of the above tract is owned in fee by J. L. Young
 of Greenwood, W. Va.
J. L. Young of Greenwood, W. Va. address, and the mineral rights are owned by

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit
 No. _____ issued by the West Virginia Department of Mines, Oil and Gas Division

Elevation of surface at top of well _____ ft.
 The number of feet of the different sized casings used in the well.

2 7/8	feet	6-5/8"	feet	1895	feet	8"	feet	Wood conductor
	feet		feet		feet		feet	closed end
	feet		feet		feet		feet	closed end
	feet		feet		feet		feet	closed end
			feet					in casing perforated at _____ feet to _____ feet
			feet					in casing perforated at _____ feet to _____ feet
			feet					Coal was encountered at <u>545</u> feet, thickness <u>20</u> inches, and at _____ feet, thickness _____ inches.
			feet					Lenses were used as follows: (Give details) _____ inches; and at _____ feet; thickness _____ inches.

Date October 1st, 1937
Hojo Construction & Refining Co.

PLUGGING AND FILLING WELLS
 WEST VIRGINIA DEPARTMENT OF MINES
 OIL AND GAS DIVISION

No coal operations in this section Hojo Construction & Refining Company
J. L. Young, Greenwood, W. Va. 1288
Central District
Doddridge County
 Well and Location
J. L. Young

AFFIDAVIT

STATE OF WEST VIRGINIA,)
 County of Doddridge) ss:
Charles E. Bohrer and Richard P. Underwood
 being first duly sworn according to law depose and say that they are employed in the work of plugging
 and filling oil and gas wells and were employed by Hojo Construction & Refining Co. operator,
 and participated in the work of plugging and filling the above well, that said work was commenced on the
29th day of October, 1937, and that the well was plugged and sealed in
 the following manner:

Manner in which well was plugged:
 Removed 2" tubing filled with clay to 1825 above 6 5/8" standard lead
 at 1825 did not start off groove end, lead plug at 1800 did not start off
 groove 5 ft lead plug at 1765 20 ft up in 6 5/8" casing ripped 6 5/8" casing
 at 1745 ft pulled 977 ft leaving in hole 778 ft filled with clay to 1608
 installed permanent bridge at 1608 filled with clay to 1825 put in 4 sacks
 cement from 1825 ft to 1845' filled with clay from 1845 to 900 ft.
 installed bridge at 900 ft put in 4 sacks cement from 900 ft to 601 ft
 Manner in which well was plugged:
 Filled with clay from 900 ft to 601 ft put in 8 sacks cement from 601 ft
 to 545 ft filled with clay to ground surface

Description of monument:
 Will erect monument when rig is torn down
 and that the work of plugging and filling said well was completed on the 31 day of October
 1937
 And further deponents with set.

Charles P. Underwood