



Surface owned by Ernest Knight.  
 Address: Mr. Ernest Knight, Star Route, West Union, W. Va.  
 No coal ever <sup>sold</sup> under this tract of land, if any, it belongs to Playford Ash.  
 Address: Mr. Playford Ash, Star Route, West Union, W. Va.

- New Location   
 Drill Deeper   
 Abandonment

On 800' Map N37. Sqs. 54-5 W 5-6.

Company Randall-Zogg Supply Co.  
 Address Owensboro, Ky.  
 Farm Israel Allen  
 Tract \_\_\_\_\_ Acres 225 Lease No. WC  
 Well (Farm) No. 2 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) Floor - 786.40  
Ground - 784.20  
 Quadrangle Centerpoint  
 County Doddridge District McClellan  
 Engineer A. L. Headley  
 Engineer's Registration No. 2021  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date June 23rd, 1949 Scale 1" = 800 Feet

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. DOD-781-A

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.



710

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 781-A

Oil or Gas Well Oil  
(KIND)

Company W. D. Gribble  
Address West Union, W. Va.  
Farm Isreal Allen Acres 225  
Location (waters) Ralph's Run of McElroy Creek  
Well No. Two (2) Elev. 784.20  
District McClellan County Doddridge  
The surface of tract is owned in fee by Ernest Knight  
Star Route Address West Union, W. Va.  
Mineral rights are owned by Playford Ash  
Star Route Address West Union, W. Va.

Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	327'	00	Size of
8 1/4	1085'	00	8 1/4" in hole
6 3/4	1810'	1810'	Depth set
5 3/16	1034'	1034'	
3			Perf. top
2	1961'	1961'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 507 FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			507				
Dunkard Sand			1005				
Keener Sand			1790				
Big Injun			1800		Oil	1848	
Total Depth				1961			

SHOT RECORDS

DATE SHOT	NO. QT.	
3-10-96	14	1845
4-7-99	20	1841
5-25-11	30	1855
8-19-14	20	1850



(Over) SEP - 9 1950

