

SUMMARY OF PROCEDURES AND ESTIMATED FORMATION TOPS FOR
RAMSEY ASSOCIATED PETROLEUM, INC.
GARRETT #6

Lease Name: Garrett heirs
API# 47-021-5575
Gilmer 7.5' Quadrangle
Elevation 1189'
TROY DISTRICT
GILMER COUNTY, WEST VIRGINIA

ZONE	DEPTH	GAS CHECK	REMARKS
LITTLE LIME	1964' – 2017'		
BIG LIME	2084' – 2153'		
BIG INJUN	2154' – 2228'		
SPEECHLEY	3381' – 3695'		
BALLTOWN	3807' – 4186'		
BENSON	4539' – 4557'		
ELK-ALEXANDER	4718' – 4938'		
TOTAL DEPTH	5014'		

Perforations & Fracture Treatment

Well Name: GARRETT 6

API # 47-021-5575

T.D. 4922' of 9.50 # 4 ½"

1st Stage- ELK-BENSON (from 4884 ' to 4665 ')
60 QF 400 sks 20/40
500 gal. 15% HCL
with Clay and Iron Stabilizer
20 perforations w/ 6 perforation balls
1, 2, 3 ppg @25-30 BBl per min

2nd Stage- BALLTOWN-SPEECHLY (from 4153 ' to 3384 ')
60 QF 350 sks 20/40
500 gal. 15% HCL
with Clay and Iron Stabilizer
18 perforations w/ 6 perforation balls
1, 2, 3 ppg @25-30 BBl per min
