





DeKalb District, Gilmer County, W. Va.  
 Hope Natural Gas Co., 445 W. Main St., Clarksburg, W. Va.  
 On 52 acres, surface and mineral rights owned by Edward Reynolds,  
 Tanner, W. Va.

Drilled prior to June 1, 1929.

Elevation, 978' L.

5-3/16" casing, 1846'.

No record of coal.

Abandonment reported to Dept. of Mines Oct. 9, 1931.

Well was shot at 1982-1990'.

Water not recorded.

Gas well; now exhausted to extent of not being commercially  
 productive.

	Top.	Bottom.
No record of formations above Little Dunkard Sand.		
Little Dunkard Sand	860	890
Big Dunkard Sand	1000	1083
Gas Sand	1165	1266
First Salt Sand	1325	1352
Second Salt Sand	1400	1450
Little Lime	1800	1818
Pencil Cave	1818	1823
Big Lime	1823	1931
Big Injun Sand (gas, 1938, 1983 & 1988')	1931	1991
Total depth		2025

Hope Natural Gas  
 445 West Main St.  
 Clarksburg, W. Va.

Company  
 Address

COMPLETION DATA SHEET  
 NO. 2  
 FORMATION RECORD

Well 29-A

Name	Color	Character	Oil or W	Top	Bottom	Thickness	Total Depth	Remarks
No record of formations above Little Dunkard Sand.								
Little Dunkard Sand				990	990	30'		
Big Dunkard Sand				1000	1020	83'		
Gas Sand				1160	1200	99'		
First Salt Sand				1300	1320	87'		
Second Salt Sand				1400	1450	80'		
Little Lime				1500	1518	18'		
Pencil Cove				1518	1523	5'		
Big Lime				1523	1621	108'		
Big Injun Sand				1621	1681	60'		
			Gas- 1930- 1935				2025	

29-A

shot  
 Well was not shot at

well was shot at 1930-1935 feet.

WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Section

oil-29-A

PRELIMINARY DATA SHEET NO. 1

File No. \_\_\_\_\_ Well No. **6180**

**Hope Natural Gas** Company, of **445 West Main St.**

**Clarksburg, W. Va.** on the **Edward Reynolds** Farm

containing **58** acres. Location \_\_\_\_\_

**Dekalb** District, in **Gilmer** County, West Virginia.

The surface of the above tract is owned in fee by **Edward Reynolds**

of **Turner, W. Va.** address, and the mineral rights are owned by

**Edward Reynolds** of **Turner, W. Va.**

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Section.

**Drilled prior to June 1st, 1929.** 19 \_\_\_\_\_

Elevation of surface at top of well, **978** Spirit **Barometric.**

The number of feet of the different sized casings used in the well.

_____ feet	_____ size.	Wood conductor
<b>1848</b> feet	<b>5-3/16"</b> size, csg.	_____ sized csg.
_____ feet	_____ size, csg.	_____ sized csg.
_____ feet	_____ size, csg.	_____ sized csg.
_____ packer of _____	_____ size, set at _____	
_____ packer of _____	_____ size, set at _____	
_____ in casing perforated at _____	_____ feet to _____	_____ feet.
_____ in casing perforated at _____	_____ feet to _____	_____ feet.
Coal was encountered at <b>No record</b> feet; thickness _____	_____ inches, and at _____	
_____ feet, thickness _____	_____ inches; and at _____	_____ feet; thickness _____ inches.

Liners were used as follows: (Give details) \_\_\_\_\_

**AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL**

(REQUIRED BY SECTION 2, CHAPTER 25, ACTS 1922)

**WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS SECTION**

No coal operations beneath tract.  
No coal operations within 500 feet  
of the boundaries of said tract.

Hope Natural Gas Company  
445 West Main St. Clarksburg, W. Va.

December 5, 1931. 19

Coal Owner; any,  
Edward Reynolds, Tanner, W. Va.

WELL AND LOCATION

Dekalb District

Gilmer County

Well No. 6180

Edward Reynolds Farm

AFFIDAVIT TO BE MADE IN TRIPPLICATE: ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT; ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE TITHEE; (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

**AFFIDAVIT**

STATE OF WEST VIRGINIA,  
COUNTY OF Gilmer

} ss:

A. J. Ris and Dorsey D. Lockard  
being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by Hope Natural Gas Company, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

12th day of November, 1931, and that the well was plugged and sealed in the following manner: Gas test P.M. 4/10 W 1" opening. Filled with slay from total depth of 2025 to 1925 and run 200-lbs. cement. Filled solid with slay from 1921 to 1612. Manner in which sand was plugged: and drove 5-3/16" wedge wood plug at 1611 followed by 1-5-3/16" Madrol lead plug. Tested 48-hours and found gas entirely shut off, would not burn thru 1/4" opening. Filled solid to bottom of 8" casing at 1646; and ripped casing at 1800' and again at 1725. Filled thru 8" casing to 1725 with slay and set 5" wet and 200-lbs. cement to seal hole at top of casing. Filled 1225 ft. 5" casing, leaving approximately 100 feet in hole. Filled solid with slay from 1725 to 1700'. Bridged hole at 1490' and filled solid to 1308' and set 200-lbs. cement 1305-1308'. Filled solid with slay, 1302-225' and set 10" wood plug. (Filling was done as 5" casing is being pulled, there being no other casing in well) Filled solid with slay to 605 and drove 10" wood plug. Filled with slay to 590 and ran 200-lbs. cement and filled with slay to surface. All gas shut off.

*OK  
8/11/31*

Description of monument: 8"x 8"x 5' Concrete Monument with 8" pipe thru center, bearing the inscription "H.N.G.Co. Well No. 6180" set in 30"x 30"x 30" base of concrete; monument stands 30" above surface.

THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 25, ACTS 1922, AND THE TITHEE AND THE TITHEE MUST SIGN AND DATE THE AFFIDAVIT.  
and that the work of plugging and filling said well was completed on the 5th day of December.