



Company	Philadelphia Oil Co.
Address	608 Union Bank, Clarksburg, W. Va.
Farm	Delbert Stalauker
Tract	Acres 308 Lease No. 15051
Well (Farm) No.	6 Serial No. 7498
Elevation (Spirit Level)	1025L
Quadrangle	Glenville N.W.
County	Gilmer District DeKalb
Engineer	T.E. Brigden
Engineer's Registration No.	764
File No.	Drawing No.
Date	8-18-37 Scale 1"-500'

STATE OF WEST VIRGINIA
 Department of Mines
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

File No. G11-109-A

Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

Denotes one inch spaces on border line of original tracing.

Dekalb District, Gilmer County, W. Va.
 By Philadelphia Oil Co., Clarksburg, W. Va.
 On 308 acres; Glenville N/W 3/2.
 Elevation, 1025' L.
 Surface and minerals owned by Delbert Stalnaker, Hardman, W. Va.
 Drilling commenced June 29, 1926; completed, July 23, 1926.
 Shot Aug. 31, 1926, at 1717'.
 Fresh water at 320 and 660'.
 13" wood conductor, 16'; 10" casing, 131'; 8 $\frac{1}{4}$ ", 698'; 6 $\frac{5}{8}$ ", 1676'.
 Coal was encountered at 609-611'.
 Oil well. Abandonment reported to Dept. of Mines June 14, 1937.
 Record to RCT from Mrs. Griffith April 14, 1938.

	Top.	Bottom.
Clay, red, soft	0	60
Lime, blue, soft	60	150
Red rock, soft	150	180
Sand, yellow, soft	180	220
Red rock, soft	220	230
Slate, white, soft	230	245
Red rock, soft	245	278
Slate, white, soft	278	287?
Lime, dark, hard	287?	294
Sand, white, soft	294	298
Slate, light, soft	298	305
Lime, dark, medium (water, 320')	305	320
Sand, white, soft	320	356
Slate, light, soft	356	385
Red rock, soft	385	435
Lime, blue, medium	435	464
Slate, light, soft	464	480
Red rock, soft	480	535
Sand, blue, hard	535	570
Slate, white, soft	570	590
Lime, dark, hard	590	600
Slate, light, soft	600	609
Coal, black, soft	609	611
Slate, white, soft	611	618
Lime, dark, hard	618	656
Sand, white, soft (water, 660')	656	665
Slate, white, soft	665	675
Slate, dark, soft	675	685
Slate and shell, white, soft and hard	685	712
Slate, white, soft	712	726
Sand, white, medium	726	731
Slate, white, soft	731	741?
Little Dunkard Sand, white, hard	741?	765
Slate, dark, soft	765	797
Lime, blue, hard	797	855
Sand, light, soft	855	870
Slate, light, soft	870	900
Big Dunkard Sand, white, medium	900	945
Slate, white, medium	945	975
Sand, white, hard	975	992
Slate, dark, soft	992	996
Gas Sand, light, hard (gas, 1076-82', 4/10 W. in 1")	996	1116

(OVER)

	Top.	Bottom.
Slate, dark, soft	1116	- 1155
1st Salt Sand, white, soft	1155	- 1232
Slate, dark, soft	1232	- 1270
Lime, dark, hard	1270	- 1285
Slate, dark, soft	1285	- 1330
Lime, dark, hard	1330	- 1355
2nd Salt Sand, light, hard	1355	- 1412
Slate, dark, soft	1412	- 1514
3rd Salt Sand, dark, hard	1514	- 1569
Slate and shells, hard	1569	- 1584
Red rock, soft	1584	- 1595
Lime, dark, hard	1595	- 1621
Red rock, soft	1621	- 1655
Unrecorded	1655	- 1666
Maxton Sand, dark, broken	1666	
Maxton Sand, light, hard		1721
(gas, 1685-95', 18/10 W. in 2")		
(oil, 1704') (oil, 1713-17')		
Lime and slate, dark, soft	1721	- 1724
Total depth		1724

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

196

WELL RECORD

Permit No. 911-109-A

Oil or Gas Well Oil
(Kind)

Company Philadelphia Oil Company.
 Address Clarksburg, West Va.
 Farm Delbert Stalanaker Acres 308
 Location (waters) Glenville N/W. 3/2
 Well No. 7498 Elev. 1025
 District DeKalb County Gilmer
 The surface of tract is owned in fee by Delbert Stalanaker
Hardman, W. Va.
 Address Delbert Stalanaker
 Mineral rights are owned by Hardman, W. Va.
 Address Hardman, W. Va.
 Drilling commenced June 29th, 1926
 Drilling completed July 23rd, 1926
 Date shot 8-31-1926 Depth of shot 1717
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water 320-660 feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16.			Kind of Packer
13. <u>wood</u>	<u>16</u>	<u>16</u>	
10.	<u>151</u>	<u>151</u>	Size of
8 1/4.	<u>698</u>	<u>698</u>	
6 5/8.	<u>1676</u>	<u>1676</u>	Depth set
5 3/16.			
3.			Perf. top
2.			Perf. bottom
Liners Used.			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. FT. _____ Date _____
 COAL WAS ENCOUNTERED AT 609 FEET 24 INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
lay	Red	Soft	0	60			
ime	Blue	"	60	150			
ed Rock	Red	"	150	180			
and	Yellow	"	180	220			
ed Rock	Red	"	220	230			
late	White	"	230	245			
ed Rock	Red	"	245	278			
late	White	"	278	286			
ime	Dark	Hard	287	294			
and	White	Soft	294	298			
late	Light	"	298	305			
ime	Dark	Medium	305	320	Water	320'	
and	White	Soft	320	356			
late	Light	"	356	385			
ed Rock	Red	"	385	435			
ime	Blue	Medium	435	464			
late	Light	Soft	464	480			
ed Rock	Red	"	480	535			
and	Blue	Hard	535	570			
late	White	Soft	570	590			
ime	Dark	Hard	590	600			
late	Light	Soft	600	609			
coal	Black	"	609	611			
late	White	"	611	618			
ime	Dark	Hard	618	656			
and	White	Soft	656	665	Water	660'	
late	"	"	665	675			
late	Dark	"	675	685			
late&Shell	White	Soft&Hard	685	712			
late	"	Soft	712	726			
and	"	Medium	726	731			
late	"	Soft	731	741			
. Dunkard	"	Hard	744	765			
late	Dark	Soft	765	797			
ime	Blue	Hard	797	855			
and	Light	Soft	855	870			
late	"	"	870	900			
ig Dunkard	White	Medium	900	945			
late	"	"	945	975			
and	"	Hard	975	992			
late	Dark	Soft	992	996			

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Gas Sand	Light	Hard	996	1116	Gas	1076-82'	4/10 W 1" 21 mcf
Slate	Dark	Soft	1116	1155			
1st. Salt Sand	White	"	1155	1232			
Slate	Dark	"	1232	1270			
Lime	"	Hard	1270	1285			
Slate	"	Soft	1285	1330			
Lime	"	Hard	1330	1355			
2nd. Salt Sand	Light	"	1355	1412			
Slate	Dark	Soft	1412	1514			
3rd. Salt Sand	"	Hard	1514	1569			
Slate&Shells	"	"	1569	1584			
Red Rock	Red	Soft	1584	1595			
Lime	Dark	Hard	1595	1621			
Red Rock	Red	Soft	1621	1655			
Un-recorded			1655	1666			
Maxon Sand	Dark	Broken	1666		Gas Oil Oil	1685-95' 1704' 1713-17'	18/10 W 2" 179 mcf
"	Light	Hard		1721			
Lime&Slate	Dark	Soft	1721	1724			
Total Depth				1724'			

total 200 mcf

Date June 14th, 1937, 19.

APPROVED Philadelphia Oil Company, Owner

By *F. J. Brighton* (Title)