

Latitude 39 00

1.59 S
2.66 W.

Longitude 80 55'

F. E. Amos
83 3/8^a

Alfred Ellis

East 178P

Alfred Ellis
286 3/4^a

Allie Anderson
40^a

Jno. J. Hardman
20^a

No Coal
Surface: Chas. A. Curry
Tanner, W. Va.

New Location...
Drill Deeper...
Abandonment... X

532-33W 20 Map 25

Company South Penn Natural Gas Co.
 Address Parkersburg, W. Va.
 Farm F. E. Amos
 Tract _____ Acres 84 Lease No. 70697
 Well (Farm) No. 8 Serial No. _____
 Elevation (Spirit Level) 904
 Quadrangle Glenville
 County Gilmer District Dekalb
 Engineer E. C. Tabler
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date 5-26-43 Scale 1" = 400'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. GIL-195-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500. latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing

F. E. AMOS NO. 8 WELL.

DeKalb District, Gilmer County, West Virginia
By South Penn Natural Gas Co., Union Trust Bldg., Parkersburg, West Virginia.

Abandoned under permit Gil-195-A.

On 8 1/2 acres.

Elevation, 904' L.

Drilling commenced Aug. 20, 1929; completed Sept. 13, 1929.

Shot Sept. 17, 1929 with 30 Qt., 1722 1/4 - 1730'; April 13, 1943

with 50 Qt.
Casing 10", 166' (pulled); 8 1/4", 893' (pulled); 6 5/8", 1891'.

Coal was encountered at 780-784'.

Abandonment reported to Dept. of Mines June 30, 1943.

Record to RCT from Mrs. Griffith July 13, 1943. Old File No. 335.

	Top.	Bottom-	
Sand	14	-	25
Slate	25	-	35
Sand	35	-	70
Slate	70	-	90
Red Rock	90	-	150
Slate	150	-	185
Sand	185	-	195
Slate	195	-	205
Lime	205	-	250
Slate & Shells	250	-	335
Lime	335	-	350
Red Rock	350	-	385
Slate	385	-	415
Sand	415	-	445
Slate	445	-	470
Red Rock	470	-	475
Lime	475	-	485
Red Rock	485	-	635
Lime	635	-	670
Slate	670	-	710
Lime	710	-	730
Slate	730	-	735
Lime	735	-	755
Slate	755	-	760
Coal (?)	760	-	764
Slate	764	-	780
Little Dunkard	780	-	830
Slate & Lime	830	-	870
Lime & Sand	870	-	940
Big Dunkard	940	-	1045
Slate	1045	-	1085
Sand	1085	-	1115
Slate	1115	-	1120
Sand	1120	-	1190
Slate	1190	-	1235
Sand	1235	-	1275
Slate	1275	-	1305
First salt Sand	1305	-	1335
Slate & Shells	1335	-	1370
Second Salt Sand	1370	-	1400
Slate & Shells	1400	-	1615

(Probably not considered of commercial value.)

	Top.	Bottom.
String	1615	1625
Boxon Band (Case 1725' 1/100" 1" One. 041 1725'-1730')	1625	1730
Plate 12	1730	1751
Total Depth		1751

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

335

WELL RECORD


Permit No. 195-A Oil or Gas Well OIL
(KIND)

Company South Penn Natural Gas Company
Address Union Trust Bldg. Parkersburg, W. Va.
Farm F. E. Amos Acres 84
Location (waters) Tanners Creek
Well No. 8 Elev. 904.
District DeKalb County Gilmer
The surface of tract is owned in fee by Chas. A. Curry
Address Tanner, W. Va.
Mineral rights are owned by S. Austin Smith et al
Address Clarksburg, W. Va.
Drilling commenced Aug. 20, 1929
Drilling completed Sept. 13, 1929
Date Shot 2-17-29 - 30 of 1722 1/2 - 1730
2-13-25 From 50 qt. 46
With ---
Open Flow 1 /10ths Water in 1" op. Inch
--- /10ths Merc. in --- Inch
Volume --- Cu. Ft.
Rock Pressure --- lbs. --- hrs.
Oil 2 bbls., 1st 24 hrs.
Fresh water --- feet --- feet
Salt water --- feet --- feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16.			Lead Packer
13.			Size of
10.	166' (Pulled)		6-5/8 X 3-1/4" BE
8 1/4.	893' (Pulled)		Depth set
6 5/8.	1391		1377
5 3/16.			Perf. top
3.			Perf. bottom
2.			Perf. top
Liners Used			Perf. bottom
Cond.	14'		

CASING CEMENTED --- SIZE --- No. Ft. --- Date ---
(?) COAL WAS ENCOUNTERED AT 760 FEET 48 INCHES
--- FEET --- INCHES --- FEET --- INCHES
--- FEET --- INCHES --- FEET --- INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			14	25			
Slate			25	35			
Sand			35	70			
Slate			70	90			
Red Rock			90	150			
Slate			150	185			
Sand			185	195			
Slate			195	205			
Lime			205	250			
Slate & Shells			250	335			
Lime			335	350			
Red Rock			350	385			
Slate			385	415			
Sand			415	445			
Slate			445	470			
Red Rock			470	475			
Lime			475	485			
Red Rock			485	635			
Lime			635	670			
Slate			670	710			
Lime			710	730			
Slate			730	735			
Lime			735	755			
Slate			755	760			
Coal (?)			760	764			(Probably not considered of commercial value.)
Slate			764	780			
Little Dunkard			780	830			
Slate & Lime			830	870			
Lime			870	940			
Big Dunkard			940	1045			
Slate			1045	1085			
Sand			1085	1115			
Cont'd.							



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Cont'd.							
Slate			1115	1120			
Sand			1120	1190			
Slate			1190	1235			
Sand			1235	1275			
Slate			1275	1305			
First Salt Sand			1305	1335			
Slate & Shells			1335	1370			
Second Salt Sand			1370	1400			
Slate & Shells			1400	1615			
Stray			1615	1625			
Maxon Sand			1685	1730			
					Gas	1723	1/10W 1" Ope.
					Oil	1725-1730	
Slate			1730	1751			
Total Depth				1751			

Date June 30, 1945., 194

APPROVED SOUTH PENN NATURAL GAS COMPANY, Owner

By Elton E. Young Land Agent.
(Title)