

New Location ☐
Drill Deeper ☐
Abandonment X

Company PITTSBURGH & W. VA. GAS
Address CLARKSBURG, W. VA.
Farm J. E. REASOR ET UX
Tract ____ Acres 102 Lease No. 13061
Well (Farm) No. ONE Serial No. 7370
Elevation (Spirit Level) 904 S.L.
Quadrangle GLENVILLE N.W. 2 3
County GILMER District DEKALB
Engineer ____
Engineer's Registration No. 764
File No. V-131-P Drawing No. ____
Date OCT. 19, 1944 Scale 1" = 500'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

FILE NO. GIL-203-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

HES

Gil 203-A
O.F. 349

J. E. REASER NO. 1 (7370) WELL.

Dekalb District, Gilmer County, W. Va.
By Pittsburgh & W. Va. Gas Co., Clarksburg, W. Va.
Abandoned under permit Gil-203-A.
On 102 acres; Glenville N/W 2-3.
Elevation, 904' L.
Surface owned by Clark Hardman, Tanner, W. Va., and minerals by J. W. and E. P. Davis et al., Glenville, W. Va.
Drilling commenced Dec. 2, 1922; completed Jan. 15, 1923.
10" casing, 125'; 8¼", 805'; 6⅝", 1717'.
Gas well. Abandonment reported to Dept. of Mines Oct. 12, 1944.
Record to RCT from Mrs. Griffith Nov. 17, 1944. Old File No. 349.

	Top.	Bottom.
Mud, red, soft	0 -	10
Red rock, soft	10 -	60
Lime, white, hard (water, 60')	60 -	125
Sand and red rock	125 -	500
Slate shells and red rock	500 -	575
Slate and shells, white, hard and soft	575 -	670
Slate and coal, black, soft (2' coal)	670 -	680
Slate and shell, white, hard and medium	680 -	735
Little Dunkard Sand, soft (water, 735-740')	735 -	740
Slate and red rock	740 -	810
Shells	810 -	815
Slate and shells, hard and soft	815 -	895
Big Dunkard Sand, white, medium	895 -	945
Fire clay, white, soft	945 -	960
Slate and shell, black, medium	960 -	1000
Gas Sand, dark, hard	1000 -	1120
Slate, dark, soft	1120 -	1160
1st Salt Sand, light, hard	1160 -	1185
Slate and shells, dark, medium	1185 -	1275
2nd Salt Sand, white, hard	1275 -	1320
Slate and shells, dark, medium	1320 -	1420
3rd Salt Sand, white, hard and soft	1420 -	1465
Slate, white, soft	1465 -	1480
Slate, black, soft	1480 -	1495
Stray sand, white, hard (show oil, 1498') (gas, 1498')	1495 -	1610
Slate, black, soft	1610 -	1614
Shell, white, hard and close	1614 -	1615
Slate, black, soft	1615 -	1620
Shells, white, hard	1620 -	1621
Slate and shells, black and white, hard and soft	1621 -	1687
Little Lime, black, hard	1687 -	1702
Big Lime, gray, hard	1702 -	1738
Big Injun Sand, dark, hard (gas, 1738-1739') (gas, 1746-1756')	1738 -	1853
Slate and shells	1853 -	1905
Total depth		1905

WG-10

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

349

Permit No. 703-A

Oil or Gas Well GAS (KIND)

Company Pittsburgh & West Va Gas Company.
Address Clarksburg, West Va.,
Farm J. E. Reaser Acres 102
Location (waters) Glenville N/W. 2-3
Well No. 7370 Elev. 904' L
District DeKalb County Gilmer
The surface of tract is owned in fee by Clark Hardman
Address Tanner, W.Va.,
Mineral rights are owned by J.W.&E.P.Davis et al.
Address Glenville, W.Va.,
Drilling commenced December 2, 1922
Drilling completed Jan. 15th, 1923
Date Shot ____ From ____ To ____
With ____
Open Flow ____ /10ths Water in ____ Inch
____ /10ths Merc. in ____ Inch
Volume ____ Cu. Ft.
Rock Pressure ____ lbs. ____ hrs.
Oil ____ bbls., 1st 24 hrs.
Fresh water ____ feet ____ feet
Salt water ____ feet ____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	125'	125'	Size of
8¼	805'	805'	
6⅝	1717'	1717'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED ____ SIZE ____ No. Ft. ____ Date

COAL WAS ENCOUNTERED AT ____ FEET ____ INCHES
____ FEET ____ INCHES ____ FEET ____ INCHES
____ FEET ____ INCHES ____ FEET ____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Mud	Red	Soft	0	10			
Red Rock		"	10	60	Water	60'	
Lime	White	Hard	60	125			
Sand & Red Rock			125	500			
Slate Shell&Red Rock			500	575			
Slate&Shells	White	Hard&Soft	575	670			
Slate & Coal	Black	Soft	670	680			2' Coal.
Slate&Shell	White	Hard & Med.	680	735			
L. Dunkard Sd.		Soft	735	740	Water	735-740'	
Slate&Red Rock			740	810			
Shells			810	815			
Slate & Shells		Hard&Soft	815	895			
Big Dunkard	White	Medium	895	945			
Fire Clay	"	Soft	945	960			
Slate&Shell	Black	Medium	960	1000			
Gas Sand	Dark	Hard	1000	1120			
Slate	"	Soft	1120	1160			
1st.Salt Sand	Light	Hard	1160	1185			
Slate&Shells	Dark	Medium	1185	1275			
2nd.Salt Sand	White	Hard	1275	1320			
Slate&Shells	Dark	Medium	1320	1420			
3rd.Salt Sand	White	Hard&Soft	1420	1465			
Slate	"	Soft	1465	1480			
"	Black	"	1480	1495			
Stray Sand	White	Hard	1495	1610	Sh. Oil	1498'	
Slate	Black	Soft	1610	1614	Gas	1498'	
Shell	White	Hard&Close	1614	1615			
Slate	Black	Soft	1615	1620			
Shells	White	Hard	1620	1621			
Slate&Shells	B&W	Hard&Soft	1621	1687			
Little Lime	Black	Hard	1687	1702			
Big Lime	Gray	Hard	1702	1738			
Big Injun	Dark	"	1738	1853	Gas	1738-1739'	
Slate&Shells			1853	1905	Gas	1746-1756'	
Total Depth				1905			

(Over) NOV 17 1944

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date October 12, 1944, 194__

PITTSBURGH & WEST VA GAS COMPANY.

APPROVED _____, Owner

By W. E. McMasters

(Title)

021- 30203

F210

COMPANY

Record of Well No. 7370 Located on J. E. Reeves Farm Hol 1922

DeKalb District Gilmer County W Va State

Division K District No. 13 Drilled under well Order 1114

Rig built by Jno Craig Began Dec 1922 Completed Dec 1922

Well drilled by N. Hatterfield Began Dec 21 1922 Completed Jan 16 1923

Depth of Well 1814 feet B I Size of Hole 6 5/8 Producing Gas

CASED WITH

AMOUNT	SIZE	KIND	REMARKS
16"	13"	Wood	
125'	10"	Casg	
805'	8 4	"	
1717'	6 5/8	"	BKP 6 5/8 casing reclaimed packer reclaimed
1814'	3	Tubg	6 5/8 x 3 Cup Packer 3" tubing reclaimed

COAL VEINS

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Big Dunkard	795	920				
Big Lime	1702	1738		1735-1739 1746-1766		1st Gas Light (2nd Gas Big Gas) 1910 Mcf
Big Injun	1738					
		1814 Total Depth in Big I.				492 Mcf
Drilled deeper						
Big Injun	1814	1853				
Slate & Shells	1853	1905 T. D.				No Gas well going to be plugged

FIRST PRESSURE TEST IN ..... CASING		REMARKS
30 Sec.	lbs.	No Pressure Taken in Csg
1 Min.	"	
2 "	"	
5 "	"	
10 "	"	
15 "	"	
30 "	"	
Rock Pressure	" in	
Taken	19	
By		

WELL TUBED AND PACKED Jan 16th 1923

VIZ:— 92 pts to 1814' 3" Tubg
6⅞ X 3 Anchor Packer
4 pts 86' of Anchor

FIRST PRESSURE TEST IN 3" TUBING		REMARKS
30 Sec.	15 lbs.	1/16/23 8/10 Mcfd 2"
1 Min.	30 "	
2 "	60 85/120 "	
5 "	140 "	
10 "	200 "	
15 "	365 "	
30 "	400 "	
Rock Pressure	475 " in 24 Hrs	
Taken	Jan 16 1923	
By	H E Will	

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

1 set Rig Timbers from Stock
1 Complete Rig Pattern " "
1 set Rig Irons & Head Work " "

F 220

Well 7370 J.E.Reaser farm. **FORMATIONS** Well No 7370 REASER

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Mud	00	10				
Red Rock	10	60			60	
Lime	60	125				
Sand & Red Rock	125	500				
Slate Shells	500	600				
Slate & Shells	600	670				
Slate & Coal	670	680				
Slate & Shells	680	735				
Little Dunkard	735	740			730	
Slate & Red Rock	740	810				
Shells	810	815				
Slate & Shells	815	845				
Big Dunkard	845	945				
Fire Clay	945	960				
Slate & Shells	960	1000				
Gas Sand	1000	1120				
Slate	1120	1160				
1st Salt Sand	1150	1185				
Slate & Shells	1185	1275				
2nd Salt Sand	1275	1220				
Slate & Shells	1220	1420				
3rd Salt Sand	1420	1465				
Slate	1465	1480				
Slate	1480	1495				
Stray Sand	1495	1610	1498	1498		show.
Slate	1610	1614				
Shells	1614	1615				
Slate	1615	1620				
Shells	1620	1621				
Slate & Shells	1621	1687				
Lime (Little)	1687	1702				
Big Lime	1702	1738				
Big Injun	1738	1795		1738		
Lime	1795	1814	T.D.	1739		
				1746		
				1756		

Drilled deeper by company employees began 10-9-44 to 10-12-44
Commenced drilling at 1814 in Big Injun Sand top of sand 1738

Big Injun		1853				
Slate & Shells	1853	1905				no gas well dry going to plug

Completed Oct. 12, 1944

Clay	1905	[illegible]				Casing Pulled [illegible]
Hard Clay	1705	1723	[illegible]	[illegible]		
Hard Clay	[illegible]	[illegible]	[illegible]			
[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	[illegible]
Cement	1630	1620				
Hard Clay	1620	1617				
	1617	1450				
Hard Clay	1450	[illegible]	[illegible]			
Hard Clay	[illegible]	[illegible]				
Clay	1446	940				
Cement	[illegible]	[illegible]				
Hard Clay	930	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	200					
[illegible]	100	[illegible]				
Clay	195	[illegible]				
Cement	150	[illegible]				
Hard Clay	[illegible]	[illegible]	[illegible]			
Clay	137					