



Company John McIntosh
 Address New Cumberland, W. Va.
 Farm Sarah Slates
 Tract One Acres 12± Lease No.
 Well (Farm) No. 7 Serial No.
 Quadrangle Steubenville
 County Hancock
 District Butler
 Engineer J. H. [unclear]
 Engineer's Registration No. 11-
 File No. Drawing No. Three
 Date May 23, 1940
 Scale 1 inch = 300 Feet

STATE OF WEST VIRGINIA
 Department of Mines
 Oil and Gas Division
 Charleston
 WELL LOCATION MAP
 File No. **HAN-29**

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border lines of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
WELL RECORD

Permit No. Han-29
Steubenville Quad.

Dry Hole

Company	John J. McIntosh
Address	New Cumberland, W. Va.
Farm	Sarah Slates ACRES 12
Location	Kings Creek
Well No.	1 ELEV. -
District	Butler - Hancock County
Surface & Mineral	Sarah Slates, Weirton, W. Va.
Commenced	June 11, 1940
Completed	July 1, 1940
Gas	-
Oil	-
Water	-

CASING & TUBING	
8-1/4	105
6-1/4	630
No Coal	

Clay	dk s	10	30	
Black Slate	bk s	30	80	W 85
Sand	wh s	80	263	
Fire Clay	wh s	263	283	
Slate	bk s	283	404	
Sand	gr h	404	489	
Slate	bk s	489	497	
Sand	wh h	497	625	
Slate	bk s	625	640	
Sand	dk h	640	695	
Slate	dk s	695	1049	
Sand	wh h	1049	1065	
Total Depth			1065	

(Application for plugging has been submitted)

SARAH SLATES NO. 1 WELL.

HAN-29

Butler District, Hancock County, W. Va.
 By John J. McIntosh, New Cumberland, W. Va.
 Drilled under permit Han-29; Steubenville Quadrangle.
 On 12 acres, on Kings Creek.

Elevation.....

Surface and minerals owned by Sarah Slates, Weirton, W. Va.

Drilling commenced June 11, 1940; completed, July 1, 1940.

3/4" casing, 105'; 6 1/4", 630'.

No coal was encountered.

Dry Hole. Record from Smith Nov. 10, 1940.

Application for plugging has been submitted.

	Top.	Bottom.
Clay, dark, soft	10	30
Black slate, soft	30	80
Sand, white, soft (water, 35')	80	263
Fire clay, white, soft	263	283
Slate, black, soft	283	404
Sand, gray, hard	404	489
Slate, black, soft	489	497
Sand, white, hard	497	625
Slate, black, soft	625	640
Sand, dark, hard	640	695
Slate, dark, soft	695	1049
Sand, white, hard, (Berea)	1049	1065
Total depth		1065