





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS WELLS DIVISION 2

Rotary   
Spudder   
Cable Tools   
Storage

Quadrangle Weston  
Permit No. Har-528

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company Petroleum Corporation of America  
Address P. O. Box 26, Bridgeport, W. Va.  
Farm J. H. Lang Acres 265  
Location (waters) \_\_\_\_\_  
Well No. 1001 Elev. 1167  
District Simpson County Harrison  
The surface of tract is owned in fee by Paul Kelley  
Address Bridgeport, W. Va.  
Mineral rights are owned by Paul Kelley  
Address Same  
Drilling commenced 1-30-70  
Drilling completed 2-1-70  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16	20	20	
13			Size of
10			Depth set
8 5/8	420	420	
6 5/8			Perf. top <u>1332</u>
5 3/16			Perf. bottom <u>1340</u>
4 1/2	1500	1500	Perf. top _____
3			Perf. bottom _____
2			
Liners Used			

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 19 MCF Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED (DETAILS) \_\_\_\_\_  
WELL FRACTURED (DETAILS) 910 bbls. water -30,000 # Sand

Attach copy of cementing record.  
CASING CEMENTED 4 1/2 SIZE 11 9/16 No. Ft. 2-2-70 Date  
Amount of cement used (bags) 110  
Name of Service Co. Dowell  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT (Initial open Flow or bbls.) 750,000 C.F.D. 750 MCF/6PD  
ROCK PRESSURE AFTER TREATMENT 280# HOURS \_\_\_\_\_  
Fresh Water \_\_\_\_\_ Feet \_\_\_\_\_ Salt Water \_\_\_\_\_ Feet \_\_\_\_\_  
Producing Sand Keener Sand Depth 1328-1356

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Shale			Surface	96			
Sand			96	112			
Shale			112	248			
Sand			248	280			
Shale			280	300			
Sand			300	320			
Shale (Sandy)			320	362			
Sand			362	380			
Shale (Sandy)			380	448			
Sand			448	506			
Shale			506	542			
Sand			542	580			
Shale			580	634			
Sand			634	712			
Shale			712	748			
Sand			748	804			
Shale			804	825			
Sand			825	850			
Shale			850	934			
Sand			934	952			
Shale			952	1007			
Sand (Shaly)			1007	1140			
Shale			1140	1211			
Lime			1211	1226			Little Lime
Shale - <u>POWE</u>			1226	1250			
Lime			1250	1328			Big Lime
Sand			1328	1356			Kooner
Sand <u>Big Injun</u>			1356	1424			Big Injun

RECEIVED  
MAY 15 1970  
OIL & GAS DIVISION  
DEPT. OF MINES

Formation	Color	Hard or Soft	Top $\pm$	Bottom	Oil, Gas or Water	Depth Found	Remarks
Shale			1424	1500			

Date May 10, 1920  
 APPROVED James H. [Signature], Owner  
 By [Signature]  
 (Title)