

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Jim Justice , Governor Austin Caperton , Cabinet Secretary www.dep.wv.gov

Wednesday, November 15, 2017 WELL WORK PERMIT Horizontal 6A / New Drill

ARSENAL RESOURCES LLC 6031 WALLACE ROAD EXTENSION SUITE 300

WEXFORD, PA 15090

Re: Permit approval for PRITT SOUTH 205

47-033-05904-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: PRITT SOUTH 205 Farm Name: IRA & LAURA PRITT

U.S. WELL NUMBER:47-033-05904-00-00

Horizontal 6A / New Drill

Date Issued: 11/15/2017

Promoting a healthy environment.

API Number: <u>33-05904</u>

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: <u>33-0590</u>4

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

WW-6B (04/15)

PI NO. 47-033		
OPERATOR WELL	NO.	Pritt South 205
Well Pad Name:	Pritt Sc	outh

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operate	or: Arsenal	Resources		494519412	Harrison	Simpson	Brownton
				Operator ID	County	District	Quadrangle
2) Operator's W	Vell Number:	Pritt South	205	Well P	ad Name: Pritt	South	
3) Farm Name/	Surface Own	er: Ira and	Laura P	ritt Public Re	oad Access: Co	ounty Route	17
4) Elevation, cu	rrent ground	1,342.5	0' E	levation, propose	d post-construc	tion: 1,345.	90'
5) Well Type	(a) Gas _ Other	Х	Oil _	Un	derground Stor	age	_
	(b)If Gas	Shallow	X	Deep			
		Horizontal	X				
6) Existing Pad:	Yes or No	No					
				cipated Thickness 100ft, 0.5 psl/ft Base o			el) - 7890.0ft (TVD Toe)
8) Proposed Tot	al Vertical D	epth: 7,87	4 ft				
9) Formation at	Total Vertica	al Depth: N	/arcellu	s shale			
10) Proposed To	otal Measure	d Depth: 1	5,430 ft				
ll) Proposed He	orizontal Leg	Length:	6980.47	ft			
	e Fresh Wate	r Strata Dep	ths:	400 ft			
12) Approximat					Language design to a		
13) Method to D	etermine Fre			Offsetting walls reported water	depths (033-00660, 033-	00950, 033-00960, 03	33-00976, 033-00980, 033-03262
13) Method to E 14) Approximat	Determine Fre e Saltwater I	Depths: 140	00'				
13) Method to E 14) Approximat 15) Approximat	Determine Fre e Saltwater I e Coal Seam	Depths: 140	00' eretown 483', Bru		3', Lower Freeport 703', Upp		
13) Method to E 14) Approximat 15) Approximat	Determine Free Saltwater I e Coal Seam e Depth to Posed well locat	Depths: 140 Depths: Bake Depths: Void	(coal mi	ine, karst, other):	3', Lower Freeport 703', Upp	er Kittanning 778', Middle	
13) Method to D 14) Approximat 15) Approximat 16) Approximat 17) Does Propos lirectly overlying	Determine From Example Coal Seam to Post to Po	Depths: 140 Depths: Bake Dessible Void tion contain t to an active	(coal mi	ine, karst, other):	3', Lower Freeport 703', Upp	er Kittanning 778', Middle	
13) Method to D 14) Approximat 15) Approximat 16) Approximat 17) Does Propos lirectly overlying	Determine From Example Coal Seam to Post to Po	Depths: 140 Depths: Bake Dessible Void tion contain t to an active	(coal mi	ine, karst, other):	3', Lower Freeport 703', Upp	er Kittanning 778', Middle	
13) Method to D 14) Approximat 15) Approximat 16) Approximat 17) Does Propos	Determine From Example Coal Seam to Post to Po	Depths: 140 Depths: Bake Dessible Void tion contain t to an active fo: Name:	(coal mi	ine, karst, other):	3', Lower Freeport 703', Upp	er Kittanning 778', Middle	i3-00976, 033-00980, 033-03262

47.033 3 0 5 9 0 4

OPERATOR WELL NO. Pritt South 205

Well Pad Name: Pritt South

18)

CASING AND TUBING PROGRAM

ТҮРЕ	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	24"	New	H-40	94#	80'	80'	CTS
Fresh Water	13.375"	New	J-55	54.5#	450'	450'	CTS
Coal							
Intermediate	9.625"	New	J-55	40#	1500'	1500'	CTS
Production	5.5"	New	P-110	20#	15,430'	15,430'	TOC @ 1,350'MD
Tubing							
Liners							



TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	24"	36"			0	Type 1, 3% Calcium	1.20
Fresh Water	13.375"	17.5"	0.38"	2730	0	Class A, 3% CaCl2	1.20
Coal					0		
Intermediate	9.625"	12.25"	0.395"	3950psi	0	Class A, 2% CaCl2	1.29
Production	5.5"	8.5-8.75	0.361"	12,640psi	9500	Type 1	1.64/1.32
Tubing					5000		
Liners					N/A		

PACKERS

Kind:		
Sizes:		
Depths Set:		

Office of Oil and Gas

AUG 2 9 2017

WW-6B (10/14) RECEIVED
Office of Oil and Gas

AUG 2 9 2017

API NO. 47-_033 OPERATOR WELL NO. Pritt South 205
Well Pad Name: Pritt South

VA/ Department of Environmental Protection

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

The well will be started with a conductor rig drilling a 36" hole to Conductor programmed depth then running 24" casing and grout cement back to surface. The conductor rig will move out and the drilling rig will move in and rig up. The drilling rig will then spud a 17 ½" hole and drill to fresh water casing (Surface) to the programmed depth, Run 13- 3/8" casing and cement to surface. The rig will continue drilling a 12- ½" intermediate hole to the programmed depth, run 9-5/8" casing and cement to surface. The rig with then continue to drill a 8- ¾" hole to a designed Pilot Hole Depth, log the well, and then set a cement kick-off plug from Pilot hole TD to designed kick-off point. Once the plug has cured, the plan is to then start drilling the curve and lateral section to the programmed total measured depth, run 5 ½" casing and cement according to the program.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The well will be completed using a plug and perforation method and stimulated with a slickwater and sand slurry. The anticipated maximum rate will be 90 bpm and the maximum pressure will be 9,500 psi.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 29.78
- 22) Area to be disturbed for well pad only, less access road (acres): 9.15
- 23) Describe centralizer placement for each casing string:

24"- No centralizers 13 3/8" – one bow spring centralizer on every other joint 9 5/8" – one bow spring centralizer every third joint from TD to surface 5 $\frac{1}{2}$ " – one semi rigid centralizer on every joint from TD of casing to end of curve. Then every other joint to KOP. Every third joint from KOP to 1,400'; there will be no centralizers from 1,400' to surface.


24) Describe all cement additives associated with each cement type:

24" will be grouted from surface. The 13-3/8" casing will be cemented to surface with Class A cement and no greater than 3% CaCl (calcium chloride). The 9-5/8" casing will be cemented to surface with Type 1 cement, & no greater than 3% calcium chloride. The 5-1/2" production string will be cemented back to 1,150' (+/- 200' above the casing shoe for the 9-5/8") with Type 1 or Class A cement retarder (to extend pumpability) cellophane flaked for fluid loss, Bentonite gel as an extender (increased pumpability and fluid loss), a defoaming agent to decrease cement foaming during mixing to insure the cement is of proper weight to placement and possibly a gypsum gas blocking additive to aid in blocking/gas migration (in combination with other additive mentioned here, helps cement achieve a "right-angle" set) during the plastic phase of the cement set-up.

25) Proposed borehole conditioning procedures:

Top holes will be drilled with fresh water to KOP. At KOP, the wellbore will be loaded with synthetic oil based mud, barite-weighted mud system with such properties as to build a filter-cake on the face to the bore-hole. This will provide lubricity as well as stabilizing the well bore. We will begin rotating the drill string and mud will be circulated upon reaching TD until no further cuttings are observed coming across the shaker screens. Once clean mud is circulated back to surface, we will pull three stands of drill pipe, load the hole, pull three stands and load the hole. The weight indicator on the rig will be monitored for any occurrences of drag and if any are notices, we will re-run the previous stand of pipe pulled across and circulate 2X bottoms up while watching the shakers for signs of cuttings. Once at the base of the curve, the string will be continuously rotated while pumping 2X bottoms up. We will pull three stands and fill the hole until we reach the vertical section of the well.

*Note: Attach additional sheets as needed.



RECEIVED Office of Oil and Gas

AUG 2 9 2017

WV Department of Environmental Protection

Office of Chand Cas

W/Description of Environment at Forection

Purpose

The purpose of this pad-specific Hydraulic Fracturing Monitoring Plan is to identify and notify conventional well operators near Arsenal Resources hydraulic fracturing in Harrison County, WV prior to hydraulic fracturing at the following Arsenal Resources wells on the Pritt South 205 Pad.

Due to the apparent presence of unique geological conditions, the potential for communication between deep geologic zones exists in this area. This potential communication, via natural gas, water, or both, may occur between hydraulically fractured wells in the Marcellus formation (approximately 7,900'TVD) and existing conventional natural gas wells in the partially-depleted, relatively high permeability Benson formation (approximately 4,700' TVD).

The plan is being implemented as an additional safety measure to be utilized in conjunction with best management practices and emergency action plans for this site. These additional measures include pre-notification of conventional well operators of the timing and location of the hydraulic fracturing, establishment of measures conventional well operators should implement, and assurance that the Division of Oil and Gas is notified of the timeline, as well as any issues that may arise during fracturing.

1. Communications with Conventional Operators.

Arsenal Resources, using available data (WV Geological Survey, WVDEP Website, and IHS data service), has identified all known conventional wells and well operators within 500 feet of this pad and the lateral sections. A map showing these wells along with a list of the wells and operators is included in Attachment A.

Upon approval of this plan, Arsenal Resources will notify these operators, via letter, of the hydraulic fracturing schedule for these wells. A copy of this letter is included in Attachment B.

The letter provides recommendations to these conventional operators to 1) increase their monitoring of their wells during that time period, 2) ensure that their well head equipment is sound, and 3) provide immediate notification to Arsenal Resources and the OOG in the event of any changes in their well conditions.

Specifically, the letter recommends that conventional well operators conduct the following activities during and after fracturing operations:

- 1. Inspect their surface equipment prior to fracturing to establish integrity and establish prefrac well conditions.
- 2. Observe wells closely during and after fracturing and monitor for abnormal increases in water, gas or pressure.
- Inspect or install master valves rated to 3,000 psi or other necessary equipment for wellhead integrity.
- 4. Notify the OOG and Arsenal Resources if any changes in water, gas production, pressure or other anomalies are identified.



2. Reporting

Arsenal Resources will provide information relating to the hydraulic fracturing schedule, communication with conventional operators, and ongoing monitoring of the work upon request of OOG or immediately after any event of any noted abnormalities.

Office of Oil and Gas

AUG 2 9 2017

WV Department of Environmental Protection



Click or tap to enter a date.

Alliance Petroleum Corporation Address State

RE: Click or tap here to enter text.

Dear Sir/Madam.

Arsenal Resources has developed a Marcellus pad Pritt South 201 Pad, located in Harrison County, WV. As an owner or operator of conventional natural gas wells in this area, we are requesting your assistance in this matter.

Due to the apparent presence of unique geological conditions, the potential for communication between deep geologic zones exists in this area. This potential communication, via natural gas, water, or both, may occur between hydraulically fractured wells in the Marcellus formation (approximately 7,900' TVD) and existing conventional natural gas wells included in the attached well list for which you are believed to be the operator.

ARSENAL RESOURCES anticipates conducting hydraulic fracturing at the Pritt South 201 Pad during the Quarter of 2017. We have identified conventional natural gas wells operated by your company within 500' (lateral distance) of our newly planned wells. Plats for each well on this pad are attached.

We recommend that conventional well operators conduct the following activities before, during and after fracturing operations:

- 1. Inspect surface equipment, prior to fracturing, to establish integrity and establish well conditions.
- Observe wells closely during and after fracturing and monitor for abnormal increases in water, gas, or pressure.
- Inspect or install master valves rated to 3,000 psi or other necessary equipment for wellhead integrity.
- 4. Notify the OOG and ARSENAL RESOURCES if any changes in water, gas production, pressure or other anomalies are identified.

Please feel free to contact me at 724-940-1218 with any questions or comments. You may also contact the WV Office of Oil and Gas at 304-926-0499.

Sincerely.

Kelly Davis Permitting Specialist

	Producing Zones not Perforat	NA	NA	NA	NA	NA			
_ County, WV	Total Depth Perforated Formation(s)	1st Salt Sand, Big Injun, Thirty-Foort, Gordon, Fourth, Fifth	Speechley, Balltown	Lo Kittanning Coal	Lo Kittanning Coal	Benson			
Harrison	Total Depth	3256	4605	968	509	4679			
205 Lateral,	Longitude	-80.411214	-80,397773	-80.178335	-80.177752	-80.177662			
South Pad,	Latitude	39.312249	39.337932	39.23401	39.234759	39.235881			
Area of Review ReportPritt South Pad,205 Lateral,Harrison County, WV	Well Type	Vertical/Existing	Vertical/Unknown	Vertical/Unknown	Plugged 8/20/2008	Vertical/Existing			
Area of Re	Operator Name / Address	Consolidated Gas Company	EQT Production Company	ARP Mountaineer Production, LLC	CDX Gas, LLC	Alliance Petroleum Corporation			
	API Number	033-01483	033-00958-P	033-05077	033-05078	033-03409			
	Well Name	T Ward 7521	Jese T Coffman 3 A-579	Grafton Coal Co 19	Grafton Coal Co 19A	Grafton Coal Co Drainer 5			

RECEIVED Office of Oil and Gas

AUG 2 9 2017

WW Department of Environmental Frotection WW-9 (4/16)

API Number 47 - 033 -

Operator's Well No. Pritt South 205

Office of Ull and Gas

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AUG 2 9 2017

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

	WW	Dan	Sie	VS R.R.	27
-	Will A	11/5			10
Fr	NAME OF		1180	1 11 11	1000

Operator Name Arsenal Resources	OP Code 494519412
Watershed (HUC 10) Beards Run & Pigtail Run	Quadrangle Brownton
Do you anticipate using more than 5,000 bbls of water to comple Will a pit be used? Yes No	lete the proposed well work? Yes V No No
If so, please describe anticipated pit waste: Produced	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? 60 ml
Proposed Disposal Method For Treated Pit Wastes:	5Deu 8/24/2017
Land Application	8/24/2017
 Underground Injection (UIC Permit Reuse (at API Number Various 	Number
Off Site Disposal (Supply form WW Other (Explain	⁷ -9 for disposal location)
Will closed loop system be used? If so, describe: Yes, The closed loop	p system will contain all of the drilling medium and drill cuttings on location to than be taken to a landfill.
Drilling medium anticipated for this well (vertical and horizontal	al)? Air, freshwater, oil based, etc. Vertical Freshwater Horizontal Synthetic of Dased must
-If oil based, what type? Synthetic, petroleum, etcSynthetic	rnthetic
Additives to be used in drilling medium? Bentonite, Soap and Polyme	er sticks, Soda Ash, Sodium Bicarbonate, Defoamer, Base Oil, Emulsifiers, Lime, & Barite
Drill cuttings disposal method? Leave in pit, landfill, removed	
-If left in pit and plan to solidify what medium will be	THE TAKE TO A SHARE THE TAKE T
-Landfill or offsite name/permit number? Advanced Dis	
-Landini of offsite name permit number?	poser our roces, oriosarat varies carrain
	ias of any load of drill cuttings or associated waste rejected at any within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the West Vir provisions of the permit are enforceable by law. Violations of law or regulation can lead to enforcement action. I certify under penalty of law that I have personally application form and all attachments thereto and that, based	conditions of the GENERAL WATER POLLUTION PERMIT issurginia Department of Environmental Protection. I understand that if any term or condition of the general permit and/or other applical examined and am familiar with the information submitted on the don my inquiry of those individuals immediately responsible true, accurate, and complete. I am aware that there are significantly of fine or imprisonment.
Company Official Title Designated Agent	
- VII-	
Subscribed and sworn before me this 25th day of J	Norary Public Official SEAL NOTARY PUBLIC OFFICIAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SE
My commission expires <u>September</u> 18,2	

Operator's Well No. Pritt South 205

Proposed Payagetation Treatme		29.78 - 68 average
Proposed Revegetation Treatme		
	Tons/acre or to corre	ct to pH 0.0-7.5
Fertilizer type 10-20		
Fertilizer amount_500)	lbs/acre
Mulch 2		Tons/acre
		Seed Mixtures
Temp	porary	Permanent
Seed Type	lbs/acre	Seed Type lbs/acre
Annual Rye	40	Swisher Meadow Mix 100
Field Bromegrass	40	
Winter Rye	168	
Winter Wheat	180	
	will be land applied, incarea,	d application (unless engineered plans including this info have been clude dimensions (L x W x D) of the pit, and dimensions (L x W), an
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by:	will be land applied, incarea. d 7.5' topographic sheet.	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed / I	will be land applied, incarea. d 7.5' topographic sheet. mulch all distur	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and dimension
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed / per regulation. Upg	will be land applied, incarea. d 7.5' topographic sheet. mulch all distur	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed / I	will be land applied, incarea. d 7.5' topographic sheet. mulch all distur	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and dimension
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed / per regulation. Upg	will be land applied, incarea. d 7.5' topographic sheet. mulch all distur	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and dimension
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed / per regulation. Upg	will be land applied, incarea. d 7.5' topographic sheet. mulch all distur	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and dimension
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed / per regulation. Upg	will be land applied, incarea. d 7.5' topographic sheet. mulch all distur	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and dimension
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed / per regulation. Upg	will be land applied, incarea. d 7.5' topographic sheet. mulch all distur	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and dimension
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed / per regulation. Upg	will be land applied, incarea. d 7.5' topographic sheet. mulch all distur	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and dimension
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Per regulation. Upg necessary.	will be land applied, incarea. d 7.5' topographic sheet. mulch all disturyrade E&S whe	Plude dimensions (L x W x D) of the pit, and dimensions (L x W), and dimension
Maps(s) of road, location, pit ar provided). If water from the pit acreage, of the land application Photocopied section of involved Plan Approved by: Comments: Pre-seed / per regulation. Upg	will be land applied, incarea. d 7.5' topographic sheet. mulch all disturyrade E&S whe	bed areas as soon as reasonably possible re needed per WV DEP E&S manual, if

Envir 11/17/2017



SITE SAFETY PLAN

Pritt South #205 WELL PAD

911 Address:

3460 Green Valley Road

Bridgeport, WV 26330


50W 8/24/2017


Office of Cil and Gas

AUG 2 9 2017

VAI Department of Environmental Protection

11/17/2017





WW-6A1 (5/13)

Pritt South 205

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or
Number Grantor, Lessor, etc. Grantee, Lessee, etc. Royalty Book/Page

* See Attached

Office of Oil and Gas
AUG 2 9 2017

W/V Department of Environmental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- . U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Arsenal Resources

By: William Veigel

Its: Designated Agent

Page 1 of //

	₩	Attachment to W/W-6A1 Britt South 205			
Letter Designation/Number Designation on Plat	Grantor, Lessor, Assignor, etc.	Grantee, Lessee, Assignee, etc.	Royalty	Book/Page	Acreage
A [Lease 00006622 (WVL03143.000)]	Ira Pritt and Laura E. Pritt, Husband and Wife	Carrizo (Marcellus) LLC	15.00%	1448 / 804 1579/26	92.06
	Carrizo (Marcellus) LLC	ACP II Marcellus LLC and Carrizo (Marcellus) LLC		1460/1083	
	Carrizo (Marcellus) LLC and ACP II Marcellus LLC	PDC Mountaineer, LLC		1518/395	
	PDC Mountaineer, LLC	River Ridge Energy, LLC		59/1263	
B [Lease 00004364 (WVL00561.000)]	O. Carl Morris and Rachel L. Morris, his wife; William T. Morris and Willa R. Morris, his wife; Mary Morris Warder and Willis E. Warder, her	Petroleum Development Corporation	12.50%	1018/107	122
	husband				
	Petroleum Development Corporation	PDC Mountaineer, LLC		1474/612	
	PDC Mountaineer, LLC	River Ridge Energy, LLC		59/1263	
C [Lease 00006674]	Debra A. Mulneix	Mar Key, LLC	15.00%	1561/464	85
C [Lease 00006675]	Phyllis G. Steele	Mar Key, LLC	15.00%	1561/454	85
C [Lease 00006676]	Alice L. Donley	Mar Key, LLC	15.00%	1561/451	85
C [Lease 00006677]	Rebecca Collins Biser, acting in her capacity as Attorney in Fact for James R. Collins, Jr.	Mar Key, LLC	15.00%	1561/490	85
C [Lease 00006697]	Gale M. Steele, widow	Mar Key, LLC	15.00%	1568/76	85
C [Lease 00007736]	Marlene B. Steele, widow, by David E. Bowen and Cheryl L. Bowen, as Attorney-in-Fact	Mar Key, LLC	15.00%	1585/239	85
C [Lease 00007761]	George F. Jack, Jr., single	Mar Key, LLC	15.00%	1598/842	85.1375
C [Lease 00007766]	Charles H. Roberts, widower	Mar Key, LLC	15.00%	1596/493	85.1375
C C [Lease 00007864]	Mike Ross Inc. & Waco Oil and Gas Inc.	Mar Key, LLC	15.00%	1599/315	85.1375
17/	Office of Oil and Gas	ias			

7/2017

D, E [Lease 00003555 (WVL00103.000)]	Lydia Drainer, widow	Union Carbide Corporation	12.50%	853/91	380
	Union Carbide Corporation	Creslenn Oil Company		897/286	
	Creslenn Oil Company	Delta Producing Corporation		925/629	
	Delta Producing Corporation	Petroleum Corporation of America		967/575 977/168	
	Petroleum Corporation of America	Petroleum Development Corporation		977/153	
	Petroleum Development Corporation	PDC Mountaineer, LLC		1440/364	
	PDC Mountaineer, LLC	River Ridge Energy, LLC		59/1263	
F [Lease 00005712 (WVL002221.000)]	John Stewart, Blanche Stewart, Hollie Stewart	Union Drilling, Inc. and Allerton Miller	12.50%	1101/790 (Harrison) 71/432 (Barbour)	100
	Allerton Miller	Union Drilling, Inc.		98/11 (Barbour) 1107/1040 (Harrison) 88/259 (Barbour)	
	Union Drilling, Inc.	Equitable Resources Exploration, Inc.		1189/1209 (Harrison) 325/171 (Barbour)	
	Equitable Resources Exploration, Inc.	Equitable Resources Energy Company		1199/642 (Harrison) 328/171 (Barbour)	
	Equitable Resources Energy Company	Fuel Resources Production and Development, Inc.		116/81 (Barbour)	
	Fuel Resources Production and Development Company, Inc.	The Houston Exploration Company		136/162 (Barbour) 383/187 (Barbour)	
	The Houston Exploration Company	Keyspan Natural Fuel, LLC.		1289/821	
	Keyspan Natural Fuel, LLC.	The Houston Exploration Company		1351/1260 (Harrison)	
	The Houston Exploration Company	Seneca-Upshur Petroleum, Inc.		1367/1084 (Harrison) 404/381 (Barbour) 139/48 (Barbour)	
1	Seneca-Upshur Petroleum, Inc.	Seneca-Upshur Petroleum, LLC		1467/119 (Harrison) 59/1032 (Harrison) 447/129 (Barbour) 16/637 (Barbour)	
1/	C 11 C 1				

PECENTED Office of On and Ga

Vol. Deregraphen of

1/17/2017

West Virginia Secretary of State — Online Data Services

Business and Licensing

Online Data Services Help

Business Organization Detail

NOTICE: The West Virginia Secretary of State's Office makes every reasonable effort to ensure the accuracy of information. However, we make no representation or warranty as to the correctness or completeness of the information. If information is missing from this page, it is not in the The West Virginia Secretary of State's database.

MAR KEY LLC

Organization Information								
Org Type	Effective Date	Established Date	Filing Date	Charter	Class	Sec Type	Termination Date	Termination Reason
LLC Limited Liability Company	7/11/2011		7/11/2011	Domestic	Profit			

Business Purpose	2111 - Mining, Quarrying, Oil & Gas Extraction - Oil and Gas Extraction - Crude Oil and Natural Gas Extraction	Capital Stock		
Charter County		Control Number	99Q1F	
Charter State	w	Excess Acres		ED End Gas
At Will Term	Α	Member Managed	MBR	Reserved to a contract of the
At Will Term Years		Par Value		0

Authorized	
Shares	
Silares	

Addresses	•	
Туре	Address	
Designated Office Address	65 PROFESSIONAL PLACE SUITE 200 BRIDGEPORT, WV, 26330	
Mailing Address	6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090 USA	
Notice of Process Address	CORPORATION SERVICE COMPANY 209 WEST WASHINGTON STREET CHARLESTON, WV, 25302	
Principal Office Address	6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090 USA	
/pe	Address	

Officers					
Туре	Name/Address				
Member	MOUNTAINEER KEYSTONE ENERGY LLC 6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090				
Organizer	PAUL M HERZING 560 EPSILON DR. PITTSBURGH, PA, 15238 USA	ਵਿਹ ਜ਼ਮੂਰ ਉਡ ਤ			
уре	Name/Address				

Annual Reports

Date filed

and Constraint of

Date filed	
5/8/2012	
6/28/2013	
4/28/2014	
6/30/2015	
6/20/2016	

For more information, please contact the Secretary of State's Office at 304-558-8000.

Thursday, February 23, 2017 — 9:08 AM

© 2017 State of West Virginia

Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Arsenal Resources LLC, a West Virginia limited liability company ("Arsenal"), River Ridge Energy, LLC, a Delaware limited liability company ("River Ridge"), and River Ridge Energy, Holdings, LLC, a Delaware limited liability company ("River Ridge Holdings"), is effective as of March 1, 2017. (the "Effective Date") and sets forth the terms pursuant to which Arsenal will drill, complete and operate the Wells (as defined below) on behalf of River Ridge and River Ridge Holdings. Arsenal, River Ridge, and River Ridge Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Arsenal on the one hand or River Ridge and River Ridge Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- 2. Authorization to Operate: River Ridge and River Holdings authorize Arsenal to undertake and perform, on River Ridge and River Ridge Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by River Ridge or River Ridge Holdings. River Ridge, River Ridge Holdings and Arsenal are affiliates with a common parent. Arsenal was formed to operate oil and gas leasehold acreage held by River Ridge, River Ridge Holdings and certain other affiliates. Arsenal agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by River Ridge or River Ridge Holdings from time to time as directed by River Ridge or River Ridge Holdings (collectively, the "Wells").
- 3. No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]



IN WITNESS WHEREOF, Arsenal, River Ridge, and River Ridge Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

ARSENAL RESOURCES LLC

Name: Joel E. Symonds

Title: Vice President - Land

RIVER RIDGE ENERGY, LLC

Name: Joel E. Symonds

Title: Vice President - Land

RIVER RIDGE HOLDINGS, LLC

Name: Joel E. Symonds

Title: Vice President - Land

Office of Office Cas

AUG 2.9 2017

V.V. Der artmost of Environment of the Cast of the Cas

Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Mountaineer Keystone LLC, a West Virginia limited liability company ("Mountaineer Keystone"), PDC Mountaineer, LLC, a Delaware limited liability company ("PDC"), and PDC Mountaineer Holdings, LLC, a Delaware limited liability company ("PDC Holdings"), is effective as of October 15, 2014. (the "Effective Date") and sets forth the terms pursuant to which Mountaineer Keystone will drill, complete and operate the Wells (as defined below) on behalf of PDC and PDC Holdings. Mountaineer Keystone, PDC, and PDC Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

- 1. Term: This Agreement is effective from the Effective Date until terminated by Mountaineer Keystone on the one hand or PDC and PDC Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
- 2. Authorization to Operate: PDC and PDC Holdings authorize Mountaineer Keystone to undertake and perform, on PDC and PDC Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by PDC or PDC Holdings. PDC, PDC Holdings and Mountaineer Keystone are affiliates with a common parent. Mountaineer Keystone was formed to operate oil and gas leasehold acreage held by PDC, PDC Holdings and certain other affiliates. Mountaineer Keystone agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold (collectively, the "Wells").
- 3. No Third Party Beneficiary: This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
- 4. Counterparts: This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]

RECEIVED
Office of Oil and Gas

AUG 2 9 2017

V// Denortment of Environmental Frotection IN WITNESS WHEREOF, Mountaineer Kcystone, PDC, and PDC Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

MOUNTAINEER KEYSTONE LLC

Name: 26-1 Keel

Title: CEO

PDC MOUNTAINEER, LLC

Name ZLL K. /

Title: Caro

PDC MOUNTAINEER HOLDINGS, LLC

Name: Rhy Kal

Title: Co

RECEIVED
Office of Oil and Gas

AUG 2 9 2017

VA/ Department of Environmental Francision



I, Natalie E. Tennant, Secretary of State of the State of West Virginia, hereby certify that

an original or certified copy of an original of the Articles of Amendment to the Articles of Organization of

SENECA-UPSHUR PETROLEUM, LLC

is filed in my office, signed and verified, as required by the provisions of West Virginia Code §31B-2-204 and conforms to law.

Therefore, I issue this

CERTIFICATE OF AMENDMENT TO THE ARTICLES OF ORGANIZATION



Given under my hand and the Great Seal of the State of West Virginia on this day of June 15, 2016

atelil & Yem

Secretary of State

FILED 1

Natalie E. Tennant Secretary of State 1900 Kanawha Blvd E Bldg 1, Suite 157-K Charleston, WV 25305



JUN 1 5 2016 Penney Barker, Manager
Corporations Division
Tel: (304)558-8000
SECRETARY OF STATE Fax: (304)558-8381

Website: www.wysos.com E-mail: business@wysos.com

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEE: \$25.00

WEST VIRGINIA ARTICLES OF AMENDMENT TO ARTICLES OF ORGANIZATION

Office Hrs: Monday - Friday 8:30 a.m. - 5:00 p.m. ET

	adopts the following Article	s of Amendment to its Articles of Organization:					
1.	The name of the organization is:	Seneca-Upshur Petroleum, LLC					
2.	Date of filing original Articles of Organization with the WV Secretary of State:	2/12/1973					
3.	Change of Name Information or Text	of Amendment:					
	Change of Name From:						
	То:						
	Other amendment(s) (attach additional Paragraph 9 of the Articles of Organization sh						
	Paragraph 9 of the Articles of Organization shall be amended to indicate the Company is "member-managed". The sole managing member is PDC Mountaineer, LLC, 6024 Mountaineer.						
	The sole managing member is PDC Mountain	eer LLC 6031 Wallace Boad Extension Bull and					
	The sole managing member is PDC Mountain Wexford, PA 15090.	eer, LLC, 6031 Wallace Road Extension, Suite 300,					
	Wexford, PA 15090. Contact name and number of person to	eer, LLC, 6031 Wallace Road Extension, Suite 300, reach in case of a problem with filing: (Optional, however, ejection of filing if there is a problem with the document.)					
	Wexford, PA 15090. Contact name and number of person to listing one may help to avoid a return or return or return. Name: Annmarie O'Connor	eer, LLC, 6031 Wallace Road Extension, Suite 300, reach in case of a problem with filing: (Optional, however, ejection of filing if there is a problem with the document.) Phone: (724) 940-1130					
	Wexford, PA 15090. Contact name and number of person to listing one may help to avoid a return or re	eer, LLC, 6031 Wallace Road Extension, Suite 300, reach in case of a problem with filing: (Optional, however, ejection of filing if there is a problem with the document.) Phone: (724) 940-1130					
	Wexford, PA 15090. Contact name and number of person to listing one may help to avoid a return or rename: Annmarie O'Connor Business e-mail address, if any: acconnor@	eer, LLC, 6031 Wallace Road Extension, Suite 300, reach in case of a problem with filing: (Optional, however, ejection of filing if there is a problem with the document.) Phone: (724) 940-1130					

*Important Legal Notice Regarding Signature: Per West Virginia Code §31B-2-209. Liability for false statement in filed record. If a record authorized or required to be filed under this chapter contains a false statement, one who suffers loss by reliance on the statement may recover damages for the loss from a person who signed the record or caused another to sign it on the person's behalf and knew the statement to be false at the time the record was signed.

Important Note: This form is a public document. Please do NOT provide any personal identifiable information on this form such as social security number, bank account numbers, credit card numbers, tax identification or driver's license numbers.



I, Natalie E. Tennant, Secretary of State of the State of West Virginia, hereby certify that

the attached true and exact copy of the Articles of Amendment to the Articles of Organization of

PDC MOUNTAINEER, LLC

are filed in my office, signed and verified, as required by the provisions of West Virginia Code §31B-2-204 and conform to law. Therefore, I issue this

CERTIFICATE OF AMENDMENT TO THE CERTIFICATE OF AUTHORITY

changing the name of the limited liability company to

RIVER RIDGE ENERGY, LLC



Given under my hand and the Great Seal of the State of West Virginia on this day of January 12, 2017

Wateril Eyennen

Secretary of State



FILED

JAN 12 2017

Natalic E. Tennant
Scoretary of State
1900 Kenawha Bivd EIN THE OFFICE OF
1900 Kenawha Bivd EIN THE OFFICE OF
Bldg I, Suite 157-KSECRETARY OF STATE
Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a filed stamped copy returned to you) FEE: \$25.00

WV APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY OF A LIMITED LIABILITY COMPANY Penney Barker, Manager Corporations Division Tel: (304)558-8000 Fax: (304)558-8381 Website: www.wvsos.com E-mail: husiness@wvsos.com

Office Hrs: Monday - Friday 8:30 a.m. - 5:00 p.m. ET

**** In accordance with the provisions of the WV Code, the undersigned limited liability company **** hereby applies for an Amended Certificate of Authority and submits the following statement:

		rais of Macharity	the submits the foll	owing statement:
1.	Name under which the limited liability company was authorized to transact business in WV:	PDC Mountaineer	LLC	
	Date Certificate of Authority was issued in West \	/irginia:	11/03/2009	
	Change of Name Information or Text of Amen Conv of the Name Change as filed in the home State			
	Change of Name From: PDC Mountaineer, LLC		arrism.)	
Т	To: River Ridge Energy, LLC			
	Name the organization elects to use in WV: (Due to home State name not being available)	Ridge Energy, LLC		
	Other amendment (Attach additional pages if necess	ary.);		
	Contact information (ct.)			N
	Contact information. (This is optional, however, if a number may avoid having to return or reject the document	here is a problem w nt.)	ith the filing, listing	a contact person and phone
	Om Pandya		(713) 546-7519	
	Contact Name		Phone Number	
	Business e-mail address: om.pandya@lw.com			
	5. Signature information (See below * Important	Legal Notice Reg	urding Signature)	:
	Print Name of Signer: Nathan P. Murphy			Sr. VP & General Counsel
	Signature:		Date: 1-10	1106
1	Important Legal Notice Regarding Stenature: Per West Viscord authorized or required to be filed under this chapter can recover damages for the loss from a person who signed the record o be fulse at the time the record was signed.	rginia Code <u>\$31B-2-</u> tains a false statement ord or caused another	209. Liability for fals, one who suffers loss to sign it on the perso	te statement in filed record. If a by reliance on the statement may n's behalf and knew the statemen
1	mportant Note: This form is a public document. Please DO ocial security number, bank account numbers, credit card numbers.	NOT provide any popers, tax identification	ersonal identifiable in or driver's license nun	formation on this form such as
				TO THE SAME
	Inn. 1117.4	Office of the Secretary of Sis		Revised (1/14

WV033 - 12/42/2014 Wolten Klawer Online

RECEIVED

JAN 12 2017

Delaware

Page 1

I, JEFFREY W. BULLOCK, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "PDC MOUNTAINEER, LLC", CHANGING ITS NAME FROM "PDC MOUNTAINEER, LLC" TO "RIVER RIDGE ENERGY, LLC", FILED IN THIS OFFICE ON THE FIRST DAY OF DECEMBER, A.D. 2016, AT 1:35 O'CLOCK P.M.

4746099 8100 SR# 20166862234

You may verify this certificate online at corp.delaware.gov/authver.shtml



Authentication: 203430497

Date: 12-01-16

State of Delaware
Secretary of State
Division of Corporations
Delivered 01:35 PM 12/01/2016
FILED 01:35 PM 12/01/2016
SR 20166862234 - File Number 4746092

CERTIFICATE OF AMENDMENT

TO

CERTIFICATE OF FORMATION

OF

PDC MOUNTAINEER, LLC

THIS Certificate of Amendment to Certificate of Formation of PDC Mountaineer, LLC, a Delaware limited liability company (the "Company"), dated as of November 30, 2016, has been duly executed and is being filed by the undersigned, as an authorized person of the Company, in accordance with the provisions of 6 Del. C. §§ 18-202 and 18-204, to amend the original Certificate of Formation of the Company, which was filed in the office of the Secretary of State of the State of Delaware on October 26, 2009 (the "Certificate").

FIRST. The name of the limited liability company is PDC Mountaineer, LLC.

SECOND. Article 1 of the Certificate is hereby deleted in its entirety and amended to read in full as follows:

"1. The name of the limited liability company is River Ridge Energy, LLC."

IN WITNESS WHEREOF, the undersigned has duly executed this Certificate of Amendment to Certificate of Formation as of the date first-above written.

Name: David M, Wood

Title: Chief Executive Officer



People Powered. Asset Strong.

May 18, 2017

Mr. James Martin, Chief of Oil and Gas West Virginia Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

RE: Ownership of Roadways; Pritt South Pad

Mr. Martin:

In preparation of filing a permit application for the above referenced well, the Title Department of Arsenal Resources has conducted a thorough title examination in order to determine the ownership of the oil and gas underlying all roadways crossed by the proposed wells. The findings of the title examinations show that the roadways crossed by the proposed wells are right of ways, with the oil and gas being owned and covered by the leaseholds identified on the plat for the proposed wells.

If you have any questions, concerns or need further information, please do not hesitate to contact me at the address listed below.

Sincerely.

Coty Brandon

Senior Title Attorney

Office of Oil and Gas

AUG 2 9 2017

VVV Department of Environmental Frotection

6031 Wellace Road Ext, Suite 300 Wexford, PA 15090 P: 724-940-1100 F: 800-428-0981 www.arsenairesources.com

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	ce Certification: 8-25-17	API No. 47-	- 033 -	
2,111,111,111,111	3 13 1		Well No. Pritt S	South 205
			ame: Pritt Sou	
Notice has I	oeen given:			
		§ 22-6A, the Operator has provided the requ	uired parties w	ith the Notice Forms listed
below for the	tract of land as follows:			
State:	West Virginia	UTM NAD 83 Easting:	570,147.5	
County: Harrison District: Simpson Quadrangle: Brownton Watershed: Beards Run & Pigtail Run		Northing:	4,344,369.4	
		Public Road Access:	County Route 17	
		Generally used farm name:	Ira Pritt	
of giving the requirements Virginia Code of this article	surface owner notice of entry to soft subsection (b), section sixteen a § 22-6A-11(b), the applicant shall have been completed by the applications.		en of this artic he surface ow that the notice	cle six-a; or (iii) the notice oner; and Pursuant to West
	West Virginia Code § 22-6A, the Crator has properly served the requi	perator has attached proof to this Notice Ce red parties with the following:	ertification	
*PLEASE CHI	ECK ALL THAT APPLY			OOG OFFICE USE ONLY
☐ 1. NO	FICE OF SEISMIC ACTIVITY of	NOTICE NOT REQUIRED BECAU SEISMIC ACTIVITY WAS CONDUCT		RECEIVED/ NOT REQUIRED
☐ 2. NO	TICE OF ENTRY FOR PLAT SUR	VEY or NO PLAT SURVEY WAS CO	NDUCTED	☐ RECEIVED
■ 3. NO	TICE OF INTENT TO DRILL OF	☐ NOTICE NOT REQUIRED BECAU NOTICE OF ENTRY FOR PLAT SURV WAS CONDUCTED or		RECEIVED/ NOT REQUIRED
		☐ WRITTEN WAIVER BY SURFAC	E OWNER	
■ 4. NO	TICE OF PLANNED OPERATION			RECEIVED
■ 5. PUE	BLIC NOTICE	Office of Official Gas		RECEIVED
■ 6. NO	TICE OF APPLICATION	AUG 2 9 2017		RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Environmental in considera

By:

Certification of Notice is hereby given:

THEREFORE, I William Veigel, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Arsenal Resources

William Veigel

Its: Designated Agent

Telephone: 724-940-1218 Address: 6031 Wallace Road Extension, Suite 300

Wexford, PA 15090

Facsimile: 304-848-9134

Email: keddy@arsenalresources.com

NOTARYOFURIROY SEEMIAL SEAL STATE OF WEST VIRGINIA KELLY A. EDDY RT 2 BOX 225A JANE LEW, WV 26378

MY COMMISSION EXPIRES SEPT. 18, 2018

Subscribed and sworn before me this 25th day of August 2017

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office of Oil and Gas

AUG 2 9 2017

V/V Department of Environmental Frederion WW-6A (9-13) API NO. 47- 033 OPERATOR WELL NO. Pritt South 205
Well Pad Name: Pritt South

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later th	an the filing date of permit application.
Date of Notice: 8-25-1 Date Permit Application Filed: 8	-78-17
	29
Notice of:	
☑ PERMIT FOR ANY ☑ CERTIFICATE OF AP	PROVAL FOR THE
들다 보고 있는 경기가 있다. '' 경기가 있다. '' 보고 있는 사람들은 보고 있다. 그런 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은	AN IMPOUNDMENT OR PIT
WELL WORK CONSTRUCTION OF	AN IMI OUNDMENT OR TH
Delivery method pursuant to West Virginia Code § 22-6A-1	0(b)
☐ PERSONAL ☐ REGISTERED ☑ METH	HOD OF DELIVERY THAT REQUIRES A
SERVICE MAIL RECE	EIPT OR SIGNATURE CONFIRMATION
the surface of the tract on which the well is or is proposed to be loc oil and gas leasehold being developed by the proposed well work, it described in the crosion and sediment control plan submitted pursu operator or lessee, in the event the tract of land on which the well p more coal seams; (4) The owners of record of the surface tract or tr well work, if the surface tract is to be used for the placement, const impoundment or pit as described in section nine of this article; (5) have a water well, spring or water supply source located within one provide water for consumption by humans or domestic animals; an proposed well work activity is to take place. (c)(1) If more than thresubsection (b) of this section hold interests in the lands, the applica- records of the sheriff required to be maintained pursuant to section provision of this article to the contrary, notice to a lien holder is no	ant may serve the documents required upon the person described in the eight, article one, chapter eleven-a of this code. (2) Notwithstanding any at notice to a landowner, unless the lien holder is the landowner. W. Va. provide the Well Site Safety Plan ("WSSP") to the surface owner and any
☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice	e Well Plat Notice is hereby provided to:
SURFACE OWNER(s)	COAL OWNER OR LESSEE
Name: Ira H. Pritt & Laura E. Pritt	Name: See Attached List
Address: 3444 Green Valley Road Bridgeport, WV 26330	Address:
Name:	COAL OPERATOR
Address:	Name:
	Address:
SURFACE OWNER(s) (Road and/or Other Disturbance)	
Name: See Altached List	☑ SURFACE OWNER OF WATER WELL
Address:	AND/OR WATER PURVEYOR(s)
	Name: See Attached List
Name:	Address:
Address:	TORER LTOR OF ANNALTHER IS CLOSTOR LOS PIPE
- CLIDEA CE OWNERA (I	OPERATOR OF ANY NATURAL GAS STORAGE FIELD
☑ SURFACE OWNER(s) (Impoundments or Pits) Name: Oran Lee Warder	Name:
Address: 2381 Silverado Drive	Address:
Address: 2331 Silverado Drive Weatherford, TX 76087	*Please attach additional forms if necessary
Treatments IN 19901	Trease attach additional forms if ficcessary

Office of Oil and Gas



AUG 2.9 2017

API NO. 47- 033

OPERATOR WELL NO, Pritt South 205

Well Pad Name: Pritt South

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

AUG 2 9 2017

API NO. 47-033 OPERATOR WELL NO. Pritt South 205

WAY Department of Environment of Well Pad Name: Pritt South examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

API NO. 47- 033 -

OPERATOR WELL NO. Pritt South 205

Well Pad Name: Pritt South

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Office of Oil and Gas

AUG 2 9 2017

WAY Deportment of Environmental Frolection

API NO. 47-033

OPERATOR WELL NO. Pritt South 205

Well Pad Name: Pritt South

Notice is hereby given by:

Well Operator: Arsenal Resources

Email: keddy@arsenalresources.com

Telephone: 724-940-1218

Address: 6031 Wallace Road Extension, Suite 300

Wexford, PA 15090

Facsimile: 304-848-9134

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> NOTARY PUBLIC OFFICIAL SEAL STATE OF WEST VIRGINIA KELLY A. EDDY RT 2 BOX 225A JANE LEW, WV 26378 MY COMMISSION EXPIRES SEPT. 18, 2018

Subscribed and sworn before me this 25th day of August 2017

My Commission Expires September 18, 2018

RECEIVED Office of Oil and Gas

AUG 2 9 2017

W/ Department of Environmental Protection

Arsenal Resources Pritt South Well Pad WW-6A Notice of Application (Attachment)

Surface Owner(s) by (Road and/or Other Disturbance):

Ira H. Pritt & Laura E. Pritt (Drill Site & Access Road) 3444 Green Valley Road Bridgeport, WV 26330

Della R. Riffle (Access Road) 11 Crim Lane Bridgeport, WV 26330

Julia Crim (Access Road) 75 Crim Lane Bridgeport, WV 26330

Sandy Crim (Access Road) 75 Crim Lane Bridgeport, WV 26330

Coal Owner, Operator or Lessee:

Heirs of Virginia A. Tetrick Estate d/b/a, Tetrick Mineral Properties, J.V. 92 16th Street Wheeling, WV 26003

I.L. Morris P.O. Box 397 Glenville, WV 26351

Edith Gans Burns 264 South Lake Road Columbia, SC 29223 RECEIVED
Office of Oil and Gas

AUG 2 9 2017

VM Department of Environmental Freedition

Coal Owner, Operator or Lessee, continued:

Rebecca Turner, William & Robert Snyder Title Building, Suite 400 110 Saint Paul Street Baltimore, MD 21202

Mike Ross, Inc. P.O. Box 219 Coalton, WV 26257

Spartan Exploration Company P.O. Box 316 Mt. Pleasant, MI 48858

Ryan C. Radtka 205 Mystic Drive Morgantown, WV 26508

Helen M. Burton P.O. Box 8179 Nutter Fort, WV 26301

CoalQuest Development, LLC 100 Tygart Drive Grafton, WV 26354

Water Purveyors:

Kevin McNemar 1048 Indiana Ave. Stonewood, WV 26301

Lucas Johnson etal C/O Thomas Johnson RR 4 Box 560 Bridgeport, WV 26330

Ira & Laura Pritt 3444 Green Valley Road Bridgeport, WV 26330 RECEIMED
Office of Oil and Gas

AUG 2 9 2017

VA/ Department of Environmental Frotection

Water Purveyors, continued:

Oran Warder etal 2381 Silverado Drive Weatherford, TX 76087

Renee Johnson 511 Beards Run Road Bridgeport, WV 26330

Ronald & Jody Crim 2825 Green Valley Road Bridgeport, WV 26330

Julia Crim
75 Crim Lane

Bridgeport, WV 26330

Sandy Crim
75 Crim Lane
Bridgeport, WV 26330

Della R. Riffle 11 Crim Lane Bridgeport, WV 26330

Ecosystem Investment
Partners III, LLC
2002 Clipper Park Road, Suite 201
Baltimore, MD 21211


John & Cynthia Snider 95 Beards Run Road Bridgeport, WV 26330

Joyce Bailey etal PO Box 4 Rosemont, WV 26424

Joshua Thompson 143 Beards Run Road Bridgeport, WV 26330 REOFIMED
Office of Oil and Gas

AUG 2 9 2017

VM Department of Environmental Frotection





Possible Water Purveyors within 1500' of Pritt South Pad

351-1

Kevin McNemar 3658 Green Valley Road Bridgeport, WV 26330-6884

351-1.1

Lucas Johnson etal C/O Debra Ann Goodwin 104 Rose Ave. Clarksburg, WV 26301

351-2

Ira & Laura Pritt 3444 Green Valley Road Bridgeport, WV 26330

351-3

Ira & Laura Pritt 3444 Green Valley Road Bridgeport, WV 26330

351-4

Ira & Laura Pritt 3444 Green Valley Road Bridgeport, WV 26330

351-5

Ira & Laura Pritt 3444 Green Valley Road Bridgeport, WV 26330

351-7

Oran Warder etal 2381 Silverado Drive Weatherford, TX 76087

351-8

Oran Warder etal 2381 Silverado Drive Weatherford, TX 76087

351-9

Renee Johnson 511 Beards Run Road Bridgeport, WV 26330

351-10

Renee Johnson 511 Beards Run Road Bridgeport, WV 26330

351-15

Ronald & Jody Crim 2825 Green Valley Rd. Bridgeport, WV 26330 RECEIVED Office of Oil and Gas

AUG 2 9 2017

WV Department of Environmental Frotection





351-15.3

Julia Crim 75 Crim Lane Bridgeport, WV 26330

351-15.4

Julia Crim 75 Crim Lane Bridgeport, WV 26330

351-15.5

Sandy Crim 75 Crim Lane Bridgeport, WV 26330

351-15.8

Julia Crim 75 Crim Lane Bridgeport, WV 26330

351-15.9

Della R. Riffle 11 Crim Lane Bridgeport, WV 26330

351-21

Ecosystem Investment
Partners III, LLC
2002 Clipper Park Road, Suite 201
Baltimore, MD 21211

351-22

Ecosystem Investment
Partners III, LLC
2002 Clipper Park Road, Suite 201
Baltimore, MD 21211

351-23

Ecosystem Investment
Partners III, LLC
2002 Clipper Park Road, Suite 201
Baltimore, MD 21211

351-33

John & Cynthia Snider 95 Beards Run Road Bridgeport, WV 26330

<u>351-34</u>

Wilma Suter C/O Joyce E. Bailey etal P.O. Box 4 Rosemont, WV 26424 Office of Oil at 17768

AUG 2 9 2017

Environmental letter





331-24.1 Joshua Thompson 143 Beards Run Road Bridgeport, WV 26330

RECEIVED Office of Oil and Gas

AUG 2 9 2017

WV Department of Environmental Protection



WW-6A4 (1/12)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

	hod pursuant to West Virginia Code § 2		Office of Dilland Gas
☐ HAND DELIVE	Landania and Simila come &	22-6A-16(b)	AUG 2 9 2017
	CERTIFIED MAIL RY RETURN RECEIPT REC	QUESTED	UV Decastment of Environmental Engisetic
receipt reques drilling a hori of this subsect subsection matand if availab	ted or hand delivery, give the surface own zontal well: <i>Provided</i> , That notice given tion as of the date the notice was provided by be waived in writing by the surface own e, facsimile number and electronic mail a reby provided to the SURFACE OW	ner notice of its intent to enter upon the pursuant to subsection (a), section tell to the surface owner: <i>Provided, hower</i> . The notice, if required, shall includdress of the operator and the operator with the pursuant of	an operator shall, by certified mail return the surface owner's land for the purpose of the of this article satisfies the requirements bever. That the notice requirements of this ude the name, address, telephone number, or's authorized representative.
Name: Ira H. Pri	It & Laura E. Pritt Green Valley Road	Name:	
Bridgeport, WV 26		Address:	
State: County: District: Quadrangle:	West Virginia Harrison Simpson Brownton	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:	570,147.5 4,344,369.4 County Route 17
Watershed:	Beards Run & Pigtail Run	Generally used farm hame.	301111
This Notice	Shall Include: Vest Virginia Code § 22-6A-16(b), this		ess telephone number and if available
facsimile nun related to hor		Secretary, at the WV Department o	ed representative. Additional information f Environmental Protection headquarters,
facsimile num related to hor located at 601 Notice is her	izontal drilling may be obtained from the 57 th Street, SE, Charleston, WV 25304 (3 reby given by:	e Secretary, at the WV Department of 304-926-0450) or by visiting www.de	ed representative. Additional information f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx.
facsimile num related to hor located at 601 Notice is her	izontal drilling may be obtained from the 57 th Street, SE, Charleston, WV 25304 (Creby given by: Arsenal Resources	Secretary, at the WV Department o	ed representative. Additional information f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx. William Veigel
facsimile nun related to hor located at 601 Notice is her Well Operator Address:	izontal drilling may be obtained from the 57th Street, SE, Charleston, WV 25304 (2 reby given by: Arsenal Resources 6031 Wallace Road Extension, Suite 300	Secretary, at the WV Department of 304-926-0450) or by visiting www.de	ed representative. Additional information f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx.
facsimile nun related to hor located at 601 Notice is her Well Operator	izontal drilling may be obtained from the 57th Street, SE, Charleston, WV 25304 (2 reby given by: Arsenal Resources 6031 Wallace Road Extension, Suite 300	Authorized Representative: Address:	ed representative. Additional information f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx. William Veigel
facsimile nun related to hor located at 601 Notice is her Well Operator Address: Wexford, PA 1509	izontal drilling may be obtained from the 57th Street, SE, Charleston, WV 25304 (2 ceby given by:	Authorized Representative: Address: Bridgeport, WV 26330	ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx. William Veigel 65 Professional Place, Suite 200

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

WW-6A5 (1/12)

Operator Well No. Pritt South 205

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Delivery n	ethod pursuant to West Virginia C	ode § 22-6A-16(c)	
■ CER	TIFIED MAIL	☐ HAND	
	URN RECEIPT REQUESTED	DELIVERY	
return receithe planned required to drilling of damages to (d) The not of notice. Notice is h (at the addrilling receipts to the desired receipts to the desired receipts to the desired receipts to the planned receipts to	pt requested or hand delivery, give the loperation. The notice required by the provided by subsection (b), section a horizontal well; and (3) A propose the surface affected by oil and gas op	the surface owner whose land this subsection shall include the ten of this article to a surface d surface use and compens the terrations to the extent the date given to the surface owner as	the permit application, an operator shall, by certified mail will be used for the drilling of a horizontal well notice of de: (1) A copy of this code section; (2) The information ace owner whose land will be used in conjunction with the ation agreement containing an offer of compensation for images are compensable under article six-b of this chapter, at the address listed in the records of the sheriff at the time
Address: 3- Bridgeport, W Notice is h Pursuant to operation	44 Green Valley Road 255330 ereby given: West Virginia Code § 22-6A-16(c), roon the surface owner's land for the put	rpose of drilling a horizonta	ne undersigned well operator has developed a planned I well on the tract of land as follows:
Address: 3- Bridgeport, W Notice is h Pursuant to operation of State:	44 Green Valley Road / 26330 ereby given: West Virginia Code § 22-6A-16(c), r	notice is hereby given that th	ne undersigned well operator has developed a planned I well on the tract of land as follows: 2 Easting: 670,147.5
Address: 3- Bridgeport, W Notice is h Pursuant to	ereby given: West Virginia Code § 22-6A-16(c), ron the surface owner's land for the pur West Virginia	notice is hereby given that the	the undersigned well operator has developed a planned limit well on the tract of land as follows: 3 Easting: 570,147.5 Northing: 4,344,369.4
Address: 3-Bridgeport, W Notice is h Pursuant to operation of State: County: District:	ereby given: West Virginia Code § 22-6A-16(c), ron the surface owner's land for the pur West Virginia Harrison Simpson	notice is hereby given that the rpose of drilling a horizonta UTM NAD 8 Public Road A	the undersigned well operator has developed a planned I well on the tract of land as follows: 3
Address: 3-Bridgeport, W Notice is h Pursuant to operation of State: County:	44 Green Valley Road 26330 ereby given: West Virginia Code § 22-6A-16(c), ron the surface owner's land for the pur West Virginia Harrison Simpson :: Brownton	notice is hereby given that the rpose of drilling a horizonta UTM NAD 8 Public Road A	the undersigned well operator has developed a planned I well on the tract of land as follows: 3 Easting: 570,147.5 Northing: 4,344,369.4 Access: County Route 17
Address: 3-Bridgeport, W Notice is h Pursuant to operation of State: County: District: Quadrangle Watershed: This Notice Pursuant to be provhorizontal surface affinformation headquarte gas/pages/o	ereby given: West Virginia Code § 22-6A-16(c), ron the surface owner's land for the pur West Virginia Harrison Simpson E Brownton Beards Run & Pigtail Run E Shall Include: West Virginia Code § 22-6A-16(c), roded by W. Va. Code § 22-6A-10(b) well; and (3) A proposed surface use exted by oil and gas operations to the related to horizontal drilling may be so, located at 601 57th Street, SE, lefault.aspx.	this notice shall include: (1) to a surface owner whose and compensation agreement extent the damages are content to the content of the conte	the undersigned well operator has developed a planned I well on the tract of land as follows: 3 Easting: 570,147.5 4,344,369.4 County Route 17 Ira Pritt A copy of this code section; (2) The information required and will be used in conjunction with the drilling of a nt containing an offer of compensation for damages to the compensable under article six-b of this chapter. Additional ary, at the WV Department of Environmental Protection (304-926-0450) or by visiting

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> Office of Chi and Gas AUG 2 9 2017 WW Dansempression 11/17/2017

WW-6AW (1-12)

T Mile Doss

API NO. 47-077 . C	5 904
OPERATOR WELL NO.	See Attached
Well Pad Name: Pritt South	

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

required, and State: County: District: Quadrangle: Watershed:	the well plat, all for proposed well work on the West Virginia Harrison Simpson Brownion	tract of land a UTM NAD Public Road	as follows: Easting: Northing:	See Attached See Attached County Route 17 Ira Pritt
I further state issued on thos	that I have no objection to the planned work do e materials.	escribed in the	esc materials, and l	have no objection to a permit being
*Please check	the box that applies		FOR EXECUTI	ON BY A NATURAL PERSON
□ SURFAC	P OWNER	1		· ·
	D O WILLIA		Signature:	
□ SURFAC	E OWNER (Road and/or Other Disturban	ce)	Print Name:	RECEIVED
			Date:	RECEIVED Office of Oil and Gas
□ SURFAC	E OWNER (Road and/or Other Disturban		Print Name: Date: FOR EXECUTE Company:	L
□ SURFAC	E OWNER (Road and/or Other Disturbange OWNER (Impoundments/Pits) WNER OR LESSEE		Date:	RECEIVED Office of Oil and Gas
☐ SURFACE COAL O	E OWNER (Road and/or Other Disturbange OWNER (Impoundments/Pits) WNER OR LESSEE		Print Name: Date: FOR EXECUTE Company: By:	ON BY A CORPORATION, ETC. 1 8 2017

Oll and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

October 31, 2017

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Ira Pritt Well Pad, Harrison County Pritt South 205

Dear Mr. Martin,

Jim Justice

Governor

This well site will be accessed from a Permit #04-2015-0617 transferred to Arsenal Resources for access to the State Road for a well site located off of Harrison County Route 77/6 SLS.

The operator has signed a DISTRICT WIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Day K. Clayton

Regional Maintenance Engineer

Cc: Kelly Davis

ARSENAL Resources

CH, OM, D-4

File

WellName # Pritt South 205					
FRACTURING ADDITIVES					
	PURPOSE	TRADE NAME	CAS#		
Additive #1:	Friction Reducer	WFRA-405	Proprietary		
Additive #2:	Scale Inhibitor	SI-1000	7440-21-3		
Additive #3:	Biocide	BIOCLEAR 2000	25314-61-8		
Additive #4:	Gelling Agent	LGC-15	9000-30-0		
Additive #5:	Corrosion Inhibitor	Al-300	111-76-2		
Additive #6:	Gel Breaker	AP-One	7727-54-0		
Additive #7:	Acid	HCI - 7.5%	7647-01-0		

RECEIVED Office of Oil and Gas

AUG 2 9 2017

VM Department of Environmental Protection

PRITT SOUTH SITE PLAN ARSENAL RESOURCES

206. (PROPOSED WELLS NO. 201, 202, 203, 204, 205, 301, 211, 212, 213, 214, 215, 216, & 311)

SITUATE ON THE WATERS OF BEARDS RUN AND PIGTAIL RUN IN SIMPSON DISTRICT, HARRISON COUNTY, WEST VIRGINIA



65 PROFESSIONAL PLACE

SUITE 200

47.40 AC 5.49 AC

AREA:

TM 351 PAR 7 TOTAL PROPERTY AREA: TOTAL DISTURBED AREA:

ORAN WARDER

ARSENAL RESOURCES

OPERATOR

69.06 AC 14.57 AC

AREA:

TM 351 PAR 4 TOTAL PROPERTY AREA: TOTAL DISTURBED AREA:

15.3, 15.5

15

MAP 351 PARCELS 4,

SURFACE OWNER:

IRA PRITT

SIMPSON DISTRICT

FAX PARCEL:

PROJECT INFORMATION PROJECT NAME: PRITT SOUTH

PHONE: (304) 842-3597 BRIDGEPORT, WV 25330



2502 CRANBERRY SOUARE

4.19 AC 2.77 AC

AREA:

JULIA CRIM TM 351 PAR 15.3 TOTAL PROPERTY AREA: 4 TOTAL DISTURBED AREA:

LARSON DESIGN GROUP

ENGINEER

TM 351 PAR 15.8 TOTAL PROPERTY AREA: 31 AC TOTAL DISTURBED AREA: 6.90 AC

JULIA CRIM

MORGANTOWN, WY 26508 PHONE: (304) 777-2940

BROWNTON QUADRANGLE WEST WRGINIA SCALE: 1" = 2000"

SMITH LAND SURVEYING, INC.

SURVEYOR

TM 351 PAR 15.5 TOTAL PROPERTY AREA: 2.05 AC TOTAL DISTURBED AREA: 0.05 AC

SANDY CRIM

PHONE. (304) 462-5634

CLENVILE, WV 26351 2 VANHORN DRIVE

MISS Utility of West Virginia West Virginia West Virginia State Law (Section XIV: Chapter 24–C) Requires that you call two business days before you dig in the state of West Virginia. ITS THE LAM!!



6/2/2017 5

1 OF 37 S Crergy Development

10793-005

DECT NO.

Larson Design Group . Architects English HARRISON COUNTY, WEST VIRIGHLA MAJA SITE PLAN COVER SHEET



WELL PAD CROSS SECTIONS

RECLAMATION PLAN

DETAILS

OVERALL PLAN SHEET INDEX

GENERAL NOTES

COVER SHEET

SHEET INDEX

ACCESS ROAD PROFILE

10-14 15-18 19-20 21-24

SITE LAYOUT

B-5



GESTRICTIONS NOTES.

1. THERE ARE NO WETTANDS WITHIN 100 FEET OF THE WELL PAD LOD.
2. THERE ARE NO PETENNIAL, SHEAMS, LAKES, POINGS, OR RESERVORS WITHIN 100 FEET OF THE WELL PAD LOD.
3. THERE ARE NO PETENNIALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD.
4. THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WALTER SUPPLY FACULIES WITHIN 1000 FEET OF THE WELL PAD AND LOD.
5. THERE ARE NO GROUNDWATER WITHER STRUCTURES WITHIN 835 FEET OF THE WELL PAD.
7. THERE ARE NO GROUNDS OWELLING STRUCTURES WITHIN 835 FEET OF THE WELL PAD.
7. THERE ARE NO AGRICULURAL BUILDINGS LARGER THAN 2,500 SOUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.

LONGITUDE ACCESS ROAD ENTRANCE OCATION COORDINATES LATITUDE: 39.241841

(NAD 83) -80.192380 (NAD 83) -80.186800 LONG! TUDE: CENTER OF PRITT SOUTH WELL PAD LATITUDE: 39.245319

arter Design Grou

GENERAL DESCRIPTION
WILL PAD, ASSOCIATED PT, AND ABOVEGROUND STORAGE TANK ARE
BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARGELLUS
SPALE CONSTRUCTED. (NAD 83) -80.183541 CENTER OF ASSOCIATED WASTE WATER PIT LONGITUDE 39.245265 LATITUDE:

NOISM38 /

83)

(NAD 8

-80.185139

LONGITUDE:

CENTER OF ABOVEGROUND STORAGE

ARSENAL RESOURCES

Direction Place

Douglestion W. 25230

Bridgetoff W. 25230

Stranger So. 55.255

Physical So. 55.255

AC SITE DISTURBANCE COMPUTATIONS
PRITI SOUTH WELL PAD = 9.15 AC
ABOVEGROUND STORAGE TANK PAD = 3.33
ASSOCIATED WASTE WAITR PIT = 4.99 AC
ACCESS ROAD TO WELL PADS = 10.67 AC ACCESS ROAD TO AST / PIT = 1.65 AC TOTAL SITE DISTURBANCE = 29.78 AC TIMBER CLEARING AREA = 16.30 AC

RESOURCES WIL OBTAIN AN ENCROACHMENT PERMIT (FORM FROM THE WEST WRIGINE OF DEPARTMENT OF TRANSPORTATION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ENTRANCE PERMIT ARSENAL MM-109) DIMSION C ACTIVITES.


MISS UTILITY OF WEST VIRGINIA WAS NOTED FOR THE LOCATING OF UTILITIES PROJECT DESIGN, TICKET #150919364, IN ADDITION, MISS UTILITY MILL BE CONTACTED FINANCE TO START OF THE PROJECT. MISS UTILITY STATEMENT

ELOODELAIN NOTE

THE PROPOSED LINES OF DISTURBANCE FOR THIS PROJECT IS NOT LOCATED WITHIN THE EXISTING FEMA 100-YEAR FLOODELAIN. NO FEMA MAP EXISTS FOR THIS LOCATION IN HARRISON COUNTY.

WETLAND DELINEATIONS. WERE PERFORMED ON MARCH 3, 2015. MARCH 11, 2017 BT ALLSTAR 2015, APRIL 9, 2015 MAY 2, 2015 AND UARCH 17, 2017 BT ALLSTAR ECOLOCY TO REVIEW HE SITE FOR WAIRERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY PURNEW OF THE U.S. ARMY CORPS OF ENGINEERS (USAGE SOUTH) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WYDEP). IT IS STRONGLY RECOAMENDED THAT THE APPERAINT DESCRIBED TO GAIN WRITTEN CONTRIBUTION OF THE DELINEATION SHOWN ON THIS EXHIST PRIOR TO ENGAGINE CONSTRUCTION ON THE PROPERTY DESCRIBED HERBIN. THE DEPARTMENT ENGALINE STROM HE FEDILE AND OFFICE TO GAIN WAITEN SHALL SHE REGULATION AND THE APPROPRIATE PERMITS FROM HE EDISHALL AND/OR STAFF REGULATORY ACENCES PRIOR TO ANY PROPOSED MARACIS TO WAITENS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS. ENVIRONMENTAL NOTES

A GEOTECHNICAL INVESTIGATION OF THE PROPOSED STE WAS CONDUCTED BY ACA COVET ENGINEERING ON JULY 17 THROCHA, DULY 20, 2012. THE REPORT PREPARED BY COVEY ENGINEERING, DATED JULY 2012. REFLECTS THE RESULTS OF THE SUBSURACE INVESTIGATION. THE INFORMATION AND THE REPORT WAS USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORT BY GA, COVEY FOR ADDITIONAL INFORMATION. GEOTECHNICAL NOTE





West Virginia Department of Environmental Protection Office of Oil & Gas 601 57th Street SE Charleston, WV 25304-2345

DEP Offic	e Use only		
Date Received by Oil & Gas:	8-29	- 1	7
Assigned Impoundment ID #:	033W	1PA	00094

Permit Associated Impoundment / Pit Registration

Instruction: This form is to be used to register impoundments or waste pits, greater than 5,000 bbls, that are associated with a WVDEP, Office of Oil and Gas, well drilling permit. An associated impoundment or pit means it has been designed and included in the well drilling permit application, will follow the reclamation time frame of well work permit, and will be approved in conjunction with the well work permit. An impoundment ID number will be assigned by WVDEP, Office of Oil and Gas, to all impoundments and pits. This impoundment ID number will be sent to the applicant following receipt of this form by WVDEP. Please reference this impoundment ID number with all future correspondence and reference to this impoundment. Conditions as described in W.Va. State Rule §35-4-21 will be followed as it relates to impoundments and pits.

Section 1 - Operator Information

Operator Name:	Arsenal Resources			
Operator ID:	494519412			
Address: Street	65 Professional Place Suite 200			
City:	Bridgeport	State: WV	Zip:	26330
Contact Name:	Larry "Eddie" Carder	Contact Title:	Regulatory Af	fairs Manager
Contact Phone:	304-629-6309	Contact Email:	ecarder@arser	nalresources.com

Section 2 – Engineering / Design Contractor Information

Company Name:	Smith Land Surveying, Inc. & La	rson Design Grou	р
Address: Street	12 Vanhorn Dr.		
City:	Glenville	State: WV	Zip: 26351
Contact Name:	Chris Moyers	Contact Title:	Sr. Design Coordinator
Contact Phone:	304-462-5634	Contact Email:	cmoyers@slssurveys.com
Certifying Professional B	ngineer: Bryan Pauling		
Professional Engineer F	Registration Number: 20057		





Office of Oil and Gas

Section 3 - Impoundment / Pit Information

RECEIVED
Office of Oil and Gas

Type of Structure. Check one of			144 4 D'		AUG 2 9 2017
☐ Freshwater Impoundme		_	Waste Pit		VA/ Department of
Note: Any waste in a pit will make it	a waste pit	•			Environmental Frotectio
Name of Structure (Company Na	me :) P	ritt South Associated	l Pit		
County: Harrison		Distric	: Simpson		
USGS 7.5' Quad Map Name:	Brownton				:
Farm Name: Pritt					
Pad Name: Pritt South Pad				-	
Surface Owner Name: Oran Wa	arder & Ira				
Physical Description of Location:	The Pritt	South Associated Pit is lo	ocated the east side	of Harrison County	Route 77/6 near the ridge.
With the access road entrance being	g 0.28 mile	es +/- north of the junc	tion of County Ro	utes 77/6 & 23/4).
(Note: Give general location, example: 2	miles south	of Smalltown, WV on Rt.	22, left on Buffalo Cre	eek)	
Watershed (nearest perennial):	Beards	Run			
Distance (Drainage Distance) to	nearest p	erennial stream: 1	400'+/-		
Location Coordinates (NAD83, D	ecimal De	egrees (xx.xxxx, -xx.	xxxx))		
Latitude: 39.245265	Longi	tude (Use negative	sign):80.1835	41	
UTM Coordinates : 570454		E	4344312		N
Access Road Coordinates (juncti	on of state	e highway access)			
Latitude: 39.243282	Long	gitude (Use negative	sign): <u>-80.192</u> 4	159 	
UTM Coordinates : 56968	37	E	4344085		. N
Approximate Dimensions					
Length: 612' +/-	*******	200' +/-	Height: _3	2.9	
Note: If irregularly shaped, give approxim	ate dimensi	ons of long axis.			
Total Capacity - Provide all units	of measu				
Barrels: 387,574	Gallons:	16,278,095	Acre-Feet:	49.96	
Capacity with 2' Freeboad - Prov	vide all un				
Barrels: <u>340,964</u>	Gallons:	14,320,480	Acre-Feet:	43.95	
Incised volume:					
Barrels: <u>39,572</u>	Gallons:	1,662,011	Acre-Feet:	5.10	
Net impounded volume: (Total vo	olume less	•		44.00	
Barrels: <u>348,002</u>	Gallons:	14,616,084	Acre-Feet:	44.86	
Anticipated Construction Start Da			June 2017		a namit Atlant 7
Note: No construction may begin calendar days prior to confirmed					
inspector of construction start da					



Section 4 - Associated Well Numbers and API Numbers. List associated well numbers and API number. API numbers may not be assigned at time of registering this impoundment, if so list as pending.

Well Number(s):	API Number(s) – If issued:
See Attached	

Section 5 - Required Information Checklist To Register Permit Associated Impoundments or Pits. Include the following information and plans with application.

- Engineered Construction Plans, certified by WV Registered P.E.
- Erosion and Sediment Control Plan, certified by WV Registered P.E.
- Reclamation Plan, certified by WV Registered P.E.

Section 6 – Dam Standard Qualifying Evaluation

×	The design of this structure has been evaluated by the applicant to determine it does NOT qualify to be
	defined as a dam, under W.Va Rule §47-34. If the design of this structure qualifies it to be defined as a dam,
	all permits regulating dams will be required prior to registering the structure with the Office of Oil and Gas.
	The dam standard, from the WVDEP, Div. Of Water and Waste, is available for review at:
	http://www.dep.wv.gov/WWE/ee/ds/Pages/default.aspx

RECEIVED Office of Oil and Gas
AUG 2 9 2017
VA/ Denartment of Environmental Frotection



Section 8 - Application Certification

I hereby certify that the information listed above is true and accurate. I understand that this pit/impoundment is to be constructed only in a location appropriate for the storage of water, including wastewater, and will be constructed in accordance with plans designed and certified by a West Virginia registered professional engineer. I further recognize that all required plans have been submitted to the Office of Oil and Gas. I understand that after construction, and prior to any fluid being placed in the pit/impoundment, it shall be inspected by a West Virginia registered professional engineer to ensure compliance with the certified design and construction plan, and that the professional engineer shall certify that this structure was constructed in accordance with design and construction plans. I understand that such certification shall be in writing to the Chief and that no fluids may be placed in the pit/impoundment until the certification has been filed with the chief. I agree that this pit/impoundment shall be constructed, maintained, operated and closed in accordance with all applicable laws and rules, including the requirements of W. Va. Code R § 35-4-2.

Name:	Bourn Parling
Title:	Bierdon
Signature:	
Taken, subscribed	d and swern to before me this, and the pay of May 20 17
Notary Public:	Lugler a. Campbell
My commission e	xpires: 4/18/2/
Notary Seal:	
	COMMONWEALTH OF PENNSYLVANIA NOTARIAL SEAL Kristen Ann Campbell, Notary Public Armstrong Twp., Lycoming County My Commission Expires April 18, 2021 MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES

Section 9. Submittal Instructions

Submit original paper copy of application to:

West Virginia Department of Environmental Protection
Office of Oil and Gas
Impoundment Registration
601 57th Street, SE
Charleston WW 25304

Charleston WWW 25304

Email PDF file format of this application and all related engineering Plans to : <u>Depimpoundments@wv.gov</u> Office of Gill and Ga

MV Department of Environmental Protection

IMP 1A - Section 4 - Associated Well Numbers and API Numbers

Well Numbers Pritt 201 Pritt 202 Pritt 203 Pritt 204 Pritt 205 Pritt 206 Pritt 207 Pritt 301 Pritt 211 Pritt 212 Pritt 213 Pritt 214 Pritt 215 Pritt 216 Pritt 217 Pritt 311 **API Numbers**

Not Yet Assigned by the WV DEP

RECEIVED
Office of Office Colline

AUG 2 9 2017

VM Department of Environmental Frotection