

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Wednesday, August 6, 2025 WELL WORK PLUGGING PERMIT Not Available Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 71285 47-033-06055-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: AMODIO, BRITNEY J & JER

U.S. WELL NUMBER: 47-033-06055-00-00

Not Available Plugging

Date Issued: 8/6/2025

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date July 2,	20 25
2)Operator's	
Well No. Harrison - 06055	
	- 06055

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	OFFICE OF C	
	APPLICATION FOR A PERM	IT TO PLUG AND ARANDON
4)		injection/ Waste disposal/ erground storage) Deep/ Shallow/
5)	Location: Elevation 1202.37	Watershed Coon's Run
5,	District Clay	County Harrison Quadrangle Shinnston 7.5
	DEP Date Clares and Control of Control	and the state of t
6)	Well Operator Unknown - WVDEP Paid Plugging Contract	Address 601 57th St., SE
	Address 601 57th St., SE Charleston, WV 26304	Charleston, WV 25304
		-
8)	Oil and Gas Inspector to be notified	9) Plugging Contractor Name Next LVL Energy (Diversified Owned)
	Name Jeff Propst	Address 104 Helliport Loop Rd
	Address 4936 Little Sand Run Road Buckhannon, WV 26201	Bridgeport, WV 25330
	Bucklamion, 444 Zozo1	
	See Attached Work Procedures	
		RECEIVED Office of Oil and Gas JUL 0 7 2025 WV Department of Environmental Protection

Plugging Prognosis

APi #: 4703306055

West Virginia, Harrison Co.

Lat./Long: 39.396528, -80.251622

Nearest ER: United Hospital Center, 327 Medical Park Dr, Bridgeport, WV 26330

Casing Schedule:

Casing visible at surface is a large cap with holes in it, no tubulars visible Closest Offset well 4703303395 Casing Schedule 8-5/8" Surface Casing @ 1192' (Offset) 4-1/2" Intermediate Casing @ 3293' (Offset) 2" tbg @ Unknown but visible in photo of 4703306055 well Rods @ Unknown but visible in photo of 4703306055 well Offset well TD is listed as 3380'

Completion: 2555'-2590'; 3164'-3260'

Fresh Water: Unknown. Offset - 40'; 245'; 350' Salt Water: Unknown, Offset - Not listed

Gas Shows: Unknown. Offset - 2708'; 2924'; 3356'

Oil Shows: Unknown, Offset - Not Listed Coal: Unknown. Offset - 142'-146'; 219'-223'

Elevation: 1237'

- ** Make attempts to remove all free casing. Cement across all casing shoes and casing cuts.
 - 1. Notify Inspector Jeff Propst @ (681) 990-2569, 48 hrs prior to commencing operations.
 - 2. Check and record pressures on csg/tbg.
 - 3. Pull and lay down rods and 2" tbg string.
 - Pull and lay down rous and ∠ log string.
 Check TD w/ wireline and confirm shoe depth of casing and top of cement in inner most Office of Oil and Gas casing string with CBL.
 - 5. Run into attainable bottom. Kill well as needed with 6% bentonite gel and fill rat hole. Pupp Environment of at least 10 bbls gel. Pump 600' Class A/L cement plug. (Bottom hole plug) Tag TOC. Top of Protection as needed.
 - 6. If the casing is not run to TD, TOOH w/ tbg to above cement plug. Pump 6% bentonite gel from top of plug to 50' below casing shoe.
 - 7. If the casing is not run to TD, TOOH w/ tbg to 50' below casing shoe. Pump 100' Class A/L cement plug 50' in/out of csg shoe (csg shoe plug).

- 8. Pump 6% bentonite gel from top of shoe plug to bottom of production elevation plug.
- 9. TOOH w/ tbg to 1350'. Pump 450' Class A/L cement plug from 1350' to 900' (elevation plug and potential salt water and coal plug).
- 10. TOOH w/ tbg to 900'. Pump 6% bentonite gel from 900' to 400'.

Jeff A Propost


- 11. Free point csg. Cut and TOOH. Set 100' Class A/L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below. Perforate as needed.
- 12. If there is another casing string in the well, free point csg. Cut and TOOH. Set 100' Class A/L cement plug across csg cut. 50' in/out of cut. Do not omit any plugs listed below.
 Perforate as needed.
- 13. TOOH w/ tbg to 400'. Pump 400' Class A/L cement plug from 400' to surface (surface and coal plug).
- 14. Reclaim location and well road to WV DEP specifications and erect P&A well monument.


7-2-2025

RECEIVED
Office of Oil and Gas

JUL 0 7 2025

WV Department of
Environmental Protection





FORM WW-2(B) ITLE COPY
(Obverse)
7/85



1)	Date: Dec	<u>ember 16</u>	,	<u>1986</u>
2)	Operator's Well No.	Anderson	#1 We	
33	API Well No.	47	033	-3395
-,		State	County	Permit

STATE OF WEST VIRGINI.

DIVISION OF OIL & OFBARTMENT OF ENERGY, OIL AND GAS DIVISION

DE	PARTM	ENT OF	ENEI.	it <u>ai</u>	PPLICA	HON FOR A WELL	WORK PERMIT			
4) WELLTY	PE: A O	ü		15X						
-	B (1	f "Gas", I	Production		_X	_/ Underground st	OTZEC		/ Shallow X	>
5) LUCATIO		vatioa: _		71'		_ Watershed:	Coons Run		<u> 34</u> 9	ŗ
	Dis	trict:	Clay		2_		arrison 05	Quadrangle: F	airmont West 7.5'	
6) WELLOPI	ERATOR_	<u>Cheste</u>	rfield	_Ene	TGEOI	E: <u>9550</u> 1) DESIGNATED	AGENT Samue	1_J_Cann	
Address		West					Address	203 West M	ain Street	
	<u>Cla</u>	<u>rksbur</u>	<u>'C. HV</u>	<u> 263</u>	01				. KV 26301	
8) OIL & GAS				FTED		5) DRILLING CO	ONTRACTOR:		
Name	Stephe	<u>n Case</u>	<u>v</u>				Name			
Address	Ro	ute #2	Box	<u> 232-</u>	<u>.D</u>		Address	ייטואווער ביי	n	
	<u>مار</u> _	ne Lev	<u>. 47 </u>						V	
10) PROPOSE	D WELL	WORK:	D/iII	<u> X</u>	_/ Drill	derper	_/ Redrill	/ Stimulett	Ճ ∕	
•			Plug of	I old I	iormatio	Perfora	te new formation			
			Other p	hysical	change I	n w:ll (specify)				
11) GEOLOG:	CAL TAR	GET FOF	MATION		Speed	<u>hley</u>		 		
12) Estima	ited depth o	of complet	ea well,	350	<u> </u>					
13) Appro	ximat: trat	a depths:	Fresh	100	1, 104	feet; 24-1,		feet.	٠.	
14) Appro	xim tte coa	l seam dep	ths:	100,	<u>::34</u>	is coa	being mined in the	e area? Yes	/ No/	
15) CASING A	ND TUBI	NG PRO	GRAM							
CASING OR	9	SPEC	ITCATION	5		FOUTAGE IN	TERVALS	CEMENT FILL-UP	PACKERS	
TUBING TYPE	Sine	Grade	Wright per tt.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)		
Conductor	11 3/4	H-40	42	X		16'	13'		Kinda	
Fresh water			<u> </u>		1					
Cosl									Sizes - 1	
Intermediate	8 5/8	J-55	23	X_		900	900	Circulate t		/5,0
Production	4 1/2		10.5	X			3450	1341 SKS OR	District	
Tubing								REQUIPED BY	Sule 15.01	
Linm									Perforations:	
			Ţ						Top Bottom	
				\Box						
	-	· · · · · ·		Ι					Offic HECEIV	ΈD
				-					Office of Oil a	ind Ga
									JIIL 0 7	20
						OFFICE USE C	NLY			<i>2025</i>
						DRILLING PE	RMIT		WV Department 2 Environmental Pro	
		47-033	_3305					Janua	ry 2 Environmental 87	nt of
Permit number_		77-033	3333			•		Dat	e	vectioi
Thi				ll faceti	abau	halow is suidence a	f nermission erant	-	ce with the pertinent legal re-	
			hamistone	handa :	and on th	e recerte bereafu				
o. 8) Prior to th	e construci	ion of ros	ds, focati	ons and	plis for	ing permitted work.	'n addition, the v	vell operator or his con	and Gas Inspector, therer to tractor shall notify the proper	
	ork is as d	escribed in	the Notic	e and A	Application	on, plat, and reclama	lios plan, subject	to any modifications as	nd conditions specified on the	
reverse hereof.		Januar	v 2.	1989		9		A faceact co door co d		
Permit expires _						TILLIESS MEIL	NOTE IS COMMENCE	prior to that date and	prosecuted with due diligence.	
			- /		- / -		·/I ·/-		•	
Bond:	Agent	: P	195	Caşi	ng.	Fee WP/JP/	" SAY	Other _	•	
	Aug	1 4	1	μ	5/	764 10	11/21	//X: 1		
I	TUP		الحبلا	<u>/ () -</u>	- 16:			- ///// //		
					- 4	ノブフ	1,1	MH-		
NOTE: Face	ne copy a!	this are	de marene	ar tha d	eilline la	cation	SE A	11/1/2/		
NOTE: Keep o	ne copy of	rus perm	in posted	tut a		D1	rector, Div	stoken de del	and Gas	
		See	the sever	1-6	f the AD	PLICANT'S COM	for instructions to	the nell operator		



ECEIVED FEB 23 198/

Sinte of Mesi Airginia Pepartment of Mines

Department of Mines Oil und Gas Bivision

		ary 19	. 198	37.;
Operat	tor's Vo	Anders	on #	Well
Farm_				
API N	o. 47	- 033	-	3395

DIVISION OF CIL & GAS DEPARTMENT OF ENERGY

WELL OPERATOR'S REPORT

OF DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE					
DALLING, PRACTURE AND ON BILLIAND ON PHISICAL CIPACIE					
WEIL TYPE: Oil / Gas X / Liquid Injection / Waste Disposal / (If "Gas," Production / Underground Storage / Deep / Shallow X /)					
LOCATION: Elevation: 1071 Watershed	Coons Run				
District: ClayCounty Harr	ison (Quadrangle	Fairmon	t West 7.5	
			•		
COMPANY Chesterfield Energy Corporation	<u>-</u>			· · · · · · · · · · · · · · · · · · ·	•
ADDRESS 203 West Main St ,Clarksburg, WV 26301				Cenent	
DESIGNATED AGENT Samuel J. Cann	Casing	Used in		fill up	
ADDRESS 203 West Main St., Clarksburg, WY 26301	Tubing	Drilling	in Well	Cu. ft.	
SURFACE OWNER Charles M. Andrews	Size 20-16				
ADDRESS Rt. #2, Box 308, Shinnston, WV 26431	Cond.				
MINERAL RIGHTS CHNER Jackson L. Anderson	3150+HXX	18'	pulled		
ADDRESS P. O. Box 2190, Clarksburg, WY 26301	9 5/8	-			
OIL AND GAS INSPECTOR FOR THIS WORK Stephen	8 5/8		11921	250 55	
Casey ADDRESS Rt. #2. Box 232-0 Jane Lew, NV 26378	7	l l	<u> </u>	! .com = ==================================	
PERMIT ISSUED January 2, 1987	5 1/2		20021	240	
DRILLING COMMENCED February 4, 1987	4_1/2		3293'	210 sks -	
DRILLING COMPLETED February 8, 1987	3				
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2	1			ł
CONTINUES PROGRESSION FROM DRILLING OR	Idners				
REMORKING. VERBAL PERMISSION OBTAINED CN	used				<u> </u>
GEOLOGICAL TARGET FORMATION Speechley		Dept	th .	feet	•
Depth of completed well 3380 feet R	otary XX				Office of Cived
		-			
Coal seam depths: 142'-146', 219'-223'	Is coal	being min	ed in the	area? No	JUL 0 7 2005
OPEN FLOW DATA					
Producing formation Speechley	Pay	zone dept	th 3164'-3	3260' feet	WV Department of invironmental Protection
Gas: Initial open flow 60 Mcf/d	Oil: Ini	tial cpen	flow	Eb1/d	- Totection
Final open flow 450 Mcf/d		al open f		Pb1/d	
Time of open flow between initi	al and fi	nal tests	ho	urs	
Static rock pressure 720 psig(surface	measuren	ent) after	rhou	rs shut in	
(If applicable due to multiple completion-	-)				₹ -
Second producing formation Fifth Sand	Pay	zone dept	th 2555'-2	2590' feet	7
Gas: Initial open flow Mcf/d	Oil: Ini	tial open	flow	Bbl/d	•
COMMINGLED WITH FIRST STAGE Final open flow	Oil: Fin	al open fi	low	Ebl/d	ত প্রে
Time of open flow between initi	al and fi	nal tests	ho	urs	नै
Static rock pressurepsig(surface measurement) afterhours shut in					

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Speechley

7,000# 80/100: 17,500# 20/40 374 3BLS Water

Fifth Sand

7,000# 80/100; 50,500# 20/40 787 BBLS Water

WELL LOG

FORMATION COLOR HARD OR SOI	FT TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Fi11	0	14	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Sand	. 14	142	½" stream @ 40'
Coal	142	146	
Sand Coal	146 219	219 223	
Sand & Shale	223	542	3/4" stream @ 245'
Sand	542	605	1" stream 0 350
Sand & Shale	605 1310	1310 1465	
Red Rock & Shale Big Lime	1465	1515	
Injun	1515	1640	
Shale	1640	2020	Gas Ck @ 2401° No Show
50' Sand Sand & Shale	2020 2080	2080 2555	Gas Ck @ 2708' Cdor
Fifth Sand	2555	2590	Gas Ck @ 2924' 6/10-2" w/w
Shale	2590	3164	Gas Ck 0 3356' 2/10-2" w/w
Speechley Shale	3164 3260	3260 3380	
TD	3380	1	_
	ļ.	i •••	,
		1	INDEVERONIES IN
		i	N POR O (E III
	•		FEB 23 198/
	}		
	ŀ	1	DIVISION OF OIL & GAS
			DEPARTMENT OF ENERGY
	l	1	
		1	
		1	
•			,
	ł		_ N

/ED and Gas

2025

WV Department of Environmental Protection

(Attach separate sheets as necessary)

CHESTERFIELD ENERGY CORPORATION

Date:

February 19.

Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including will, encountered in the drilling of a well." Note:

WW-4A	
Revised	6-07

1)	Date:	7/2/2025					
2)	Operator's Well Number Harrison - 06055						
				14			
3)	API Well N	o.: 47 -	033		06055		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Own (a) Name	er(s) to be served: Brittany J. Amodio & Jeremy R. Ro	6) (a) Coal Operator ess Name	Not Currently Operated
	Address	1729 Janes Hill Rd.	Address	
		Shinnston, WV 26431		
	(b) Name		(b) Coal Own	ner(s) with Declaration
	Address	,41	Name	Hillview Resources LLC (E.O. Hartley)
			Address	36 Jubilee Lane
				Fairmont, WV 26554
	(c) Name		Name	
	Address		Address	
6)	Inspector	Jeff Propst	(c) Coal Less	see with Declaration
	Address	4936 Little Sand Run Road	Name	None Reported
		Buckhannon, WV 26201	Address	
	Telephone	681-990-2569		

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

OFFICIAL SEAL MOTARY PUBLIC STATE OF WEST VIRGINIA	Well Operator By:	Jason Harmon Harm	new
Zachary S Johnson WV Department of Environmental Protection, Office	Its:	WV Office of Oil and Gas Deputy Chief	
of Oil and Gas 601 57th Street SE, Charleston, WV 25304 My Commission Expires February 15, 2028	Address	601 57th St. SE	Office of Oil and Ga
My Contribution Expires reducing 13, 2220		Charleston, WV 25304	JUL 07 2020
	Telephone	304-926-0452	2025
Subscribed and sworn before me th	0	y of July 2025 Notary Public	WV Department of Environmental Protectio

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

Diversified Gas & Oil Corporation
Permitting Department
414 SUMMERS STREET
2ND. FLOOR
CHARLESTON WV 25301

┖╍╏┖╌╻┎╌╏┞╌┪┎┼┩╟╢┞┸┦╟╢┸┸╢┝╌┰╒╙╌╽┨┎╒┞╢╗┸

BRITTANY J AMODIO & JEREMY R ROSS 1729 JANES HILL RD **SHINNSTON WV 26431-7142**

USPS CERTIFIED MAIL**

C4000004 25301 US POSTAGE AND FEES PAID 2025-07-02 4.0 OZFLAT

0901000010769

RECEIVED Office of Oil and Gas

JUL 0 7 2025

WV Department of Environmental Protection

Diversified Gas & Oil Corporation
Permitting Department
414 SUMMERS STREET
2ND. FLOOR
CHARLESTON WV 25301

HILLVIEW RESOURCES LLC

FAIRMONT WV 26554-5331

36 JUBILEE LN

USPS CERTIFIED MAIL

25301 C4000004 Retail US POSTAGE AND FEES PAID 2025-07-02 0901000010760

RECEIVED Office of Oil and Gas JUL 0 7 2025

WV Department of Environmental Protection

API Number	47 -	033	06055
Operator's W			055

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Unknown - WVDEP Paid Plugging Contract OP Code
Watershed (HUC 10) Coon's Run Quadrangle Shinnston 7.5'
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a nit be used? Ves No V
If so, please describe anticipated pit waste: Production fluid and cement returns.
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP) * Underground Injection (UIC Permit Number#25-744 Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain
Will closed loop systembe used? If so, describe: N/A
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/A
Additives to be used in drilling medium? N/A Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. N/A
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A JUL 0 7 2025
Max -
-Landfill or offsite name/permit number? N/A Environmental Protection Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Company Official (Typed Name) Jason Harmon OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIFIGINA Zenhary, S. Johnson Commonwella Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oil and Gas W Department of Environmental Protection, Office of Oi
Subscribed and sworn before me this day of July , 20 25 Notary Public My commission expires 2-15-28

08/08/2025

Operator's Well No.	Harrison - 06055	
---------------------	------------------	--

roposed Revegetation Trea	tment: Acres Disturbed +/-1	ac. Preveg etation	pH
Lime 3	Tons/acre or to correct to	pH	
Fertilizer type 10	-20-20 or Equivalent		
Fertilizer amount_	TBD	lbs/acre	
Mulch2		Tons/acre	
		Seed Mixtures	
Т	emporary	Pe	rmanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Vsike	5	Alside Clover	5
Annual Rye	15		
ttach: aps(s) of road, location, povided). If water from the , W), and area in acres, o	oit and proposed area for land a e pit will be land applied, prov f the land application area. olved 7.5' topographic sheet.	application (unless engineered plans i ide water volume, include dimensions	ncluding this info have been s (L, W, D) of the pit, and di
ttach: (aps(s) of road, location, provided). If water from the water from the water, which was a cres, on the coopied section of investigation of the coopied section of the coopied s	oit and proposed area for land a e pit will be land applied, prov f the land application area. olved 7.5' topographic sheet.	application (unless engineered plans i ide water volume, include dimensions	ncluding this info have been s (L, W, D) of the pit, and di
ttach: Iaps(s) of road, location, provided). If water from the water, which was a warmer and area in acres, o	oit and proposed area for land a e pit will be land applied, prov f the land application area.	application (unless engineered plans i	ncluding this info have been s (L, W, D) of the pit, and di
Attach: Itaps(s) of road, location, provided). If water from the condition, which is a section of investigation of the condition of the condit	oit and proposed area for land a e pit will be land applied, prov f the land application area. olved 7.5' topographic sheet.	application (unless engineered plans in ide water volume, include dimensions 7-2-2025	s (L, W, D) of the pit, and di
Attach: Itaps(s) of road, location, provided). If water from the condition, which is a section of investigation of the condition of the condit	oit and proposed area for land a prit will be land applied, provent fithe land application area. Solved 7.5' topographic sheet.	application (unless engineered plans in ide water volume, include dimensions 7-2-2025	s (L, W, D) of the pit, and di
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, o hotocopied section of involunt Approved by:	oit and proposed area for land a prit will be land applied, provent fithe land application area. Solved 7.5' topographic sheet.	application (unless engineered plans in ide water volume, include dimensions 7-2-2025	S (L, W, D) of the pit, and diversity of the pit, and the
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, o hotocopied section of involunt Approved by:	oit and proposed area for land a prit will be land applied, provent fithe land application area. Solved 7.5' topographic sheet.	application (unless engineered plans in ide water volume, include dimensions 7-2-2025	S (L, W, D) of the pit, and diversity of the pit, and the
Attach: Itaps(s) of road, location, provided). If water from the condition, which is a section of investigation of the condition of the condit	oit and proposed area for land a prit will be land applied, provent fithe land application area. Solved 7.5' topographic sheet.	application (unless engineered plans in ide water volume, include dimensions 7-2-2025	s (L, W, D) of the pit, and di
Attach: Iaps(s) of road, location, provided). If water from the water from the land wa	oit and proposed area for land a prit will be land applied, provent fithe land application area. Solved 7.5' topographic sheet.	application (unless engineered plans in ide water volume, include dimensions 7-2-2025	S (L, W, D) of the pit, and diversity of the pit, and the
Attach: Maps(s) of road, location, provided). If water from the L., W), and area in acres, otherwise the complete section of involved the complete section of involve	oit and proposed area for land a prit will be land applied, provent fithe land application area. Solved 7.5' topographic sheet.	application (unless engineered plans in ide water volume, include dimensions 7-2-2025	S (L, W, D) of the pit, and diversity of the pit, and the
Attach: Maps(s) of road, location, provided). If water from the L, W), and area in acres, otherwise the complete section of involved by:	oit and proposed area for land a prit will be land applied, provent fithe land application area. Solved 7.5' topographic sheet.	application (unless engineered plans in ide water volume, include dimensions 7-2-2025	S (L, W, D) of the pit, and diversity of the pit, and the



7/2/2025

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4703306055 Well Name Harrison - 06055

Attached is the approved variance order for use of Class L cement.

Sincerely,

Chris Veazey **Permitting Supervisor** 304-590-7707

> Office of Oil and Gas JUL 07 2025 WV Department of Environmental Protection



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM)	
LEGISLATIVE RULE 35CSR4)	ORDER NO. 2022-13
SECTION 14.1. AND LEGISLATIVE RULE)	
35CSR8 SECTION 20.1,)	
RELATING TO THE CEMENTING)	
OF OIL AND GAS WELLS)	

REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute RECEIVED
Office of Oil and Gas (API) Class L cement to be used in place of API Class A cement for well plugging.

FINDINGS OF FACT

- Environmental Protection 1. On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- 2. Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment

JUL 07 2025

WV Department of

On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of
public comments on the variance consideration. During the 20-day public comment
period, no comments were received.

CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA


OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oil and Gas


08/08/2025


Office of Oil and Gas

WV Department of Environmental Protection









ADJOINER LINE

EXISTING ROAD

EXISTING STREAM

DRAWN BY

DRAWING NO: WELL LOCATION PLAT

= 400 0: 35

SCALE:

O ABANDONED WELLHEAD

API No.	4703306055
Farm Name	C.A. Williamson
Well No.	Harrison - 06055

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed pluggi	ator/ owner/ lessee ng work order. The undersigned has no ne well operator has complied with all egulations.	objection to the work proposed to be
Date:		RECEIVED Office of Oil and Gas
	Ву:	JUL 0 7 2025
	Its	WV Department of Environmental Protection

SURFACE OWNER WAIVER

Operator's Well Number

Harrison	_	06055
----------	---	-------

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

> Chief. Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following RECEIVED Office of Oil and Gas grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;

5) The applicant has committed a substantial violation of a previous permit or more of the rules promulgated under Chapter 22, and has failed to abate or seek review profession violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A CORPORATION, FOR EXECUTION BY A NATURAL PERSON

ETC.			
	Date	Name	<u></u>
Signature		By	Date
		Signature	Date

JUL 0 7 2025



Jason Harmon – Deputy Director WV Department of Environmental Protection Office of Oil and Gas 601 57th Street, SE Charleston, WV 26304-2345

Mr. Harmon.

Please find enclosed a permit application to plug and abandon the orphan well listed below.

API #:4703306055 Tax District: Clay Harrison County, WV

This well is part of the state orphan multi-well plugging contract for Harrison County, WV. Next Level Energy will be the plugging contractor operating under the Harrison County Contract. The oil and gas inspector has reviewed and signed off on the permit application for the work to be carried out. Additionally, a copy of the application has been mailed to the surface owner(s) of record, with the associated mail receipt(s) enclosed.

If you have any questions or require further information regarding the work or the permitting process, please do not hesitate to contact the Diversified Energy Permitting Department

We are here to assist and provide any clarification you may need.

Sincerely,

Nick Bumgardner - Permitting Supervisor

Diversified Energy Company

304-545-4848

nbumgardner@dgoc.com

Office of Oil and Gas

JUL 0 7 2025

WV Department of Environmental Protection

11/10/2016

PLUGGING PERMIT CHECKLIST 4703306055

Pluggin	g Permit
Ħ,	WW-4B WW-4B signed by inspector WW-4A
1 1	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERITFIED MAIL
#	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THAT APPLICATION WAS SENT BY REGISTERED OR CERTIFIED MAIL WW-9 PAGE 1 (NOTARIZED)
	WW-9 PAGE 2 with attached drawing of road, location, pit and proposed area for land application WW-9 GPP PAGE 1 and 2 if well effluent will be land applied
Ħ	RECENT MYLAR PLAT OR WW-7 WELL RECORDS/COMPLETION REPORT
H	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED
Ħ	MUST HAVE VALID BOND IN OPERATOR'S NAME CHECK FOR \$100 IF PIT IS USED CHECK FOR \$100 IF PIT IS USED CHECK FOR \$100 IF PIT IS USED
	Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued for 4703306054 06055 06056 06057

1 message

Kennedy, James P < james.p.kennedy@wv.gov>

Wed, Aug 6, 2025 at 10:07 AM

To: Henry J Harmon henry.j.harmon@wv.gov, Nicholas Bumgardner henry.j.harmon@wv.gov, Apalmer@harrisoncountywv.com

To whom it may concern, plugging permits issued for 4703306054 06055 06056 06057.

--

James Kennedy

Environmental Resource Specialist III / Permitting

WVDEP Office of Oil and Gas

601 57th Street, SE


Charleston, WV 25304

304-926-0499 ext. 45025

james.p.kennedy@wv.gov

4 attachments





2895K

4703306055.pdf 2902K