



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary
www.dep.wv.gov

Monday, May 5, 2025
WELL WORK PERMIT
Horizontal 6A / New Drill

HG ENERGY II APPALACHIA, LLC
5260 DUPONT ROAD


PARKERSBURG, WV 26101

Re: Permit approval for SCRANAGE 1204 N-1H
47-033-06097-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.



James A. Martin
Chief

Operator's Well Number: SCRANAGE 1204 N-1H
Farm Name: DAVID K. SCRANAGE
U.S. WELL NUMBER: 47-033-06097-00-00
Horizontal 6A New Drill
Date Issued: 5/5/2025

Promoting a healthy environment.

05/09/2025

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
7. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Also, 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

05/09/2025

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

1) Well Operator: HG Energy II Appalachia, L.P. 494519932 Harrison Grant Mount Clare 7.5'
Operator ID County District Quadrangle

2) Operator's Well Number: Scranage 1204 N-1H Well Pad Name: Scranage 1204

3) Farm Name/Surface Owner: David Scranage Public Road Access: Rice Run Road

4) Elevation, current ground: 1252' Elevation, proposed post-construction: 1247'

5) Well Type (a) Gas Oil _____ Underground Storage _____

Other _____

(b) If Gas Shallow Deep _____

Horizontal _____

6) Existing Pad: Yes or No No

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):
Marcellus at 7049' / 7145' and 96' in thickness. Anticipated pressure at 4314#.

8) Proposed Total Vertical Depth: 7080'

9) Formation at Total Vertical Depth: Marcellus

10) Proposed Total Measured Depth: 14,600'

11) Proposed Horizontal Leg Length: 5,638'

12) Approximate Fresh Water Strata Depths: 60', 90', 135', 181, 480', 496', 640', 728'

13) Method to Determine Fresh Water Depths: Nearest offset well data (47-033-73927, 01915, 01217, 06001)

14) Approximate Saltwater Depths: 1605'

15) Approximate Coal Seam Depths: 272', 501', 650', 730', 736', 950', 1040', 1150' (Surface casing is being extended to cover the coal in the DTI Storage Field)

16) Approximate Depth to Possible Void (coal mine, karst, other): None

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes _____ No

(a) If Yes, provide Mine Info: Name: _____
Depth: _____
Seam: _____
Owner: _____

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

WW-6B
(04/15)

API NO. 47-
OPERATOR WELL NO. Sonrango 1204 N-1H
Well Pad Name: Sonrango 1204

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft./CTS)
Conductor	30"	New	LS	157.5	120'	120'	Drilled In
Fresh Water/Coal	20"	NEW	J-55	94	1200'	1200'	40% excess, CTS
Intermediate 1	13 3/8"	NEW	J-55 BTC	68	1855'	1855'	40% excess, CTS
Intermediate 2	9 5/8"	NEW	N-80 BTC	40	5050'	5050'	40% excess tail, CTS
Production	5 1/2"	NEW	P-110 HP	23	14600'	14600'	20% excess tail, CTS
Tubing							
Liners							

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	30"	.500				Drilled In
Fresh Water/Coal	20"	26"	.438	2110	1200	Type 1, Class A	40% excess yield = 1.20, CTS
Intermediate 1	13 3/8"	17 1/2"	.480	3450		Type 1, Class A	40% excess, Tail 0% excess
Intermediate 2	9 5/8"	12 1/4"	.395	5750		Type 1, Class A	40% excess, Tail 0% excess
Production	5 1/2"	8 1/2"	.415	16240	12500	Type 1, Class A	20% excess yield = 1.13, Tail 0% excess
Tubing							
Liners							

RECEIVED
Office of Oil and Gas

APR 02 2025

WV Department of
Environmental Protection

PACKERS

Kind:				
Sizes:				
Depths Set:				

Ky Willett 3/13/25

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill the vertical depth to the Marcellus at an estimated total vertical depth of approximately 7080 feet. Drill horizontal leg to estimated 5,638' lateral length, 14,600' TMD. Hydraulically fracture, stimulate and be capable of producing from the Marcellus Formation. Should we encounter an unanticipated void in the coal, we will install a minimum of 20' of casing below the void but not more than 100' below the void, set a basket and grout to surface. We plan to run an ACP above the Gantz/Dominion Storage interval to aid in sealing off and isolating the storage interval.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The stimulation will be completed with multiple stages divided over the lateral length of the well. Stage spacing is dependent upon engineering design. Slickwater fracturing technique will be utilized on each stage using sand, water, and chemicals. See attached list. Maximum pressure not to exceed 12,500 psi.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 21.29 acres

22) Area to be disturbed for well pad only, less access road (acres): 8.87 acres

23) Describe centralizer placement for each casing string:

No centralizers will be used with conductor casing.
Freshwater - centralized every 3 joints to surface.
Coal - Bow Spring on every joint, will also be running ACP for isolating storage zone
Intermediate - Bow Spring on first 2 joints then every third joint to 100' from surface.
Production - Run 1 spiral centralizer every 5 joints from the top of the curve to surface. Run 1 spiral centralizer every 3 joints from the 1st 5.5' long joint to the top of the curve.

RECEIVED
Office of Oil and Gas

APR 02 2025

WV Department of
Environmental Protection

24) Describe all cement additives associated with each cement type:

Conductor - N/A. Casing to be drilled in w/ Dual Rotary Rig.
Fresh Water - 15.6 ppg PNE-1 + 3% bwoc CaCl₂ 40% Excess Yield = 1.20, CTS
Intermediate 1 - "**** Storage Slime ****" CTS **** 15.4 ppg Lead - Yield 1.24 - D896 Surface Set 100 lb / sack (Mix of Class A and Gypsum to meet Dominion Requirements) B348 - 0.5% BWOB Fluid Loss / D013 - 0.75% BWOB Retarder / D47 - 0.02 gal / sack VBWOB Anti Foam / D202 - 0.15% BWOB Dispersant / D095 1.5 lb per BBL "ConnNet" - 60% Excess 15.9 ppg Tail - Yield 1.17 - D996 Surface Set 100 lb / sack (Mix of Class A and Gypsum to meet Dominion Requirements) B160A - 0.15% BWOB Dispersant / B547 - 0.35% BWOB GasBLOK / D013 - 0.3% BWOB Retarder / D047 - 0.02 gal / sack Anti Foam / D801 - 0.03 gal / sack Retarder - 0% Excess
Intermediate 2 - "Lead: 15.4 ppg PNE-1 + 2.5% bwoc CaCl₂ 40% Excess / Tail: 15.9 ppg PNE-1 + 2.5% bwoc CaCl₂ zero% Excess. CTS"
Production - "Lead: 14.5 ppg POZ:PNE-1 + 0.3% bwoc R3 + 1% bwoc EC1 + 0.75 gal/sk FP13L + 0.3% bwoc MPA170Tail: 14.8 ppg PNE-1 + 0.35% bwoc R3 + 0.75 gal/sk FP13L + 50% bwoc ASCA1 + 0.5% bwoc MPA17020% Excess Lead Yield=1.19 Tail Yield=1.94CTS"

25) Proposed borehole conditioning procedures:

Conductor - Ensure the hole is clean at TD.
Fresh Water - Once casing is at setting depth, circulate a minimum of one hole volume with Fresh Water prior to pumping cement.
Coal - Once casing is at setting depth, Circulate and condition at TD. Circulate a minimum of one hole volume prior to pumping cement.
Intermediate - Once casing is at setting depth, Circulate and condition mud at TD. Circulate a minimum of one hole volume prior to pumping cement.
Production - Once on bottom/TD with casing, circulate at max allowable pump rate for at least 2x bottoms up, or until returns and pump pressures indicate the hole is clean. Circulate a minimum of one hole volume prior to pumping cement.

*Note: Attach additional sheets as needed.

HG Energy II Appalachia, LLC

Scrannage 1204 Well Pad (N-1H, N-2H, N-3H, N-4H, N-5H, N-6H, S-7H, S-8H, S-9H, S-10H, S11H, S12H)

Cement Additives

Material Name	Material Type	Material Description	CAS #																		
Premium NE-1	Portland Cement	Premium NE-1 is a portland cement with early compressive strength properties.	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>Portland cement</td> <td>90 - 100</td> <td>65997-15-1</td> </tr> <tr> <td>Calcium oxide</td> <td>1 - 5</td> <td>1305-78-8</td> </tr> <tr> <td>Magnesium oxide</td> <td>1 - 5</td> <td>1309-48-4</td> </tr> <tr> <td>Crystalline silica: Quartz (SiO2)</td> <td>0.1 - 1</td> <td>14808-60-7</td> </tr> </tbody> </table>	Ingredient name	%	CAS number	Portland cement	90 - 100	65997-15-1	Calcium oxide	1 - 5	1305-78-8	Magnesium oxide	1 - 5	1309-48-4	Crystalline silica: Quartz (SiO2)	0.1 - 1	14808-60-7			
			Ingredient name	%	CAS number																
Portland cement	90 - 100	65997-15-1																			
Calcium oxide	1 - 5	1305-78-8																			
Magnesium oxide	1 - 5	1309-48-4																			
Crystalline silica: Quartz (SiO2)	0.1 - 1	14808-60-7																			
Bentonite	Extender	Commonly called gel, it is a clay material used as a cement extender and to control excessive free water.	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>bentonite</td> <td>90 - 100</td> <td>1302-78-9</td> </tr> <tr> <td>Crystalline silica: Quartz (SiO2)</td> <td>5 - 10</td> <td>14808-60-7</td> </tr> </tbody> </table>	Ingredient name	%	CAS number	bentonite	90 - 100	1302-78-9	Crystalline silica: Quartz (SiO2)	5 - 10	14808-60-7									
			Ingredient name	%	CAS number																
bentonite	90 - 100	1302-78-9																			
Crystalline silica: Quartz (SiO2)	5 - 10	14808-60-7																			
Calcium Chloride	Accelerator	A powdered, flaked or pelletized material used to decrease thickening time and increase the rate of strength development	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>Calcium chloride</td> <td>90 - 100</td> <td>10043-52-4</td> </tr> </tbody> </table>	Ingredient name	%	CAS number	Calcium chloride	90 - 100	10043-52-4												
			Ingredient name	%	CAS number																
Calcium chloride	90 - 100	10043-52-4																			
Cello Flake	Lost Circulation	Graded (3/8 to 3/4 inch) cellophane flakes used as a lost circulation material.	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>No hazardous ingredient</td> <td></td> <td></td> </tr> </tbody> </table>	Ingredient name	%	CAS number	No hazardous ingredient														
			Ingredient name	%	CAS number																
No hazardous ingredient																					
FP-13L	Foam Preventer	FP-13L is a clear liquid organic phosphate antifoaming agent used in cementing operations. It is very effective minimizing air entrapment and preventing foaming tendencies of latex systems.	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>Tributyl phosphate</td> <td>90 - 100</td> <td>126-73-8</td> </tr> </tbody> </table>	Ingredient name	%	CAS number	Tributyl phosphate	90 - 100	126-73-8												
			Ingredient name	%	CAS number																
Tributyl phosphate	90 - 100	126-73-8																			
Granulated Sugar	Retarder	Used to retard cement returns at surface. A proprietary product that provides expansive properties and improves bonding at low to moderate temperatures.	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>Sucrose</td> <td>90 - 100</td> <td>57-50-1</td> </tr> </tbody> </table>	Ingredient name	%	CAS number	Sucrose	90 - 100	57-50-1												
			Ingredient name	%	CAS number																
Sucrose	90 - 100	57-50-1																			
EC-1	Gas Migration	Multi-purpose polymer additive used to control free fluid, fluid loss, rheology, and gas migration.	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>Calcium magnesium oxide</td> <td>90 - 100</td> <td>37247-91-9</td> </tr> </tbody> </table>	Ingredient name	%	CAS number	Calcium magnesium oxide	90 - 100	37247-91-9												
			Ingredient name	%	CAS number																
Calcium magnesium oxide	90 - 100	37247-91-9																			
MPA-170	Base	A synthetic pozzolan, (primarily Silicon Dioxide). When blended with cement, Pozzolan can be used to create lightweight cement slurries used as either a filler slurry or a sulfate resistant completion cement.	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>Crystalline silica: Quartz (SiO2)</td> <td>5 - 10</td> <td>14808-60-7</td> </tr> <tr> <td>Calcium oxide</td> <td>1 - 5</td> <td>1305-78-8</td> </tr> </tbody> </table>	Ingredient name	%	CAS number	Crystalline silica: Quartz (SiO2)	5 - 10	14808-60-7	Calcium oxide	1 - 5	1305-78-8									
			Ingredient name	%	CAS number																
Crystalline silica: Quartz (SiO2)	5 - 10	14808-60-7																			
Calcium oxide	1 - 5	1305-78-8																			
R-3	Retarder	A low temperature retarder used in a wide range of slurry formulations to extend the slurry thickening time.	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>Organic acid salt</td> <td>40 - 50</td> <td>Trade secret.</td> </tr> </tbody> </table>	Ingredient name	%	CAS number	Organic acid salt	40 - 50	Trade secret.												
			Ingredient name	%	CAS number																
Organic acid salt	40 - 50	Trade secret.																			
S-5	Surfactant	Used to water wet casing and formation to facilitate cement bonding.	<table border="1"> <thead> <tr> <th>Ingredient name</th> <th>%</th> <th>CAS number</th> </tr> </thead> <tbody> <tr> <td>2-Butoxyethanol</td> <td>20 - 30</td> <td>111-76-2</td> </tr> <tr> <td>Proprietary surfactant</td> <td>10 - 20</td> <td>Trade secret.</td> </tr> <tr> <td>D-Glucopyranose, oligomeric, C10-16-alkyl glycosides</td> <td>5 - 10</td> <td>110615-47-9</td> </tr> <tr> <td>Alkylarylsulfonate amine salt</td> <td>1 - 5</td> <td>Trade secret.</td> </tr> <tr> <td>Polyoxyalkylenes</td> <td>0.1 - 1</td> <td>Trade secret.</td> </tr> </tbody> </table>	Ingredient name	%	CAS number	2-Butoxyethanol	20 - 30	111-76-2	Proprietary surfactant	10 - 20	Trade secret.	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	5 - 10	110615-47-9	Alkylarylsulfonate amine salt	1 - 5	Trade secret.	Polyoxyalkylenes	0.1 - 1	Trade secret.
			Ingredient name	%	CAS number																
2-Butoxyethanol	20 - 30	111-76-2																			
Proprietary surfactant	10 - 20	Trade secret.																			
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	5 - 10	110615-47-9																			
Alkylarylsulfonate amine salt	1 - 5	Trade secret.																			
Polyoxyalkylenes	0.1 - 1	Trade secret.																			

RECEIVED
Office of Oil and Gas
APR 02 2025

WV Department of
Environmental Protection

4703306097

***** Storage String *** CTS *****
 15.4 ppg Lead - Yield 1.24 - D896 Surface Set 100 lb / sack (Mix of Class A and Gypsum to meet Dominion Requirements)
 B348 - 0.5% BWOB Fluid Loss / D013 - 0.75% BWOB Retarder / D47 - 0.02 gal / sack VBWOB Anti Foam / D202 - 0.15% BWOB
 Dispersant / D095 1.5 lb per BBL CemNET* - 60% Excess
 15.9 ppg Tail - Yield 1.17 - D896 Surface Set 100 lb / sack (Mix of Class A and Gypsum to meet Dominion Requirements)
 B160A - 0.15% BWOB Dispersant / B547 - 0.35% BWOB GasBLOK* / D013 - 0.3% BWOB Retarder / D047 - 0.02 gal / sack Anti Foam /
 D801 - 0.03 gal / sack Retarder - 0% Excess

RECEIVED
 Office of Oil and Gas
 APR 02 2025
 WV Department of Environmental Protection

1204 N-1H
Marcellus Shale Horizontal
Harrison County, WV



Ground Elevation	1247.6'	1204 N-1H SHL	14220002.21N 1831711.43E
Azm	340.402°	1204 N-1H LP	14219854.5N 1828577.96E
WELLBORE DIAGRAM		1204 N-1H BHL	14225174.83N 1826726.27E

WELLBORE DIAGRAM	HOLE	CASING	GEOLOGY	TOP	BASE	MUD	CEMENT	CENTRALIZERS	CONDITIONING	COMMENTS
	30"	30" 157.5# LS	Conductor	0	120	AIR	N/A, Casing to be drilled in w/ Dual Rotary Rig	N/A	Ensure the hole is clean at TD.	Conductor casing = 0.5" wall thickness
	26"	20" 94# J-55	Fresh Water	0	60,90,135,496, 640,728	AIR	15.6 ppg PNE-1 + 3% bwoc CaCl 40% Excess Yield=1.20 / CTS	Centralized every 3 joints to surface	Once casing is at setting depth, circulate a minimum of one hole volume with Fresh Water prior to pumping cement.	Surface casing = 0.438" wall thickness Burst=2110 psi
			Coals	0	272, 736, 1150					
			Fresh Water Protection	0	1200					
	17.5"	13-3/8" 68# J-55 BTC	Little Lime	1228	1244	AIR / KCL Salt Polymer	See above (LEFT) for Storage String Cement Blend to Meet DTI Requirements for Gas Storage Field Isolation	Bow Spring on every joint <i>*will also be running ACP for isolating storage zone*</i>	Once casing is at setting depth, Circulate and condition at TD. Circulate a minimum of one hole volume prior to pumping cement.	Intermediate casing = 0.480" wall thickness Burst=3450 psi
			Big Lime	1273	1327					
			Injun / Gantz (Storage)	1327 / 1658	1451 / 1728					
			Intermediate 1	0	1855					
	12.25"	9-5/8" 40# N-80 BTC	Fifty Foot / Thirty	1753 / 1868	1843 / 1900	AIR / KCL Salt Polymer	Lead: 15.4 ppg PNE-1 + 2.5% bwoc CaCl 40% Excess / Tail: 15.9 ppg PNE-1 + 2.5% bwoc CaCl zero% Excess. CTS	Bow Spring on first 2 joints then every third joint to 100' form surface	Once casing is at setting depth, Circulate and condition mud at TD. Circulate a minimum of one hole volume prior to pumping cement.	Intermediate casing = 0.395" wall thickness Burst=5750 psi
			Gordon	1907	1995					
			5th Sand	2194	2214					
			Bayard	2287	2309					
			U&L Speechley	2803	2906					
			Bradford	3482	3556					
			Benson	4173	4193					
Intermediate 2	0	TVD: 4900' MD: 5050' Inc: 35 deg.								
8.75"	5-1/2" 23# P-110 HP CDC HTQ	<i>* Intermediate 2 plan to cover the Alexander also</i>			AIR / 9.0ppg SOBMM	Lead: 14.5 ppg POZ:PNE-1 + 0.3% bwoc R3 + 1% bwoc EC1 + 0.75 gal/sk FP13L + 0.3% bwoc MPA170 Tail: 14.8 ppg PNE-1 + 0.35% bwoc R3 + 0.75 gal/sk FP13L + 50% bwoc ASCA1 + 0.5% bwoc MPA170 20% Excess Lead Yield=1.19 Tail Yield=1.94 CTS	Run 1 spiral centralizer every 5 joints from the top of the curve to surface.	Once on bottom/TD with casing, circulate at max allowable pump rate for at least 2x bottoms up, or until returns and pump pressures indicate the hole is clean. Circulate a minimum of one hole volume prior to pumping cement.	Production casing = 0.415" wall thickness Burst=16240 psi Note:Actual centralizer schedules may be changed due to hole conditions	
Alexander		4500	4670							
Rhinestreet		5603	6420	11.5ppg-12.5ppg SOBMM						
Cashaqua		6420	6653							
Middlesex		6653	6748							
West River		6748	6859							
Burkett		6859	6894							
Tully Limestone		6894	6983							
Hamilton		6983	6753							
Marcellus		7049	7145							
8.5" Curve		TMD / TVD (Production)	14600	7080	11.5ppg-12.5ppg SOBMM	Run 1 spiral centralizer every 3 joints from the 1st 5.5" long joint to the top of the curve.				
8.5" Lateral		Onondaga	7145							

LP @ 7080' TVD / 8962' MD

8.5" Hole - Cemented Long String
 5-1/2" 23# P-110 HP CDC HTQ

+/-5638' ft Lateral

TD @ +/-7080' TVD
 +/-14600' MD

X=centralizers

WW-9
(4/16)

API Number 47- 4703306097

Operator's Well No. Scrannage 1204 N-1H

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name HG Energy II Appalachia, LLC OP Code 494501907

Watershed (HUC 10) Lost Creek Quadrangle Mount Clare 7.5'

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No

Will a pit be used? Yes No

If so, please describe anticipated pit waste: NA

Will a synthetic liner be used in the pit? Yes No If so, what ml.? _____

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection (UIC Permit Number _____)
- Reuse (at API Number TBD - At next anticipated well)
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain _____)

Will closed loop system be used? If so, describe: Yes, cuttings and fluids will be collected in a closed loop system, re-used or hauled to an approved disposal site or landfill.

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Vertical - Air, Air/KCL, Air/SOBM, Horizontal - SOB

-If oil based, what type? Synthetic, petroleum, etc. Synthetic

Additives to be used in drilling medium? Water, Soap, KCl, Barite, Base Oil, Wetting Agents

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Approved Landfill

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) NA

-Landfill or offsite name/permit number? See Attached

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Diane White

Company Official (Typed Name) Diane White

Company Official Title Agent

Subscribed and sworn before me this 10th day of March, 2025

Notary Public

My commission expires 11/2/2026



05/09/2025

4703306097

Form WW-9

HG Energy II Appalachia, LLC

Operator's Well No. Scravage 1204 N-1H

Proposed Revegetation Treatment: Acres Disturbed 21.29 Prevegetation pH _____

Lime 3 Tons/acre or to correct to pH 6.5

Fertilizer type 10-20-20

Fertilizer amount 500 lbs/acre

Mulch Hay 2 Tons/acre

Seed Mixtures

Temporary		Permanent	
Seed Type	Ibs/acre	Seed Type	Ibs/acre
Tall Fescue	40	Tall Fescue	40
Ladino Clover	5	Ladino Clover	5

Maintain E&S controls through the drilling and completion process

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Ky Willett

Comments: Pre-seed/mulch as soon as reasonably possible per regulation.
Upgrade E&S if needed per WV DEP E&S manual.

Title: Oil & Gas Inspector

Date: 3/13/25

Field Reviewed? Yes No

RECEIVED
Office of Oil and Gas

APR 02 2025

WV Department of
Environmental Protection

05/09/2025

4703306097

HG Energy II Appalachia, LLC

Site Safety Plan

Scranage 1204

**474 Rices Run Road, Lost Creek
Harrison County, WV 26385**

December 2024: Version 1

**For Submission to
West Virginia Department of Environmental Protection,
Office of Oil and Gas**

HG Energy II Appalachia, LLC

5260 Dupont Road

Parkersburg, WV 26101

RECEIVED
Office of Oil and Gas

APR 02 2025


WV Department of
Environmental Protection

R. J. Willett 3/13/25

05/09/2025

4703306097

SUBJECT WELL
SCRANAGE 1204 N-1H



 Denotes Possible
Water Supply Owner
to be Tested

Section of
 Mt. Clare 7.5' Quadrangle
 05/09/2025
 SCALE 1"=1,000'

RECEIVED
 Office of Oil and Gas
 APR 02 2025
 WV Department of
 Environmental Protection

2,686' to Bottom Hole

9,552' to Top Hole



TOP LATITUDE 39 - 10 - 00
BTM LATITUDE 39 - 12 - 30

TOP HOLE LONGITUDE 80 - 17 - 30
BTM HOLE LONGITUDE 80 - 20 - 00

4,048' to Top Hole

14,010' to Bottom Hole

Legend	
	Proposed gas well
	Well Reference, as noted
	Monument, as noted
	Existing Well, as noted
	Existing Plugged Well, as noted
	Digitized Well, as noted
	Creek or Drain
	Existing Road
	Surface boundary (approx.)




UTM Zone 17, NAD 1983
Plat orientation and corner and well references are based upon the grid north meridian. Well location references are based upon the magnetic meridian.

Notes: Well No. Scranage 1204 N-1H UTM NAD 1983 (USSF)
Top Hole Coordinates
N: 14,220,002.21'
E: 1,831,711.43'
Landing Point Coordinates
N: 14,219,854.50'
E: 1,828,577.96'
Bottom Hole Coordinates
N: 14,225,174.83'
E: 1,826,726.27'

Notes: Well No. Scranage 1204 N-1H UTM NAD 1983 (Meters)
Top Hole Coordinates
N: 4,334,265.342m
E: 558,306.760m
Landing Point Coordinates
N: 4,334,220.320m
E: 557,351.677m
Bottom Hole Coordinates
N: 4,335,841.960m
E: 556,787.281m


West Virginia Coordinate System of 1927, North Zone based upon Differential GPS Measurements.

Notes: Well No. Scranage 1204 N-1H WVCS 1927, North Zone
Top Hole Coordinates
Lat: 39°09'19.98"
Lon: 80°19'31.29"
Landing Point Coordinates
Lat: 39°09'18.74"
Lon: 80°20'11.10"
Bottom Hole Coordinates
Lat: 39°10'11.48"
Lon: 80°20'34.12"



I, the undersigned, hereby certify that this plat is correct to the best of my knowledge and belief and shows all the information required by law and the rules issued and prescribed by the Department of Environmental Protection.

Dwayne D. Matheny
Dwayne D. Matheny, P.S., 2070



Tag	Bearing	Dist.	Monument
L1	S 68°58' W	1,155.7'	47-033-00664
L2	N 06°23' W	1,040.8'	47-033-00327
L3	S 77°08' E	1,343.7'	5/8" Rebar w/ cap
L4	S 49°46' E	1,153.9'	5/8" Rebar w/ cap
L5	S 87°18' W	3,136.9'	Landing Point

Note: 3 water wells were found within 1500' of proposed well. No occupied dwellings or buildings 2,500 square feet or larger used to house or shelter dairy cattle or poultry husbandry are located within 625' of the center of the well pad.

FILE NO: 155-36-G-19
DRAWING NO: Scranage 1204 N-1H Well Plat
SCALE: 1" = 2000'
MINIMUM DEGREE OF ACCURACY: Submeter
PROVEN SOURCE OF ELEVATION: CORS, Bridgeport, WV

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS DIVISION

DATE: March 5 20 25
OPERATOR'S WELL NO. Scranage 1204 N-1H
API WELL NO
47 - 033 - 06097
STATE COUNTY PERMIT


WELL TYPE: OIL GAS LIQUID INJECTION WASTE DISPOSAL
(IF GAS) PRODUCTION: STORAGE DEEP SHALLOW

LOCATION: ELEVATION: 1,247.6' WATERSHED: Lost Creek
DISTRICT: Grant
SURFACE OWNER: David K. Scranage
ROYALTY OWNER: Waco Oil & Gas Co., Inc., et al LEASE NO: ACREAGE: 56.48
PROPOSED WORK: DRILL CONVERT DRILL DEEPER FRACTURE OR STIMULATE PLUG OFF OLD FORMATION
 PERFORATE NEW FORMATION OTHER PHYSICAL CHANGE IN WELL (SPECIFY)
 PLUG AND ABANDON CLEAN OUT AND REPLUG TARGET FORMATION: Marcellus Shale ESTIMATED DEPTH: 7,080' TVD 14,600' MD


WELL OPERATOR: HG Energy II Appalachia, LLC DESIGNATED AGENT: Diane C. White
ADDRESS: 5260 Dupont Road ADDRESS: 5260 Dupont Road
Parkersburg, WV 26101 Parkersburg, WV 26101




Wellhead Layout (NTS)



Well Location References
Not to Scale



Detail 1 (1"=500')



No.	TM / Par	Harrison County Owner	Bk / Pg	Ac.
1	447 / 9	David K. Scranage	1259 / 986	56.48
2	447 / 13	Sonja R. & James W. Rogers, et al	1410 / 858	33.62
3	447 / 13.4	Neal B. Swiger	1593 / 942	11.83
4	447 / 13.3	Neal B. Swiger	1221 / 569	1.29
5	447 / 10.1	Jeannie D. Gaston	1377 / 1161	7.44
6	447 / 11	Norma L. & James K. Golden, Jr.	1514 / 575	1.00
7	447 / 9.5	Albert M. Taylor	1399 / 309	10.02
8	447 / 9.4	Anthony Gilberti	1408 / 46	10.00
9	447 / 10	Martin & Patricia A. Broderick	1602 / 963	10.88
10	447 / 27	Alan M. Randolph, et al	W143 / 212	63.11
11	447 / 6	Thomas E. & Terri E. Hawkins	1558 / 1255	64.33
12	447 / 9.2	Edson E. & Celestine Culver	1201 / 1348	8.03
13	427 / 46	John E. Jefferson	1153 / 588	23.93
14	447 / 7	Lonnie J. & Connie S. Ward	1513 / 1089	6.42
15	427 / 28.2	Stephen K. Hall	1319 / 10	3.80
16	427 / 28	Worthy C. Hall	1577 / 627	248.44
17	427A / 11	Tammy D. Ruble	1485 / 975	0.28
18	427A / 12	Joshua R. & Morgan J. Wilfong	1604 / 955	0.27
19	427A / 13	Joshua R. & Morgan J. Wilfong	1604 / 955	0.55
20	427A / 14	Donald & Laura Wiseman	1457 / 1257	0.43
21	427 / 27	Worthy C. Hall, et al	1577 / 626	51.75
22	427 / 16	Vicky & Reid Smith	1336 / 710	4.21
23	427 / 17	Lucas W. & Tiffany A. Blair	1729 / 988	8.94
24	427 / 18	Rebecca A. Vanhorn	1360 / 435	1.78
25	427 / 19	Pamela S. Bennett	F123 / 503	10.98
26	427 / 20	Arthur L. Petitto, Jr.	F97 / 675	9.70
27	2102 / 54	NAJ, LLC.	1713 / 1059	0.12
28	2102 / 53	NAJ, LLC.	1713 / 1059	0.11
29	2102 / 52	NAJ, LLC.	1713 / 1059	0.11
30	2102 / 51	NAJ, LLC.	1713 / 1059	0.11
31	2102 / 50	NAJ, LLC.	1713 / 1059	0.11
32	2102 / 49	NAJ, LLC.	1713 / 1059	0.11
33	2102 / 48	Tammy L. Jett	1658 / 909	0.11
34	2102 / 47	Bernard G. & Glenda F. Bailey	962 / 140	0.11
35	2102 / 46	Bernard G. & Glenda F. Bailey	962 / 140	0.11
36	2102 / 45	Bernard G. & Glenda F. Bailey	962 / 140	0.11
37	2102 / 44	Bernard G. & Glenda F. Bailey	962 / 140	0.11
38	2102 / 43	Bernard G. & Glenda F. Bailey	962 / 140	0.11
39	2102 / 42	Bernard G. & Glenda F. Bailey	962 / 140	0.11
40	2102 / 41	Bernard G. & Glenda F. Bailey	962 / 140	0.11
41	2102 / 40	Bernard G. & Glenda F. Bailey	962 / 140	0.11
42	2102 / 39	Austin Gaspell	1681 / 15	0.11
43	2102 / 38	Austin Gaspell	1681 / 15	0.11
44	2102 / 37	Austin Gaspell	1681 / 15	0.11
45	2102 / 36	Austin Gaspell	1681 / 15	0.11
46	2102 / 35	Austin Gaspell	1681 / 15	0.11
47	2102 / 34	Austin Gaspell	1681 / 15	0.11
48	2102 / 33	Austin Gaspell	1681 / 15	0.11
49	2102 / 32	Austin Gaspell	1681 / 15	0.11
50	2102 / 31	Austin Gaspell	1681 / 15	0.11
51	2102 / 27	NAJ, LLC.	1722 / 986	0.11
52	2102 / 26	NAJ, LLC.	1722 / 1016	0.11
53	2102 / 25	NAJ, LLC.	1713 / 1085	0.11
54	2102 / 24	NAJ, LLC.	1713 / 1085	0.11
55	2102 / 23	Tammy L. Jett	1658 / 909	0.11
56	2102 / 22	Tammy L. Jett	1658 / 909	0.11
57	2102 / 21	Tammy L. Jett	1658 / 909	0.11
58	2102 / 20	Bernard G. & Glenda F. Bailey	962 / 140	0.11
59	2102 / 19	Bernard G. & Glenda F. Bailey	962 / 140	0.11
60	2102 / 18	Bernard G. & Glenda F. Bailey	962 / 140	0.11
61	2102 / 17	Bernard G. & Glenda F. Bailey	962 / 140	0.11
62	2102 / 16	Bernard G. & Glenda F. Bailey	962 / 140	0.11
63	2102 / 15	Bernard G. & Glenda F. Bailey	962 / 140	0.11
64	2102 / 14	Jennie M. Christopher, et al	W170 / 698	0.11
65	2102 / 13	Jennie M. Christopher, et al	W170 / 698	0.14
66	2102 / 12	Bernard G. & Glenda F. Bailey	962 / 140	0.18
67	2102 / 11	Bernard G. & Glenda F. Bailey	962 / 140	0.22
68	2102 / 7	Bernard G. & Glenda F. Bailey	1726 / 810	0.80
69	2102 / 1	Bernard G. & Glenda F. Bailey	1726 / 810	0.46
70	427 / 19.1	Pamela S. Bennett (LE), et al	1777 / 325	1.02
71	427 / 1.9	Charles R. Shock, II	1368 / 201	5.96
72	427 / 4	Virginia M. Metz (LE), et al	1757 / 109	0.43
73	427 / 1.1	Charles R. Shock, II	1368 / 201	2.75
74	427 / 5.1	Trustees - Seventh Day Baptist Church	G63 / 407	1.79
75	427 / 5	Trustees - Seventh Day Baptist Church	G63 / 407	4.01
76	427 / 42	Trustees - Seventh Day Baptist Church	G63 / 407	0.22

FILE NO: 155-36-G-19
DRAWING NO: Scranage 1204 N-1H Well Plat
SCALE: 1" = 2000'
MINIMUM DEGREE OF ACCURACY:
Submeter
PROVEN SOURCE OF ELEVATION:
CORS, Bridgeport, WV

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS DIVISION

DATE: March 5 20 25
OPERATOR'S WELL NO. Scranage 1204 N-1H
API WELL NO
47 - 033 - 06097
STATE COUNTY PERMIT

WELL TYPE: OIL GAS LIQUID INJECTION WASTE DISPOSAL
(IF GAS) PRODUCTION: STORAGE DEEP SHALLOW

LOCATION: ELEVATION: 1,247.6' WATERSHED: Lost Creek QUADRANGLE: Mount Clare
DISTRICT: Grant COUNTY: Harrison

SURFACE OWNER: David K. Scranage ACREAGE: 56.48
ROYALTY OWNER: Waco Oil & Gas Co., Inc., et al LEASE NO: ACREAGE: 140


PROPOSED WORK: DRILL CONVERT DRILL DEEPER FRACTURE OR STIMULATE PLUG OFF OLD FORMATION
 PERFORATE NEW FORMATION OTHER PHYSICAL CHANGE IN WELL (SPECIFY)
 PLUG AND ABANDON CLEAN OUT AND REPLUG TARGET FORMATION: Marcellus Shale ESTIMATED DEPTH: 7,080' TVD 14,600' MD

WELL OPERATOR: HG Energy II Appalachia, LLC DESIGNATED AGENT: Diane C. White
ADDRESS: 5260 Dupont Road ADDRESS: 5260 Dupont Road
Parkersburg, WV 26101 Parkersburg, WV 26101



ID	Lease
3	Alice V. & Thomas J. Knisley, her husband
48	L.B. & Sarah W. Davis, his wife
51	C.S. Gribble
54	D.L. & Margaret R. Nutter, his wife
55	Molly V. Bassel, widow, et al
57	Trustees of Seventh Day Baptist Church of Lost Creek

Detail 2 (1"=250')



FILE NO: 155-36-G-19
DRAWING NO: Scranage 1204 N-1H Well Plat
SCALE: 1" = 2000'
MINIMUM DEGREE OF ACCURACY:
Submeter
PROVEN SOURCE OF ELEVATION:
CORS, Bridgeport, WV

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS DIVISION

DATE: March 5 20 25
OPERATOR'S WELL NO. Scranage 1204 N-1H
API WELL NO
47 - 033 - 06097
STATE COUNTY PERMIT

WELL TYPE: OIL GAS LIQUID INJECTION WASTE DISPOSAL
(IF GAS) PRODUCTION: STORAGE DEEP SHALLOW

LOCATION: ELEVATION: 1,247.6' WATERSHED: Lost Creek

DISTRICT: Grant

SURFACE OWNER: David K. Scranage

ROYALTY OWNER: Waco Oil & Gas Co., Inc., et al LEASE NO:

PROPOSED WORK: DRILL CONVERT DRILL DEEPER FRACTURE OR STIMULATE PLUG OFF OLD FORMATION
 PERFORATE NEW FORMATION OTHER PHYSICAL CHANGE IN WELL (SPECIFY)

PLUG AND ABANDON CLEAN OUT AND REPLUG TARGET FORMATION: Marcellus Shale ESTIMATED DEPTH: 7,080' TVD 14,600' MD

WELL OPERATOR: HG Energy II Appalachia, LLC
ADDRESS: 5260 Dupont Road
Parkersburg, WV 26101

DESIGNATED AGENT: Diane C. White
ADDRESS: 5260 Dupont Road
Parkersburg, WV 26101

05/09/2025

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
----------------------	-----------------------	-----------------------	---------	-----------

****See Attached Sheets****

**Acknowledgement of Possible Permitting/Approval
In Addition to the Office of Oil and Gas**

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: HG Energy II Appalachia, LLC
 By: Diane White *Diane White*
 Its: Agent

**HG Energy II Appalachia, LLC
Scranage 1204 N-1H Lease Chain**

1204N 1H Tract	LEGACY LEASE NUMBER	TAX MAP	LEASE NUMBER	GRANTOR/LESSOR	GRANTEE/LESSEE	ROYALTY	DEED BOOK	PAGE				
3	LC043731	12-427-0028-0000 12-427-0028-0002	Q100823000	ALICE V. KNISLEY AND THOMAS J. KNISLEY, HER HUSBAND	FISHER OIL COMPANY	NOT LESS THAN 1/8	119	258				
				FISHER OIL COMPANY	OLANDUS WEST	DEED	156	77				
				OLANDUS WEST	JNO. T. P. O'BRIEN	ASSIGNMENT	155	407				
				JNO. T. P. O'BRIEN	THE GRASSELLI CHEMICAL COMPANY	ASSIGNMENT	158	492				
				GRASSELLI CHEMICAL COMPANY	HOPE NATURAL GAS COMPANY	ASSIGNMENT	381	163				
				HOPE NATURAL GAS COMPANY	CONSOLIDATED GAS SUPPLY CORPORATION	CONFIRMATORY DEED	903	179				
				CONSOLIDATED GAS SUPPLY CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	ASSIGNMENT	1136	250				
				CONSOLIDATED GAS TRANSMISSION CORPORATION	CNG TRANSMISSION CORPORATION	MERGER/NAME CHANGE	51	795				
				CNG TRANSMISSION CORPORATION	DOMINION TRANSMISSION, INC.	MERGER/NAME CHANGE	58	362				
				DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	MEMORANDUM FARMOUT AGREEMENT	1522	33				
				CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	LIMITED PARTIAL ASSIGNMENT (50%)	1543	1235				
				DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	PARTIAL ASSIGNMENT (32%)	1576	125				
				CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	ASSIGNMENT	1584	942				
				NOBLE ENERGY, INC.	HG ENERGY II APPALACHIA, LLC	ASSIGNMENT	1600	692				
				DOMINION TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.	MERGER/NAME CHANGE	WVSOS					
				DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT	1601	581				
				DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT	1621	1295				
DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	ASSIGNMENT (68%)	1637	1081								
48	LC004616	p/o 12-0447-0027-0000	Q100322000	L. B. DAVIS AND SARAH DAVIS, HIS WIFE	HOPE NATURAL GAS COMPANY	NOT LESS THAN 1/8	143	577				
				HOPE NATURAL GAS COMPANY	CONSOLIDATED GAS SUPPLY CORPORATION	CONFIRMATORY DEED	903	179				
				CONSOLIDATED GAS SUPPLY CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	ASSIGNMENT	1136	250				
				CONSOLIDATED GAS TRANSMISSION CORPORATION	CNG TRANSMISSION CORPORATION	MERGER/NAME CHANGE	51	795				
				CNG TRANSMISSION CORPORATION	DOMINION TRANSMISSION, INC.	MERGER/NAME CHANGE	58	362				
				DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	MEMORANDUM FARMOUT AGREEMENT	1522	33				
				CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	LIMITED PARTIAL ASSIGNMENT (50%)	1543	1235				
				DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	PARTIAL ASSIGNMENT (32%)	1576	125				
				CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	ASSIGNMENT	1584	942				
				NOBLE ENERGY, INC.	HG ENERGY II APPALACHIA, LLC	ASSIGNMENT	1600	692				
				DOMINION TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.	MERGER/NAME CHANGE	WVSOS					
				DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT	1601	581				
				DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT	1621	1295				
				DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	ASSIGNMENT (68%)	1637	1081				
				51	LC008505	12-0447-0009-0000 12-0447-0009-0002 12-0447-0009-0004 12-0447-0009-0005 p/o 12-0447-0010-0000 12-0427-0046-0000	Q100925000	C. S. GRIBBLE	SOUTH PENN OIL COMPANY	NOT LESS THAN 1/8	121	152
								SOUTH PENN OIL COMPANY	HOPE NATURAL GAS COMPANY	ASSIGNMENT	204	402
								HOPE NATURAL GAS COMPANY	CONSOLIDATED GAS SUPPLY CORPORATION	CONFIRMATORY DEED	903	179
CONSOLIDATED GAS SUPPLY CORPORATION	CONSOLIDATED GAS TRANSMISSION CORPORATION	ASSIGNMENT	1136					250				
CONSOLIDATED GAS TRANSMISSION CORPORATION	CNG TRANSMISSION CORPORATION	MERGER/NAME CHANGE	51					795				
CNG TRANSMISSION CORPORATION	DOMINION TRANSMISSION, INC.	MERGER/NAME CHANGE	58					362				
DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	MEMORANDUM FARMOUT AGREEMENT	1522					33				
CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	LIMITED PARTIAL ASSIGNMENT (50%)	1543					1235				
DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	PARTIAL ASSIGNMENT (32%)	1576					125				
CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	ASSIGNMENT	1584					942				

RECEIVED
 Office of Oil and Gas
 APR 02 2025
 WV Department of
 Environmental Protection

4703306097

		12-0427-0047-0000 12-427A-0081-0000 12-427A-0082-0000		NOBLE ENERGY, INC. DOMINION TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC DOMINION ENERGY TRANSMISSION, INC. HG ENERGY II APPALACHIA, LLC HG ENERGY II APPALACHIA, LLC HG ENERGY II APPALACHIA, LLC	ASSIGNMENT MERGER/NAME CHANGE SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT ASSIGNMENT (68%)	1600 WVSOS 1601 1621 1637	692
54	LC008511	12-0427-0027-0000 12-0427-0033-0000 12-0427-0034-0000	Q100304000	D. L. NUTTER AND MARGARET R. NUTTER, HIS WIFE SOUTH PENN OIL COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION DOMINION TRANSMISSION, INC. DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC AND NOBLE ENERGY, INC. NOBLE ENERGY, INC. NOBLE ENERGY, INC. DOMINION TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC.	SOUTH PENN OIL COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC NOBLE ENERGY, INC. CNX GAS COMPANY LLC AND NOBLE ENERGY, INC. NOBLE ENERGY, INC. HG ENERGY II APPALACHIA, LLC DOMINION ENERGY TRANSMISSION, INC. HG ENERGY II APPALACHIA, LLC HG ENERGY II APPALACHIA, LLC HG ENERGY II APPALACHIA, LLC	NOT LESS THAN 1/8 ASSIGNMENT CONFIRMATORY DEED ASSIGNMENT MERGER/NAME CHANGE MERGER/NAME CHANGE MEMORANDUM FARMOUT AGREEMENT FIRST AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT LIMITED PARTIAL ASSIGNMENT (50%) PARTIAL ASSIGNMENT (32%) ASSIGNMENT ASSIGNMENT MERGER/NAME CHANGE SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT ASSIGNMENT (68%)	121 204 903 1136 51 58 1522 1524 1543 1576 1584 1600 WVSOS 1601 1621 1637	172 402 179 250 795 362 33 491 1235 125 942 692 581 1295 1081
55	LC066783	13-0427-0001-0001 13-0427-0001-0002 13-0427-0001-0011 13-0427-0004-0000 13-0427-0003-0000 12-0427-0001-0000 12-0406-0048-0000 13-0427-0001-0003 THRU 13-0427-0001-0014 13-0427-0002-0000 13-0427-0013-0000 THRU 13-0427-0019-0000 13-0427-0019-0001 13-2103-0001-0000 13-2012-0001-0000 THRU 13-2012-0054-0000	Q100886000	MOLLIE V. BASSEL, WIDOW; WALTER D. NUTTER AND DORA H. NUTTER, HIS WIFE; DAVID H. NUTTER; BENJAMIN L. NUTTE;, F. F. EARP AND HETTIE EARP, HIS WIFE JOSEPH C. QUINN AND RUTH D. QUINN, EACH IN HIS OWN RIGHT AND AS HUSBAND AND WIFE JOSEPH C. QUINN AND RUTH D. QUINN, HIS WIFE HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION DOMINION TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. CNX GAS COMPANY LLC DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC NOBLE ENERGY, INC. DOMINION TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC. DOMINION ENERGY TRANSMISSION, INC.	HOPE NATURAL GAS COMPANY HOPE NATURAL GAS COMPANY HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION DOMINION TRANSMISSION, INC. CNX GAS COMPANY LLC HG ENERGY II APPALACHIA, LLC NOBLE ENERGY, INC. CNX GAS COMPANY LLC AND NOBLE ENERGY, INC. NOBLE ENERGY, INC. HG ENERGY II APPALACHIA, LLC DOMINION ENERGY TRANSMISSION, INC. HG ENERGY II APPALACHIA, LLC HG ENERGY II APPALACHIA, LLC	NOT LESS THAN 1/8 NOT LESS THAN 1/8 NOT LESS THAN 1/8 CONFIRMATORY DEED ASSIGNMENT MERGER/NAME CHANGE MERGER/NAME CHANGE MEMORANDUM FARMOUT AGREEMENT FIRST AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT LIMITED PARTIAL ASSIGNMENT (50%) PARTIAL ASSIGNMENT (32%) ASSIGNMENT ASSIGNMENT MERGER/NAME CHANGE SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT ASSIGNMENT (68%)	780 871 989 903 1136 51 58 1522 1524 1543 1576 1584 1600 WVSOS 1601 1621 1637	586 422 509 179 250 795 362 33 491 1235 125 942 692 581 1295 1081
				TRUSTEES OF THE SEVENTH DAY BAPTIST CHURCH OF LOST CREEK HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION	HOPE NATURAL GAS COMPANY CONSOLIDATED GAS SUPPLY CORPORATION CONSOLIDATED GAS TRANSMISSION CORPORATION CNG TRANSMISSION CORPORATION DOMINION TRANSMISSION, INC.	NOT LESS THAN 1/8 CONFIRMATORY DEED ASSIGNMENT MERGER/NAME CHANGE MERGER/NAME CHANGE	895 903 1136 51 58	204 179 250 795 362

RECEIVED
 Office of Oil and Gas
 APR 02 2025
 WV Department of Environmental Protection

4703306097

57	LC073786	12-0427-0005-0001	Q100715000	DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	MEMORANDUM FARMOUT AGREEMENT	1522	33
				DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC	FIRST AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT	1524	491
				CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	LIMITED PARTIAL ASSIGNMENT (50%)	1543	1235
				DOMINION TRANSMISSION, INC.	CNX GAS COMPANY LLC AND NOBLE ENERGY, INC.	PARTIAL ASSIGNMENT (32%)	1576	125
				CNX GAS COMPANY LLC	NOBLE ENERGY, INC.	ASSIGNMENT	1584	942
				NOBLE ENERGY, INC.	HG ENERGY II APPALACHIA, LLC	ASSIGNMENT	1600	692
				DOMINION TRANSMISSION, INC.	DOMINION ENERGY TRANSMISSION, INC.	MERGER/NAME CHANGE	WVSOS	
				DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	SECOND AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT	1601	581
				DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	THIRD AMENDMENT TO MEMORANDUM OF FARMOUT AGREEMENT	1621	1295
				DOMINION ENERGY TRANSMISSION, INC.	HG ENERGY II APPALACHIA, LLC	ASSIGNMENT (68%)	1637	1081

RECEIVED
 Office of Oil and Gas
 APR 02 2025
 WV Department of
 Environmental Protection

4703306097



HG Energy, LLC
5260 Dupont Road
Parkersburg, WV 26101
(304) 420-1100 - Office
(304) 863-3172 - Fax

4703306097

March 5, 2025

Cragin Blevins
WV DEP
Division of Oil & Gas
601 57th Street
Charleston, WV 25304

RE: Drilling Under Roads – Scranage 1204 N-1H
Grant District, Harrison County
West Virginia

Dear Mr. Blevins -

HG Energy II Appalachia, LLC, is submitting the attached application for a new well work permit for the Scranage 1204 well pad. As an authorized representative, I certify HG Energy II Appalachia, LLC, has the right to drill, stimulate, extract, produce and market the oil, gas or condensate for all leases through which the Scranage 1204 laterals will drill through including all roads crossed under as identified on the attached survey plat.

Should you have any questions or desire further information, please contact me at dwhite@hgenergyllc.com or 304-420-1119.

Very truly yours,

Diane White

Diane C. White

Enclosures

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

05/09/2025

**Horizontal Natural Gas Well Work Permit
Application Notice By Publication**

Notice is hereby given:

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: The Exponent Telegram Newspaper

Public Notice Date: Wednesday, March 5th & Wednesday, March 12th, 2025

The following applicant intends to apply for a horizontal natural well work permit which disturbs three acres or more of surface excluding pipelines, gathering lines and roads or utilizes more than two hundred ten thousand gallons of water in any thirty day period.

Applicant: HG Energy II Appalachia, LLC **Well Number:** Scrantage 1204 N-1H

Address: 5260 Dupont Road
Parkersburg, WV 26101

Business Conducted: Natural gas production.

Location –

State: West Virginia County: Harrison
District: Grant Quadrangle: Mt Clare 7.5'
UTM Coordinate NAD83 Northing: 4334265.4
UTM coordinate NAD83 Easting: 558306.8
Watershed: Lost Creek

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

Coordinate Conversion:

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/llutm_conus.php

Electronic notification:

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit <http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx> to sign up.

Reviewing Applications:

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to DEP.comments@wv.gov.

Submitting Comments:

Comments may be submitted online at <https://apps.dep.wv.gov/oog/comments/comments.cfm>, or by letter to Permit Review, Office of Oil and Gas, 601 57th Street, SE Charleston, WV 25304. Please reference the county, well number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE CERTIFICATION

Date of Notice Certification: 03/10/2025

API No. 47- _____ - _____

Operator's Well No. Scranage 1204 N-1H

Well Pad Name: Scranage Well Pad

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State: West Virginia
County: Harrison
District: Grant
Quadrangle: Mount Clare
Watershed: Lost Creek

UTM NAD 83 Easting: 558306.8
Northing: 4334265.4
Public Road Access: Rices Run Road
Generally used farm name: Scranage

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following: *PLEASE CHECK ALL THAT APPLY <input type="checkbox"/> 1. NOTICE OF SEISMIC ACTIVITY or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED <input type="checkbox"/> 2. NOTICE OF ENTRY FOR PLAT SURVEY or <input checked="" type="checkbox"/> NO PLAT SURVEY WAS CONDUCTED <input checked="" type="checkbox"/> 3. NOTICE OF INTENT TO DRILL or <input type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or <input type="checkbox"/> WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH) <input checked="" type="checkbox"/> 4. NOTICE OF PLANNED OPERATION <input checked="" type="checkbox"/> 5. PUBLIC NOTICE <input checked="" type="checkbox"/> 6. NOTICE OF APPLICATION		OOG OFFICE USE ONLY <input type="checkbox"/> RECEIVED/ NOT REQUIRED <input type="checkbox"/> RECEIVED <input type="checkbox"/> RECEIVED/ NOT REQUIRED <input type="checkbox"/> RECEIVED <input type="checkbox"/> RECEIVED <input type="checkbox"/> RECEIVED
--	--	--

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.


05/09/2025

Certification of Notice is hereby given:

THEREFORE, I Diane White, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: HG II Appalachia, LLC
By: Diane White
Its: Agent
Telephone: 304-420-1119

Address: 5260 Dupont Road
Parkersburg, WV 26101
Facsimile: 304-863-3172
Email: dwhite@hgenergyllc.com



Subscribed and sworn before me this 10th day of March, 2025.
[Signature] Notary Public
My Commission Expires 11/2/2026

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the **filing date of permit application.**

Date of Notice: 1/11/2023 **Date Permit Application Filed:** 1/19/2023

Notice of:

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice E&S Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)

Name: David K Scrannage (pad, road, water)
Address: 633 Rices Run Road
Lost Creek, WV 26385

Name: _____
Address: _____

SURFACE OWNER(s) (Road and/or Other Disturbance)

Name: _____
Address: _____

Name: _____
Address: _____

SURFACE OWNER(s) (Impoundments or Pits)

Name: _____
Address: _____

COAL OWNER OR LESSEE

Name: NA
Address: _____

COAL OPERATOR

Name: NA
Address: _____

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s)

Name: _____
Address: _____

OPERATOR OF ANY NATURAL GAS STORAGE FIELD

Name: BHE GT&S - Attn: Jamie Moore
Address: 925 White Oaks Blvd
Bridgeport, WV 26330

*Please attach additional forms if necessary

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

RECEIVED
Office of Oil and Gas

APR 02 2025

WV Department of
Environmental Protection

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

05/09/2025

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

RECEIVED
Office of Oil and Gas

APR 02 2025

WV Department of
Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

05/09/2025

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

05/09/2025

WW-6A
(8-13)

API NO. 4703306097
OPERATOR WELL NO. Scravage 1204 N-1H to S-10H
Well Pad Name: Scravage 1204


Notice is hereby given by:

Well Operator: HG Energy II Appalachia, LLC
Telephone: 304-420-1119
Email: dwhite@hgenergyllc.com *Diane White*

Address: 5260 Dupont Road
Parkersburg, WV 26101
Facsimile: 304-863-2172

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



Subscribed and sworn before me this 10th day of January, 2023

Cassidy Boardman Notary Public

My Commission Expires 7/31/2027

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

05/09/2025

4703306097

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF ENTRY FOR PLAT SURVEY

Notice Time Requirement: Notice shall be provided at least SEVEN (7) days but no more than FORTY-FIVE (45) days prior to entry

Date of Notice: 09/01/2022 **Date of Planned Entry:** 09/08/2022

Delivery method pursuant to West Virginia Code § 22-6A-10a

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

SURFACE OWNER(s)

Name: David K Scranage (LLC (pad, road, royalty owner))
Address: 633 Rices Run Road
Lost Creek, WV 26385

Name: _____
Address: _____

Name: _____
Address: _____

COAL OWNER OR LESSEE

Name: NA
Address: _____

MINERAL OWNER(s)

Name: ** See Attached List
Address: _____

*please attach additional forms if necessary

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State: <u>West Virginia</u>	Approx. Latitude & Longitude: <u>39.155681 & 80.325170</u>
County: <u>Harrison</u>	Public Road Access: <u>Rices Run Road</u>
District: <u>Grant</u>	Watershed: <u>Lost Creek</u>
Quadrangle: <u>Mt. Clare 7.5"</u>	Generally used farm name: <u>Scranage</u>

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: HG Energy II Appalachia, LLC
Telephone: 304-420-1119
Email: dwhite@hgenergyllc.com

Address: 5260 Dupont Road
Parkersburg, WV 26101
Facsimile: 304-863-3172

RECEIVED
Office of Oil and Gas

APR 02 2025

WV Department of
Environmental Protection

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

05/09/2025

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Requirement: Notice shall be provided at least TEN (10) days prior to filing a permit application.

Date of Notice: 10/07/2022 **Date Permit Application Filed:** 10/21/2022

Delivery method pursuant to West Virginia Code § 22-6A-16(b)

HAND DELIVERY CERTIFIED MAIL RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

Notice is hereby provided to the SURFACE OWNER(s):

Name: David K Scranage
Address: 633 Rices Run Road
Lost Creek, WV 26385

Name: _____
Address: _____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: West Virginia UTM NAD 83 Easting: 558306.8
County: Harrison Northing: 4334265.4
District: Grant Public Road Access: Rice Run Road @ SR 46
Quadrangle: Mt. Clare WV 7.5' Generally used farm name: David Scranage
Watershed: Lost Creek

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: HG Energy II Appalachia, LLC
Address: 5260 Dupont Road
Parkersburg, WV 26101
Telephone: 304-420-1119
Email: dwhite@hgenergyllc.com
Facsimile: 304-863-3172

Authorized Representative: Diane White
Address: 5260 Dupont Road
Parkersburg, WV 26101
Telephone: 304-420-1119
Email: dwhite@hgenergyllc.com
Facsimile: 304-863-3172

RECEIVED
Office of Oil and Gas

APR 02 2025

WV Department of
Environmental Protection

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

05/09/2025

WW-6A5
(1/12)

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the **filing date of permit application.**
Date of Notice: 10/14/2022 **Date Permit Application Filed:** 10/17/2022

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

- CERTIFIED MAIL HAND
- RETURN RECEIPT REQUESTED DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)
(at the address listed in the records of the sheriff at the time of notice):

Name: <u>David K Scravage</u>	Name: _____
Address: <u>633 Rice Run Road</u>	Address: _____
<u>Lost Creek, WV 26385</u>	_____

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State: <u>West Virginia</u>	UTM NAD 83	Easting: <u>558306.8</u>
County: <u>Harrison</u>		Northing: <u>4334265.4</u>
District: <u>Grant</u>	Public Road Access: <u>Rice Run Road @ SR 46</u>	
Quadrangle: <u>Mt. Clare WV 7.5'</u>	Generally used farm name: <u>David Scravage</u>	
Watershed: <u>Lost Creek</u>		

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1) A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator: <u>HG Energy II Appalachia, LLC</u>	Address: <u>5260 Dupont Road</u>
Telephone: <u>304-420-1119</u>	<u>Parkersburg, WV 26101</u>
Email: <u>dwhite@hgenergyllc.com</u>	Facsimile: <u>304-863-3172</u>

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

05/09/2025



4703306097

**WEST VIRGINIA
DEPARTMENT OF TRANSPORTATION**

1900 Kanawha Boulevard East • Building Five • Room 109
Charleston, West Virginia 25305-0440 • (304) 558-0444

Michael J. DeMers
Deputy Secretary of Transportation

Stephen T. Rumbaugh, P.E.
Secretary of Transportation
Commissioner of Highways

February 24, 2025

James A. Martin, Chief
Office of Oil and Gas
Department of Environmental Protection
601 57th Street, SE
Charleston, WV 25304

Subject: DOH Permit for the 1204 Scranage Well Pad, Harrison County
Well Sites: Scranage 1204 N-1H Scranage 1204 N-2H Scranage 1204 N-3H
Scranage 1204 N-4H Scranage 1204 N-5H Scranage 1204 N-6H
Scranage 1204 S-7H Scranage 1204 S-8H Scranage 1204 S-9H
Scranage 1204 S-10H Scranage 1204 S-11H Scranage 1204 S-12H

Dear Mr. Martin,

This well site will be accessed from a DOH permit #04-2022-0694 which has been issued to HG Energy II Appalachia, LLC for access to the State Road for a well site located off Harrison County Route 44/5 SLS MP 0.36.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated March 6, 2023. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Lacy D. Pratt
Central Office O&G Coordinator

Cc: Diane White
HG Energy II Appalachia, LLC
OM, D-4
File

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection
05/09/2025

4703306097

HG Energy II Appalachia, LLC
List of Frac Additives by Chemical Name and CAS #
Scrannage 1204 Well Pad (N-1H to S-12H)

Chemical Name	CAS #	Multiple CAS #'s
Pro Shale Slik 405	Mixture	68551-12-2 7647-14-5 12125-02-9 64742-47-8
Pro Hib II	Mixture	68412-54-4 68607-28-3 107-21-1 111-76-2 67-56-1 107-19-7
Silica Sand and Ground Sand	Mixture	14808-60-7 1344-28-1 1309-37-1 13463-67-7
Hydrochloric Acid 22 DEG BE	7647-01-0	
PROGEL - 4.5	64742-96-7	
BIO CLEAR 2000	Mixture	25322-68-3 10222-01-2
SCALE CLEAR SI 112	107-21-1	
PROBREAK 4	Mixture	57-50-1 107-21-1
Sulfamic Acid	5329-14-6	
PRO - Flow - 102-N	Mixture	67-63-0 68439-45-2 2687-96-9
PROGEL - 4	9000-30-0	

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

05/09/2025

OPERATOR: HG Energy II Appalachia, LLC WELL NO: Scranage 1204 N-1H

PAD NAME: Scranage 1204

REVIEWED BY: Diane White SIGNATURE: Diane White

WELL RESTRICTIONS CHECKLIST

HORIZONTAL 6A WELL

Well Restrictions

At Least 100 Feet from Pad and LOD (including any E&S Control Feature) to any Perennial Stream, Lake, Pond, Reservoir or Wetland; OR

DEP Waiver and Permit Conditions

At Least 300 Feet from Pad and LOD (including any E&S Control Feature) to any Naturally Producing Trout Stream; OR

DEP Waiver and Permit Conditions

At Least 1000 Feet from Pad and LOD (including any E&S Control Feature) to any Groundwater Intake or Public Water Supply; OR

DEP Waiver and Permit Conditions

At Least 250 Feet from an Existing Water Well or Developed Spring to Well Being Drilled; OR

Surface Owner Waiver and Recorded with County Clerk, OR

DEP Variance and Permit Conditions

At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pad; OR

Surface Owner Waiver and Recorded with County Clerk, OR

DEP Variance and Permit Conditions

At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet to the Center of the Pad; OR

Surface Owner Waiver and Recorded with County Clerk, OR

DEP Variance and Permit Conditions

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of
Environmental Protection

1204 Well Site


Site Design, Construction Plan, & Erosion and Sediment Control Plans
HG Energy LLC
Harrison County
Grant District
Latitude 39.1556390°
Longitude -80.3246105°
Middle West Fork River Watershed

Pertinent Site Information
1204 Well Site
Emergency Number: 304-623-4115
Grant District, Harrison County, WV
Watershed: Middle West Fork River Watershed
Site 911 Address:
HG Energy Contact Number: 304-420-1100

Property Owner Information - 1204 Well Site


Owner	Address	City	State	Zip
Grant District - Harrison County	1204 Well Site	Harrison	WV	25924
County	1204 Well Site	Harrison	WV	25924
County	1204 Well Site	Harrison	WV	25924

Exhibit A: Final Design: Issue for Permitting




Site Locations (NAD 83)

Site Name	Latitude (DD)	Longitude (DD)
Center of Well Site	39.155639	-80.3246105
Center of Well Pad	39.155639	-80.3246105
Center of Well Pad	39.155639	-80.3246105



Approach Routes:
From US 220 North on East Creek, WV. Take East 110 towards West Creek. Turn Right at the end of the east WV Rt 270. Follow WV Rt 270 for 235'. Continue straight onto Co. Rd. 16, John Street. Follow Co. Rd. 16 for 0.6 mi. Turn Left onto Co. Rd. 16, Little Fork Rd. Follow Co. Rd. 16 for 0.6 mi. The site entrance will be on the Right (East) side of the road.



Site Inventory

Site Inventory	Comments	Remarks
WV NAD 83 25924 05	WV NAD 83 25924 05	WV NAD 83 25924 05
WV NAD 83 25924 06	WV NAD 83 25924 06	WV NAD 83 25924 06
WV NAD 83 25924 07	WV NAD 83 25924 07	WV NAD 83 25924 07
WV NAD 83 25924 08	WV NAD 83 25924 08	WV NAD 83 25924 08
WV NAD 83 25924 09	WV NAD 83 25924 09	WV NAD 83 25924 09
WV NAD 83 25924 10	WV NAD 83 25924 10	WV NAD 83 25924 10
WV NAD 83 25924 11	WV NAD 83 25924 11	WV NAD 83 25924 11
WV NAD 83 25924 12	WV NAD 83 25924 12	WV NAD 83 25924 12
WV NAD 83 25924 13	WV NAD 83 25924 13	WV NAD 83 25924 13
WV NAD 83 25924 14	WV NAD 83 25924 14	WV NAD 83 25924 14
WV NAD 83 25924 15	WV NAD 83 25924 15	WV NAD 83 25924 15
WV NAD 83 25924 16	WV NAD 83 25924 16	WV NAD 83 25924 16
WV NAD 83 25924 17	WV NAD 83 25924 17	WV NAD 83 25924 17
WV NAD 83 25924 18	WV NAD 83 25924 18	WV NAD 83 25924 18
WV NAD 83 25924 19	WV NAD 83 25924 19	WV NAD 83 25924 19
WV NAD 83 25924 20	WV NAD 83 25924 20	WV NAD 83 25924 20
WV NAD 83 25924 21	WV NAD 83 25924 21	WV NAD 83 25924 21
WV NAD 83 25924 22	WV NAD 83 25924 22	WV NAD 83 25924 22
WV NAD 83 25924 23	WV NAD 83 25924 23	WV NAD 83 25924 23
WV NAD 83 25924 24	WV NAD 83 25924 24	WV NAD 83 25924 24
WV NAD 83 25924 25	WV NAD 83 25924 25	WV NAD 83 25924 25
WV NAD 83 25924 26	WV NAD 83 25924 26	WV NAD 83 25924 26
WV NAD 83 25924 27	WV NAD 83 25924 27	WV NAD 83 25924 27
WV NAD 83 25924 28	WV NAD 83 25924 28	WV NAD 83 25924 28
WV NAD 83 25924 29	WV NAD 83 25924 29	WV NAD 83 25924 29
WV NAD 83 25924 30	WV NAD 83 25924 30	WV NAD 83 25924 30
WV NAD 83 25924 31	WV NAD 83 25924 31	WV NAD 83 25924 31
WV NAD 83 25924 32	WV NAD 83 25924 32	WV NAD 83 25924 32
WV NAD 83 25924 33	WV NAD 83 25924 33	WV NAD 83 25924 33
WV NAD 83 25924 34	WV NAD 83 25924 34	WV NAD 83 25924 34
WV NAD 83 25924 35	WV NAD 83 25924 35	WV NAD 83 25924 35
WV NAD 83 25924 36	WV NAD 83 25924 36	WV NAD 83 25924 36
WV NAD 83 25924 37	WV NAD 83 25924 37	WV NAD 83 25924 37
WV NAD 83 25924 38	WV NAD 83 25924 38	WV NAD 83 25924 38
WV NAD 83 25924 39	WV NAD 83 25924 39	WV NAD 83 25924 39
WV NAD 83 25924 40	WV NAD 83 25924 40	WV NAD 83 25924 40
WV NAD 83 25924 41	WV NAD 83 25924 41	WV NAD 83 25924 41
WV NAD 83 25924 42	WV NAD 83 25924 42	WV NAD 83 25924 42
WV NAD 83 25924 43	WV NAD 83 25924 43	WV NAD 83 25924 43
WV NAD 83 25924 44	WV NAD 83 25924 44	WV NAD 83 25924 44
WV NAD 83 25924 45	WV NAD 83 25924 45	WV NAD 83 25924 45
WV NAD 83 25924 46	WV NAD 83 25924 46	WV NAD 83 25924 46
WV NAD 83 25924 47	WV NAD 83 25924 47	WV NAD 83 25924 47
WV NAD 83 25924 48	WV NAD 83 25924 48	WV NAD 83 25924 48
WV NAD 83 25924 49	WV NAD 83 25924 49	WV NAD 83 25924 49
WV NAD 83 25924 50	WV NAD 83 25924 50	WV NAD 83 25924 50
WV NAD 83 25924 51	WV NAD 83 25924 51	WV NAD 83 25924 51
WV NAD 83 25924 52	WV NAD 83 25924 52	WV NAD 83 25924 52
WV NAD 83 25924 53	WV NAD 83 25924 53	WV NAD 83 25924 53
WV NAD 83 25924 54	WV NAD 83 25924 54	WV NAD 83 25924 54
WV NAD 83 25924 55	WV NAD 83 25924 55	WV NAD 83 25924 55
WV NAD 83 25924 56	WV NAD 83 25924 56	WV NAD 83 25924 56
WV NAD 83 25924 57	WV NAD 83 25924 57	WV NAD 83 25924 57
WV NAD 83 25924 58	WV NAD 83 25924 58	WV NAD 83 25924 58
WV NAD 83 25924 59	WV NAD 83 25924 59	WV NAD 83 25924 59
WV NAD 83 25924 60	WV NAD 83 25924 60	WV NAD 83 25924 60
WV NAD 83 25924 61	WV NAD 83 25924 61	WV NAD 83 25924 61
WV NAD 83 25924 62	WV NAD 83 25924 62	WV NAD 83 25924 62
WV NAD 83 25924 63	WV NAD 83 25924 63	WV NAD 83 25924 63
WV NAD 83 25924 64	WV NAD 83 25924 64	WV NAD 83 25924 64
WV NAD 83 25924 65	WV NAD 83 25924 65	WV NAD 83 25924 65
WV NAD 83 25924 66	WV NAD 83 25924 66	WV NAD 83 25924 66
WV NAD 83 25924 67	WV NAD 83 25924 67	WV NAD 83 25924 67
WV NAD 83 25924 68	WV NAD 83 25924 68	WV NAD 83 25924 68
WV NAD 83 25924 69	WV NAD 83 25924 69	WV NAD 83 25924 69
WV NAD 83 25924 70	WV NAD 83 25924 70	WV NAD 83 25924 70
WV NAD 83 25924 71	WV NAD 83 25924 71	WV NAD 83 25924 71
WV NAD 83 25924 72	WV NAD 83 25924 72	WV NAD 83 25924 72
WV NAD 83 25924 73	WV NAD 83 25924 73	WV NAD 83 25924 73
WV NAD 83 25924 74	WV NAD 83 25924 74	WV NAD 83 25924 74
WV NAD 83 25924 75	WV NAD 83 25924 75	WV NAD 83 25924 75
WV NAD 83 25924 76	WV NAD 83 25924 76	WV NAD 83 25924 76
WV NAD 83 25924 77	WV NAD 83 25924 77	WV NAD 83 25924 77
WV NAD 83 25924 78	WV NAD 83 25924 78	WV NAD 83 25924 78
WV NAD 83 25924 79	WV NAD 83 25924 79	WV NAD 83 25924 79
WV NAD 83 25924 80	WV NAD 83 25924 80	WV NAD 83 25924 80
WV NAD 83 25924 81	WV NAD 83 25924 81	WV NAD 83 25924 81
WV NAD 83 25924 82	WV NAD 83 25924 82	WV NAD 83 25924 82
WV NAD 83 25924 83	WV NAD 83 25924 83	WV NAD 83 25924 83
WV NAD 83 25924 84	WV NAD 83 25924 84	WV NAD 83 25924 84
WV NAD 83 25924 85	WV NAD 83 25924 85	WV NAD 83 25924 85
WV NAD 83 25924 86	WV NAD 83 25924 86	WV NAD 83 25924 86
WV NAD 83 25924 87	WV NAD 83 25924 87	WV NAD 83 25924 87
WV NAD 83 25924 88	WV NAD 83 25924 88	WV NAD 83 25924 88
WV NAD 83 25924 89	WV NAD 83 25924 89	WV NAD 83 25924 89
WV NAD 83 25924 90	WV NAD 83 25924 90	WV NAD 83 25924 90
WV NAD 83 25924 91	WV NAD 83 25924 91	WV NAD 83 25924 91
WV NAD 83 25924 92	WV NAD 83 25924 92	WV NAD 83 25924 92
WV NAD 83 25924 93	WV NAD 83 25924 93	WV NAD 83 25924 93
WV NAD 83 25924 94	WV NAD 83 25924 94	WV NAD 83 25924 94
WV NAD 83 25924 95	WV NAD 83 25924 95	WV NAD 83 25924 95
WV NAD 83 25924 96	WV NAD 83 25924 96	WV NAD 83 25924 96
WV NAD 83 25924 97	WV NAD 83 25924 97	WV NAD 83 25924 97
WV NAD 83 25924 98	WV NAD 83 25924 98	WV NAD 83 25924 98
WV NAD 83 25924 99	WV NAD 83 25924 99	WV NAD 83 25924 99
WV NAD 83 25924 100	WV NAD 83 25924 100	WV NAD 83 25924 100

RECEIVED
Office of Oil and Gas
APR 02 2025
WV Department of Environmental Protection

05/09/2025

Project Contacts

HG Energy LLC
2000 Main St
Martinsburg, WV 25901

HG Energy, LLC
2000 Main St
Martinsburg, WV 25901

Miss Utility of West Virginia
1-800-245-4648

811
Call before you dig.



THIS DOCUMENT PREPARED FOR HG ENERGY LLC



1204 Well Site
Cover Sheet
Harrison County, WV
Grant District

Revision Log

Date	Description
05-09-2025	Final Design
05-09-2025	Final Design
05-09-2025	Final Design

Sheet

Sheet	Description
V1	Cover Sheet
N1-N4	Schedule of Quantities
1	Site Notes
2	Site Erosion and Sediment Control Plan
3	Site Soil Map
4	Clearing Exhibit
5	Tree Key Exhibit
6-7	Plan Views
8	Tree Key Exhibit
9-10	Plan Views
11-12	Cross Sections - Access Road
13	Cross Sections - Topsoil Stockpiles
14	Gravel Pad
15	Gravel Pad
16	Gravel Pad
17	Gravel Pad
18	Gravel Pad
19	Gravel Pad
20	Gravel Pad
21	Gravel Pad
22	Gravel Pad
23	Gravel Pad
24	Gravel Pad
25	Gravel Pad
26	Gravel Pad
27	Gravel Pad
28	Gravel Pad
29	Gravel Pad
30	Gravel Pad
31	Gravel Pad
32	Gravel Pad
33	Gravel Pad
34	Gravel Pad
35	Gravel Pad
36	Gravel Pad
37	Gravel Pad
38	Gravel Pad
39	Gravel Pad
40	Gravel Pad
41	Gravel Pad
42	Gravel Pad
43	Gravel Pad
44	Gravel Pad
45	Gravel Pad
46	Gravel Pad
47	Gravel Pad
48	Gravel Pad
49	Gravel Pad
50	Gravel Pad

APPROVED
WVDEP OOG
2/21/2023

WV Location Description

All Pad construction complies with the following practices:
*20' from an existing well or developed spring used for human or domestic animals
*25' from an existing well or developed spring used for irrigation or other uses
*100' from the edge of a discharge to a surface representing a water area
*100' from the edge of a discharge to a surface representing a public water supply

WV License Restrictions of WV Code 25A-2-23

C. SIMPSON FIELD ENGINEERING
2224
STATE OF WEST VIRGINIA
PROFESSIONAL ENGINEER
No. 2013-00000000

