

LATITUDE 39° 12' 30"



approx.  
Location

22° 08' 30" LONGITUDE

7'5 OGIS topo location

7.5' loc \_\_\_\_\_ 15' loc \_\_\_\_\_  
(calc.) \_\_\_\_\_

Company \_\_\_\_\_

Farm Orlena Myers #3

Quad West Milford 7 1/2

County Harrison

District Union

WELL LOCATION MAP

File No. 033-30167

See Roll #6 Abandoned Series

# WEST VIRGINIA DEPARTMENT OF MINES

## OIL AND GAS DIVISION

### PRELIMINARY DATA SHEET NO. 1

File No. \_\_\_\_\_ Well No. 3

Joseph Berger ~~XXXXXX~~ of 828 West Pike Street,  
Clarkeburg, W. Va. on the Oriena Myers Farm  
 containing 56 acres. Location Union  
 District, in Harrison County, West Virginia

The surface of the above tract is owned in fee by James Williams  
 of West Milford, W. Va. address, and the mineral rights are owned by  
J. D. Helmick Lost Creek, W. Va.  
Joseph Berger, Agent of Clarkeburg, W. Va.  
individual

The oil and gas privileges are held under lease by the above named ~~XXXXXX~~ and this well is drilled under permit  
 No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Division

193

Elevation of surface at top of well, 1119' ~~XXXX~~ Barometric

The number of feet of the different sized casings used in the well.

Size	Length (feet)	Size	Material
<u>1 1/8"</u>	<u>13'</u>	<u>Wood</u>	<u>conductor</u>
<u>9 5/8"</u>	<u>8 1/2'</u>	<u>size, csg.</u>	<u>lined csg.</u>
<u>15 1/8"</u>	<u>6-5/8'</u>	<u>size, csg.</u>	<u>lined csg.</u>
		<u>size, csg.</u>	<u>lined csg.</u>

Casing Show ~~XXXX~~ of 8 1/2' size, set at 960

casing Show ~~XXXX~~ of 6-5/8' size, set at 1515

, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet

, in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet

Coal was encountered at 280 feet; thickness 5" inches, and at \*\*\*\*\*

feet; thickness \*\*\*\*\* inches; and at \*\*\*\*\* feet; thickness \*\*\*\*\* inches

Liners were used as follows: (Give details) \*\*\*\*\*

Joseph Berger

XXXXX

## COMPLETION DATA SHEET

828 W. Pike St. Clarksburg, W. Va.

No. 2

## FORMATION RECORD

Well No. 3 Orlena Myers

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Conductor						18		
Native Coal				290	295	5		
Little Dunkard				410	425	15		
Big Dunkard				470	530	60		
Gas Sand				625	675	50		
1st Salt Sand				725	825	100		
Water			775					
2nd Salt Sand				850	950	100		
Little Lime				1415	1435	20		
Big Lime				1445	1515	70		
Big Injun				1515	1610	95		
Squaw Sand				1640	1660	20		
Ganta Sand				1690	1920	230		
Gas			1895					
Fifty Foot Sand				1975	2035	60		
Thirty Foot Sand				2055	2090	35		
Gordon Stray				2240	2260	20		
Gordan Sand				2265	2325	60		
Oil			2325					
Oil			2375					
Total Depth							2395	

Well No. 3 2265 to 2275

Date: 11/11/11

Page 1 of 1

Page 1 of 1