

LATITUDE 39° 15' 00"

LONGITUDE 80° 27' 30"



1.130
1.56W

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
(calc.) _____

Company F. G BISH

Farm A. H. Perrine #1

Quad West Milford 7'2

County Harrison

District Tenmile

WELL LOCATION MAP

File No. 033 - 30209



HAR-209A

-ENGINEER'S CERTIFICATE-

I have examined hereto copy that this map is correct and above
 all the information to be used of my knowledge, and belief required
 to be so in the case making of the survey of the property

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No.

Well No. 1

F. G. BISH

Company, of

CLARKSBURG, W. VA.

Well No. 1

A. H. PERRINE

on the

Farm

containing

2

acres. Location

Ten Mile

District, in

Harrison

County, West Virginia

The surface of the above tract is owned in fee by

A. H. PERRINE

of Wolf Summit, R. F. D.

address, and the mineral rights are owned by

A. H. Perrine

of

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No.

issued by the West Virginia Department of Mines, Oil and Gas Division

193

Elevation of surface at top of well,

1032

Spirit

Barometric

The number of feet of the different sized casings used in the well.

feet 16 size. Wood conductor.

100 feet 10" size, csg. feet sized csg.

850 feet 8 1/4" size, csg. feet sized csg.

1380 feet 6 5/8" size, csg. feet sized csg.

packer of size, set at

packer of size, set at

in casing perforated at feet to feet.

in casing perforated at feet to feet.

Coal was encountered at 20 feet; thickness 6 ft. inches, and at

feet; thickness inches; and at feet; thickness inches.

Liners were used as follows: (Give details)

5 3/16 Line from 1990-2390

Date.

Aug 30 1934

2

Box, 428, Clarksburg, W. Va. Address

NO. 2

Well No. 1 *HAB-200-A*
A. E. Ferrino, Harrison, County

FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Clarksburg				20	26	6		
lt Sand				750	926	175		<i>8.5' - 5.2'</i>
s Injun				1385	1499	114		<i>132' - 6.5'</i>
fty Foot				1935	1955	20		
rdon				2095	2010	15		
th Sand			2356	2353	2368	15		
and Depth							2390	

Well was not shot at _____ feet; well was shot at _____ feet.

Fresh water at _____ feet; fresh water at _____ feet.

Well was _____ hole.

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL**

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 25 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

701

A. H. PERRINE

COAL OPERATOR OR OWNER

JARVISVILLE, W. VA.

ADDRESS

COAL OPERATOR OR OWNER

ADDRESS

LEASE OR PROPERTY OWNER

ADDRESS

F. G. BISH

NAME OF WELL OPERATOR

Box 428, Clarksburg, W. Va.

COMPLETE ADDRESS

January 7, 1936 19

WELL AND LOCATION

Tennile District

Harrison County

Well No. one

A. H. Perrine lot Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Harrison } ss:

Wm Fey and M Jevitt
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by F G Bish, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 2 day of Dec, 1934, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Wood plug driven in, liner at 1990 ft filled with clay to 1915 ft.; drove wood plug and cemented; filled with clay to 1365; drove wood plug and cemented; filled with clay to 730 ft.; drove wood plug and cemented; set packer on 2" tubing at 450 ft. and cemented around tubing to 400 ft.; filled with clay to 50 ft. cemented to surface of ground.

Manner in which coal was plugged:
Filled with cement 50 ft. to surface.

Description of monument:
Erected marker of cement 2 ft. square and allowed 2" tubing to extend above marker.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 25 OF THE CODE)

and that the work of plugging and filling said well was completed on the 5 day of Dec,

1934
And further deponents ask not

HAR-209-A
W J Jevitt