



New Location  
 Drill Deeper  
 Abandonment X (6936)

FB. 510P. 27

Company Hope Natural Gas Co  
 Address Clarksburg, W. Va.  
 Farm Park Coal Co.  
 Tract \_\_\_\_\_ Acres 887 Lease No. 43857  
 Well (Farm) No. \_\_\_\_\_ Serial No. 6936-6929  
 Elevation (Spirit Level) 1120-1178  
 Quadrangle Clarksburg  
 County Harrison District Clark  
 Engineer Wm Bowers  
 Engineer's Registration No. 900  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date July 22, 1940 Scale 1" = 600'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. HAR-600A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

483

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Ab Permit No. 600-A

Company Hope Natural Gas Company  
Address Clarksburg, W. Va.  
Farm Park Coal Company Acres.....  
Location (waters).....  
Well No. 6936 Elev. 1120'  
District Clark County Harrison  
The surface of tract is owned in fee by Benj. Stout,  
Address Bridgeport, W. Va.  
Mineral rights are owned by.....  
Address.....  
Drilling commenced June 20, 1923  
Drilling completed Aug. 7, 1923  
Date shot 8-2-1923 Depth of shot 5th.  
Open Flow /10ths Water in..... Inch  
/10ths Merc. in..... Inch  
Volume..... Cu. Ft.  
Rock Pressure..... lbs..... hrs.  
Oil..... bbls., 1st 24 hrs.  
Fresh water..... feet..... feet  
Salt water..... feet..... feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer.....
13			
10	132	132	Size of.....
8 1/4	1000	1000	
6 5/8	1527	1527	Depth set.....
5 3/16			
3	2571	2571	Perf. top.....
2			Perf. bottom.....
Liners Used.....			Perf. top.....
			Perf. bottom.....

CASING CEMENTED..... SIZE..... No. Ft..... Date  
**Not cemented**  
COAL WAS ENCOUNTERED AT..... FEET..... INCHES  
Below seal FEET..... INCHES FEET..... INCHES  
FEET..... INCHES FEET..... INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Little Dunkard Sand			420	480			
Big Dunkard Sand			500	570			
Gas Sand			640	675			
First Salt Sand			690	760			
Second Salt Sand			800	920			
Third Salt Sand			1000	1110			
Maxon Sand			1236	1270			
Little Lime			1445	1480			
Big Lime			1485	1545			
Big Injun Sand			1545	1645			
Fifty Foot Sand			1986	2102	Gas	2006	
Thirty Foot Sand			2102	2205	gas	2142-2146	
Fourth Sand			2356	2398	Gas	2370	
Fifth Sand			2486	2516	Gas	2410	
Total Depth				2570			



Park Coal Co. No. 12 Well Record (G78)

Clark District, Harrison County, on branch of Murphy Run of Elk Creek, 3 miles east of Clarksburg; authority, Grasselli Chemical Company; completed, July 31, 1923; elevation, 1110'B.

	Top Feet	Bottom Feet
Conductor . . . . .	16	16
Sand, Little Dunkard . . . . .	420	480
Sand, Big Dunkard . . . . .	500	570
Sand, Gas . . . . .	640	675
Sand, First Salt . . . . .	690	760
Sand, Second Salt . . . . .	800	920
Sand, Third Salt . . . . .	1000	1110
Sand, Maxton. . . . .	1236	1270
Little Lime . . . . .	1445	1480
Pencil cave . . . . .	1480	1485
Big Lime . . . . .	1485	1545
Sand, Big Injun . . . . .	1545	1645
Sand, Fifty-foot (gas, 2006'; steel line). . . . .	1986	2102
Sand, Thirty-foot (gas, 2142-2146'; steel line) . . . . .	2102	2205
Sand, Fourth (gas, 2370'; steel line). . . . .	2356	2398
Sand, Fifth (gas, 2510'; steel line). . . . .	3488	2516
Total Depth . . . . .		2570

10" csg., 132'; 8 1/4" csg., 1000'; 6 5/8" csg., 1527'; 3" tubing, 2571'.

Shot with 40 qts., Aug. 2, 1923, in Fifth Sand.

Tested before shot 3.0 water in 2" pipe; volume, 63,040 ft. (1" pipe?)

Tested after shot 7.0 water in 2" pipe; volume, 400,000 cu. ft.