



Handwritten notes on the right side of the map:

- $2.64S$
- $2.74W$
- $6102 \begin{cases} W & 2.78 \\ S & 2.66 \end{cases}$
- $6101 \begin{cases} W & 3.05 \\ S & 2.55 \end{cases}$

New Location  
Drill Deeper  
Abandonment

Company William Mosses  
 Address 189 W. Main St. Salem, W. Va.  
 Farm Druzilla C. Bennett  
 Tract \_\_\_\_\_ Acres 116 Lease No. \_\_\_\_\_  
 Well (Farm) No. 6101 & 6102 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1019 - 1021  
 Quadrangle Weston  
 County Harrison District Union  
 Engineer A. R. W. Walfall  
 Engineer's Registration No. Ca. Surveyor, Ritchie Co.  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Feb. 7, 1931 Scale 1" = 30 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. HAR-619A-620A  
WELL 6102 - 6101

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

499

Ab 619-K

WELL RECORD

Permit No. \_\_\_\_\_ Oil or Gas Well \_\_\_\_\_  
(Kind)

Company Wm. Moses  
Address 189 W. Main St., Salem, W. Va.  
Farm Druzilla C. Bennett Acres 116  
Location (waters) \_\_\_\_\_  
Well No. 6102 Elev. 1021  
District Union County Harrison  
The surface of tract is owned in fee by Wm. Moses  
Address Salem, W. Va.  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed \_\_\_\_\_  
Date shot \_\_\_\_\_ Depth of shot \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10			Size of
8 3/4		944	
6		130.4	Depth set
5 3/16		2177	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Little Dunkard Sand			393	400			
Big Dunkard Sand			470	518			
1st Gas Sand			537	572			
Maxton			1246	1321			
Big Lime			1321	1386			
Big Injun			1386	1490			
50'			1830	1910			
30' Sand			1978	2000			
Gordon Stray Sand			2110	2130			
Gor. Sand			2134	2180			
5th Sand			2278	2286			
Speechley Sand			2960	2970			
Total Depth				2995			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date....., 19.....

APPROVED W.W. Moses, Owner

By.....

(Title)

Weston No. 2-1

# WVA Gas COMPANY

FORM 628-10283

Record of Well No. 6102 Located on D.C. Lowther Farm 6-2-1914 19  
Union District Harrison County West Va. State  
 Division F District No. \_\_\_\_\_ Drilled under well Order \_\_\_\_\_  
 Rig built by \_\_\_\_\_ Began \_\_\_\_\_ 19 \_\_\_\_\_ Completed \_\_\_\_\_ 19 \_\_\_\_\_  
 Well drilled by Feringer & Bell Began 7-21-14 19 \_\_\_\_\_ Completed 8-31-14 19 \_\_\_\_\_  
 Depth of Well 2995 feet. Size of Hole 5 7/8 Producing Gas  
 (Acquired from Hope Natural Gas Co. June 30, 1936)

CASED WITH			REMARKS
AMOUNT	SIZE	KIND	
<del>517</del>	<del>10"</del>		<u>Reclaimed</u>
<u>994</u>	<u>8 1/2"</u>	✓	<u>10 X 8 1/2" B.H. Packer at 994'</u>
<u>1397</u>	<u>6 3/8"</u>	✓	<u>Reclaimed 93'</u>
<u>2177</u>	<u>5 7/8"</u>	✓	<u>8 1/2 X 6 3/8" B.H. Packer at 1397'</u> <u>6 3/8 X 5 7/8" Lead Packer at 2159'</u>

Elev. 1021

COAL VEINS No record

### FORMATIONS

FORMATION	COLOR	OPEN OR CLOSE HARD OR SOFT	TOP	BOTTOM	REMARKS GAS OR WATER (Percentage of Gas)
<u>Little Dunkard</u>			<u>353</u>	<u>400</u>	
<u>Big Dunkard</u>			<u>470</u>	<u>518</u>	
<u>Gas sand</u>			<u>537</u>	<u>572</u>	
<u>1st. Salt sand</u>			<u>600</u>	<u>755</u>	<u>Water 207</u>
<u>2nd. Salt sand</u>			<u>785</u>	<u>870</u>	
<u>3rd. Salt sand</u>			<u>930</u>	<u>985</u>	
<u>Maxon sand</u>			<u>1321</u>	<u>1386</u>	<u>Gas 2130-2180</u>
<u>Big lime</u>			<u>1321</u>	<u>1386</u>	
<u>Big Injun</u>			<u>1386</u>	<u>1490</u>	
<u>Berea</u>			<u>1538</u>	<u>1531</u>	
<u>Gantz</u>			<u>1730</u>	<u>1752</u>	
<u>Fifty-foot</u>			<u>1830</u>	<u>1910</u>	
<u>Thirty-foot</u>			<u>1978</u>	<u>2000</u>	
<u>Gordon Stray</u>			<u>2110</u>	<u>2130</u>	
<u>Gordon</u>			<u>2134</u>	<u>2180</u>	<u>Oil-2130-2180</u>
<u>Fifth</u>			<u>2278</u>	<u>2286</u>	<u>Oil-6 lbs. per day</u>
<u>Speechly</u>			<u>2960</u>	<u>2995</u>	<u>Gas-2282</u> <u>Gas-2960-2970</u> <u>(Drilled deeper than</u> <u>form 2134 to 2995)</u>

(152) West Millford

FIRST PRESSURE TEST IN \_\_\_\_\_

CASING

DATE \_\_\_\_\_

17 1/2" 100' Shot

U.S.G. 1-22-1917

15th R. Specialty for Oil 629-16-10945

30 Sec.	lbs.	PK. DC 1931-300*
1 Min.	"	1932-325
2 "	"	1933-330
5 "	"	1934-310
10 "	"	1935-345
15 "	"	
30 "	"	
Rock Pressure	" in	
Taken	19	
By		

WELL TUBED AND PACKED \_\_\_\_\_ 19 \_\_\_\_\_

VIZ: - \_\_\_\_\_

FIRST PRESSURE TEST IN \_\_\_\_\_ TUBING

REMARKS

30 Sec.	lbs.	
1 Min.	"	
"	"	
"	"	
10 "	"	
15 "	"	
30 "	"	
Rock Pressure	" in	
Taken	19	
By		

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES: