



Coal: Consolidation Coal Co.  
Fairmont, W Va

Surface:

- #1 - Clarence Thompson  
RFD-2 Shinnston, W Va
- #3 - Hettie Corbin  
RFD-2 Shinnston, W Va

033-30621

New Location  
Drill Deeper  
Abandonment X

56 E 21-22 Map N32 E

Company South Penn Natural Gas Co  
Address Parkersburg, W Va  
Farm J H Thompson

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

033-30641

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE. ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE OPERATOR AND THE THIRD COPY AND EXTRA COPIES IF REQUIRED SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE OFFICES.

Consolidation Coal Co.  
c/o C.M. SMITH, Div. Eng'r.,  
Fairmont, W. Va.

SOUTH PENN NATURAL GAS COMPANY,  
Union Trust Building  
Parkerburg, W. Va.  
COMPLETE ADDRESS

January 19, 1942  
WELL AND LOCATION

Clay District

Harrison County

Well No. 1

J. H. Thompson Farm

D. G. Courtney

OPERATOR OR OWNER

ADDRESS

Clarence Thompson

LESSOR OR PROPERTY OWNER

R.D.#2, Shinnston, W. Va.

ADDRESS

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Harrison

BE:

Birdy Mitchell and Harvey Goodwin

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by South Penn Natural Gas Co. well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

28th day of June 1941, and that the well was plugged and filled in the following manner:

BAND OR ZONE RECORD	FORMATION	FILLING MATERIAL		PLUGS USED		CASING	
		CONTENT	FROM	TO	SIZE & KIND	CSG PULLED	CSG LEFT IN
Fifty Foot	Clay		2246	2141	5-3/16" wood	1784'-5-3/16" - 422'	
	Cement		2138	2128			
	Clay		2128	1850			
Big Injan	Clay		1850	1633	5-3/16" wood		
	Cement		1630	1620			
Big Lime	Clay		1620	1587		1550'-6-5/8" - 31'	
	Permanent Bridge at		1305				
Salt Sand	Clay		1305	1180	6-5/8" wood	916'-8-1/4" - 234'10"	
	Cement		1177	1167			
	Clay		1167	1058			
Permanent Bridge at	Cement		1055	1045			
	Clay		970				
Gas Sand-B.Dunk	Cement		970	683	8-1/4" wood		
	Cement		680	670			
	Clay		670	313			

(150' below Pgn. Coal)

Hole cased at 263' and from this point left open and 10" csg. changed to 2", extending 8' above ground.

DESCRIPTION OF MONUMENT

Cement 33"X33"X10". Post in center, total height 3'. Inscription - S.P.N.G.Co. - July, 1941.