

LATITUDE 39° 25' 00"



0.58A
0.89W

00' 51" 08 LONGITUDE

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
(calc.) _____

Company Pitts & WV Gas Co. (4699)

Farm Laura Jones

Quad Shinnston 7'12

County Harrison

District Clay

WELL LOCATION MAP

File No. 033-30900

Location: Clarksburg, West Va. County: Harrison State: W. Va.
 Name: Laura Jones
 Location (township): Clarksburg, W. Va. 4-4
 Well No.: 4699 Elev: 1176' VA
 District: Clay County: Harrison
 The surface of tract owned in fee by: A. D. Jones
 Address: Enterprise, W. Va.
 Mineral rights are owned by: A. D. Jones
 Address: Enterprise, W. Va.
 Drilling commenced: December 14, 1918
 Drilling completed: February 24, 1919
 Date Shot: 2-26-1919 From: _____ To: 2695'
 With: 20 Quarts - Nitro Glycerine.
 Open Flow: _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume: _____ Cu. Ft.
 Rock Pressure: _____ lbs _____ hrs
 Oil: _____ bbls. at 24 hrs.
 Fresh water: _____ feet _____ feet
 Salt water: _____ feet _____ feet

Casing and Tubing: _____
 Kind of Drilling: _____
 Kind of Well: _____
 Kind of Packers: _____
 Size of _____
 Depth set: _____
 Perf top: _____
 Perf bottom: _____
 Layers Used: _____
 Perf top: _____
 Perf bottom: _____
 CASING CEMENTED: _____ SIZE: _____ No. Ft. _____ Date: _____
 COAL WAS ENCOUNTERED AT 216 FEET 96 INCHES
 FEET INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay	Yellow	Soft	0	20			
Lime	White	Hard	20	50			
Slate	"	Soft	50	"			
Lime	"	Hard	74	104			
Slate	Dark	Soft	104	124			
Lime	White	Hard	124	157			
Slate	Dark	Soft	157	197			
Lime	White	Hard	197	217			
Slate	"	Soft	217	227			
Lime	"	Hard	227	246			
Coal	Black	Soft	246	254			
Lime	White	Hard	254	274			
Slate	"	Soft	274	310			
Lime	"	Hard	310	408			
Slate	Dark	Soft	408	446			
Lime	White	Hard	446	510			
Slate&Shells	"	Soft&Hard	510	640			
Little Dunkard Sd.	Wh.	Hard	640	670			
Slate&Shells	White	Soft&Hard	670	760			
Big Dunkard	"	Hard	760	890			
Slate	Dark	Soft	890	895			
Gas Sand	White	Hard	895	900			
Slate	Dark	Soft	900	912			
1st. Salt Sand	White	Hard	912	1010			
Slate	Dark	Soft	1010	1020			
2nd. Salt Sand	White	Hard	1020	1128			
Slate&Shells	Black	Soft&Hard	1128	1161			
3rd. Salt Sand	White	Hard	1161	1340			
Slate&Shells	Dark	Soft	1340	1380			
Red Rock	Red	"	1380	1430			
Slate-Shells	Dark	Soft-Hard	1430	1500			
Red Rock	Red	Soft	1500	1550			
Slate	White	"	1550	1585			
Little Lime	Dark	Hard	1585	1600			
Pencil Cave	"	Soft	1600	1613			
Big Lime	Light	Hard	1613	1691			
Big Injun Sand	"	"	1691	1810	Oil, Gas	1760'	
Slate&Shells	Dark&Light	Soft&Hard	1810	1810	Gas	1803'	

033-30900

Slate	"	Soft	2600	2610		
Sand	"	Hard	2609	2618		
Slate&Shells	Dark	Soft&Hard	2618	2675		
Sh.Sand	"	Hard	2675	2700	Tap	2679'
Slate	White	Soft	2700	2741	"	2683'
Bayard Sand	"	Hard	2741	2753		
Slate&Shells	"	Soft&Hard	2753	2812		
Total Depth				2812		

Date October 10th, 1945

194

APPROVED PITTSBURGH & WEST VA GAS COMPANY, Owner

By W. J. McMaster

(706)

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

INSPECTOR'S WELL REPORT

Permit No. Mar-100

Oil or Gas Well Gas
KIND

Company H. Shurtz & Co., Va. Gas Co.

Address Clarksburg, W. Va.

Farm Laura Jones

Well No. 4699

District Clay County Harrison

Drilling commenced _____

Drilling completed _____ Total depth _____

Date shot _____ Depth of shot _____

Initial open flow _____ /10ths Water in _____ Inch

Open flow after tubing _____ /10ths Merc. in _____ Inch

Volume _____ Cu. Ft.

Rock pressure _____ lbs. _____ hrs.

Oil _____ bbls., 1st 24 hrs.

Fresh water _____ feet _____ feet

Salt water _____ feet _____ feet

CASING AND TUBING

USED DRILL

LEFT IN WELL

PACKERS

Size

16

13

10

8 1/4

6 1/2

5 3/16

3

2

Liners Used _____

Kind of Parker _____

Size of _____

Depth set _____

Perf. top _____

Perf. bottom _____

Perf. top _____

Perf. bottom _____

CASING CEMENTED _____

SIZE _____

No. FT _____

Date _____

COAL WAS ENCOUNTER AT _____

FEET _____

INCHES _____

FEET _____

INCHES _____

FEET _____

INCHES _____

FEET _____

INCHES _____

FEET _____

INCHES _____

Drillers' Names Waldo Pramer & Emerson McIntyre

Well Abandoned and Plugged _____

19 _____

REMARKS: Clay from 501 to 427', Stone to 426', lead plug to 425', cement to 457', stone to 452', lead wool to 451', lead plug to 450', cement to 440', shut down for the day to let fill set, Mr Scott of the Conis Coal Co. was on this job with me. A little gas showed up here. Will keep at work.

11/28/45

DATE

DISTRICT WELL INSPECTOR

INSPECTOR'S WELL REPORT

Form No. 101-77

Oil or Gas Well
No. 101

Company Pittsburgh & W. Va. Gas Co.

Address Clifton, Pa., 10.

Farm Laura Jones

Well No. 4120

District CLAY County HARRISON

Drilling commenced

Drilling completed _____ Total depth _____

Date shot _____ Depth of shot _____

Initial open flow _____ /10ths Water in _____ Inch

Open flow after tubing _____ /10ths Merc. in _____ Inch

Volume _____ Cu. Ft.

Rock pressure _____ lbs _____ hrs

Oil _____ bbls. 1st 24 hrs.

Fresh water _____ feet _____ feet

Salt water _____ feet _____ feet

Drillers' Names Waldo Brainer & Emerson McIntyre

Well Abandoned and Plugged _____, 19____

REMARKS In making the test this morning, the gas burned in blaze to about 7", filled with clay to 413' from 440', shut down till to-morrow. Mr Scott was here also.

DATE 11/29/45

[Signature]
DISTRICT WELL INSPECTOR

CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Size			
16			
13			Kind of Parker
10			
8 1/2			Size of
6 1/2			
5 1/2			Depth set
3			
2			Perf. top
Liners Used			Perf. bottom
			Perf. top
			Perf. bottom

CASING CEMENTED	SIZE	No. FT.	Date
COAL WAS ENCOUNTERED AT			
FEET	INCHES	FEET	INCHES
FEET	INCHES	FEET	INCHES
FEET	INCHES	FEET	INCHES

INSPECTOR'S WELL REPORT

Report No. 127-45

Oil or Gas Well
No. 1


Company: W. H. Scott & Co., Inc.
 Address: Clarksville, Va.
 Farm: 147th Street
 Well No.: 4755
 District: Clay County: Jefferson
 Drilling commenced: _____
 Drilling completed: _____ Total depth: _____
 Date shot: _____ Depth of shot: _____
 Initial open flow: _____ Inths Water in: _____ Inch
 Open flow after tubing: _____ Inths Merc. in: _____ Inch
 Volume: _____ Cu. Ft.
 Back pressure: _____ lbs. _____ hrs.
 Oil: _____ bbls., 1st 24 hrs.
 Fresh water: _____ feet _____ feet
 Salt water: _____ feet _____ feet

CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Size			
16			Kind of Packer
14			
10			Size of
8 1/2			
6 3/8			Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom
CASING CEMENTED	SIZE	No. FT.	Date
COAL WAS ENCOUNTERED AT		FEET	INCHES
	FEET	INCHES	FEET
	FEET	INCHES	FEET
	FEET	INCHES	FEET

Drillers' Names: W. H. Bramer & Emerson McIntyre.

Well Abandoned and Plugged _____ 19____

REMARKS: When Mr. Scott, and the Gas officials came this morning there was a very small show of gas, possibly surface, the coal here was worked out and all that remain is pillars, Mr. Scott & I decided to use stone from 413' to 411' and cement to 400', leaving the 10" casing in and open hole to surface. Job completed, enclose well record.


 DISTRICT WELL INSPECTOR

11/30/45

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Putnam

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Putnam Oil & Gas Co., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 17th day of November, 1945, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD	FILLING MATERIAL		PLUGS USED	CASING		
	FORMATION	CONTENT		FROM	TO	CSG PULLED
Oil	Oil	Oil	2 1/2"	0'		
Oil	Oil	Oil	2 1/2"	2'		
Oil	Oil	Oil	2 1/2"	4'		
Oil	Oil	Oil	2 1/2"	6'		
Oil	Oil	Oil	2 1/2"	8'		
Oil	Oil	Oil	2 1/2"	10'		
Oil	Oil	Oil	2 1/2"	12'		
Oil	Oil	Oil	2 1/2"	14'		
Oil	Oil	Oil	2 1/2"	16'		
Oil	Oil	Oil	2 1/2"	18'		
Oil	Oil	Oil	2 1/2"	20'		
Oil	Oil	Oil	2 1/2"	22'		
Oil	Oil	Oil	2 1/2"	24'		
Oil	Oil	Oil	2 1/2"	26'		
Oil	Oil	Oil	2 1/2"	28'		
Oil	Oil	Oil	2 1/2"	30'		
Oil	Oil	Oil	2 1/2"	32'		
Oil	Oil	Oil	2 1/2"	34'		
Oil	Oil	Oil	2 1/2"	36'		
Oil	Oil	Oil	2 1/2"	38'		
Oil	Oil	Oil	2 1/2"	40'		
Oil	Oil	Oil	2 1/2"	42'		
Oil	Oil	Oil	2 1/2"	44'		
Oil	Oil	Oil	2 1/2"	46'		
Oil	Oil	Oil	2 1/2"	48'		
Oil	Oil	Oil	2 1/2"	50'		
Oil	Oil	Oil	2 1/2"	52'		
Oil	Oil	Oil	2 1/2"	54'		
Oil	Oil	Oil	2 1/2"	56'		
Oil	Oil	Oil	2 1/2"	58'		
Oil	Oil	Oil	2 1/2"	60'		
Oil	Oil	Oil	2 1/2"	62'		
Oil	Oil	Oil	2 1/2"	64'		
Oil	Oil	Oil	2 1/2"	66'		
Oil	Oil	Oil	2 1/2"	68'		
Oil	Oil	Oil	2 1/2"	70'		
Oil	Oil	Oil	2 1/2"	72'		
Oil	Oil	Oil	2 1/2"	74'		
Oil	Oil	Oil	2 1/2"	76'		
Oil	Oil	Oil	2 1/2"	78'		
Oil	Oil	Oil	2 1/2"	80'		
Oil	Oil	Oil	2 1/2"	82'		
Oil	Oil	Oil	2 1/2"	84'		
Oil	Oil	Oil	2 1/2"	86'		
Oil	Oil	Oil	2 1/2"	88'		
Oil	Oil	Oil	2 1/2"	90'		
Oil	Oil	Oil	2 1/2"	92'		
Oil	Oil	Oil	2 1/2"	94'		
Oil	Oil	Oil	2 1/2"	96'		
Oil	Oil	Oil	2 1/2"	98'		
Oil	Oil	Oil	2 1/2"	100'		
Oil	Oil	Oil	2 1/2"	102'		
Oil	Oil	Oil	2 1/2"	104'		
Oil	Oil	Oil	2 1/2"	106'		
Oil	Oil	Oil	2 1/2"	108'		
Oil	Oil	Oil	2 1/2"	110'		
Oil	Oil	Oil	2 1/2"	112'		
Oil	Oil	Oil	2 1/2"	114'		
Oil	Oil	Oil	2 1/2"	116'		
Oil	Oil	Oil	2 1/2"	118'		
Oil	Oil	Oil	2 1/2"	120'		
Oil	Oil	Oil	2 1/2"	122'		
Oil	Oil	Oil	2 1/2"	124'		
Oil	Oil	Oil	2 1/2"	126'		
Oil	Oil	Oil	2 1/2"	128'		
Oil	Oil	Oil	2 1/2"	130'		
Oil	Oil	Oil	2 1/2"	132'		
Oil	Oil	Oil	2 1/2"	134'		
Oil	Oil	Oil	2 1/2"	136'		
Oil	Oil	Oil	2 1/2"	138'		
Oil	Oil	Oil	2 1/2"	140'		
Oil	Oil	Oil	2 1/2"	142'		
Oil	Oil	Oil	2 1/2"	144'		
Oil	Oil	Oil	2 1/2"	146'		
Oil	Oil	Oil	2 1/2"	148'		
Oil	Oil	Oil	2 1/2"	150'		
Oil	Oil	Oil	2 1/2"	152'		
Oil	Oil	Oil	2 1/2"	154'		
Oil	Oil	Oil	2 1/2"	156'		
Oil	Oil	Oil	2 1/2"	158'		
Oil	Oil	Oil	2 1/2"	160'		
Oil	Oil	Oil	2 1/2"	162'		
Oil	Oil	Oil	2 1/2"	164'		
Oil	Oil	Oil	2 1/2"	166'		
Oil	Oil	Oil	2 1/2"	168'		
Oil	Oil	Oil	2 1/2"	170'		
Oil	Oil	Oil	2 1/2"	172'		
Oil	Oil	Oil	2 1/2"	174'		
Oil	Oil	Oil	2 1/2"	176'		
Oil	Oil	Oil	2 1/2"	178'		
Oil	Oil	Oil	2 1/2"	180'		
Oil	Oil	Oil	2 1/2"	182'		
Oil	Oil	Oil	2 1/2"	184'		
Oil	Oil	Oil	2 1/2"	186'		
Oil	Oil	Oil	2 1/2"	188'		
Oil	Oil	Oil	2 1/2"	190'		
Oil	Oil	Oil	2 1/2"	192'		
Oil	Oil	Oil	2 1/2"	194'		
Oil	Oil	Oil	2 1/2"	196'		
Oil	Oil	Oil	2 1/2"	198'		
Oil	Oil	Oil	2 1/2"	200'		
Oil	Oil	Oil	2 1/2"	202'		
Oil	Oil	Oil	2 1/2"	204'		
Oil	Oil	Oil	2 1/2"	206'		
Oil	Oil	Oil	2 1/2"	208'		
Oil	Oil	Oil	2 1/2"	210'		
Oil	Oil	Oil	2 1/2"	212'		
Oil	Oil	Oil	2 1/2"	214'		
Oil	Oil	Oil	2 1/2"	216'		
Oil	Oil	Oil	2 1/2"	218'		
Oil	Oil	Oil	2 1/2"	220'		
Oil	Oil	Oil	2 1/2"	222'		
Oil	Oil	Oil	2 1/2"	224'		
Oil	Oil	Oil	2 1/2"	226'		
Oil	Oil	Oil	2 1/2"	228'		
Oil	Oil	Oil	2 1/2"	230'		
Oil	Oil	Oil	2 1/2"	232'		
Oil	Oil	Oil	2 1/2"	234'		
Oil	Oil	Oil	2 1/2"	236'		
Oil	Oil	Oil	2 1/2"	238'		
Oil	Oil	Oil	2 1/2"	240'		
Oil	Oil	Oil	2 1/2"	242'		
Oil	Oil	Oil	2 1/2"	244'		
Oil	Oil	Oil	2 1/2"	246'		
Oil	Oil	Oil	2 1/2"	248'		
Oil	Oil	Oil	2 1/2"	250'		
Oil	Oil	Oil	2 1/2"	252'		
Oil	Oil	Oil	2 1/2"	254'		

and that the work of plugging and filling said well was completed on the 19th day of November, 1945.

And further deponents saith not.

Sworn to and subscribed before me this 19 day of November, 1945.

Bill H. ...
Emerson W. ...
Notary Public

My commission expires ...