



1  
FOR G. W. WOODFIELD, ADDRESS  
GARLEN J. ASHCRAFT, WALLACE, HARRISON CO. WVA

2  
FOR G. W. WOODFIELD, ADDRESS  
W. E. CARSON, WALLACE, HARRISON CO., W. VA.

PITTSBURGH COAL: STATE OF W. VA.

NEW LOCATION  
DRILL DEEPER  
ABANDONMENT X

#2  
5.33S  
0.30W

#1-  
5.63S  
0.32W

COMPANY	ROAD SUPPLY CO.
ADDRESS	SALEM, W. VA.
FARM	G. W. WOODFIELD
TRACT	ACRES 70 LEASE NO.
WELL (FARM) NO.	① & 2 SERIAL NO.
ELEVATION (SPIRIT LEVEL)	2 1251.84
QUADRANGLE	CENTERPOINT
COUNTY	HARRISON DIST. SARDIS
ENGINEER	E. C. TABLER
ENGINEER'S REGISTRATION NO.	
FILE NO.	DWG. NO.
DATE	2/16/46 SCALE 1" - 400'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON  
WELL LOCATION MAP

HAR 954-A; NO. 1  
FILE NO. HAR 955-A; NO. 2

+ DENOTES LOCATION OF WELL ON U. S. TOPOGRAPHIC MAPS, SCALE 1 TO 62,500, LATITUDE AND LONGITUDE LINES BEING REPRESENTED BY BORDER LINES AS SHOWN.  
- DENOTES ONE INCH SPACES ON BORDER LINE OF ORIGINAL TRACING.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

796

WELL RECORD

Permit No. 954-A Oil or Gas Well X (KIND)

Company Raad Supply Company  
 Address 194 East Main St., Salem, W. Va.  
 Farm G. W. Woodsfield Acres 70  
 Location (waters) \_\_\_\_\_  
 Well No. 1 Elev 1261.40  
 District Sardis County Harrison  
 The surface of tract is owned in fee by Barlem J. Ashcraft  
 Address Wallace, W. Va.  
 Mineral rights are owned by STATE OF WEST VIRGINIA  
 Address \_\_\_\_\_  
 Drilling commenced \_\_\_\_\_  
 Drilling completed June 1, 1908  
 Date Shot ? From 3110' To 3122'  
 With \_\_\_\_\_  
 Open Flow /10ths Water in \_\_\_\_\_ Inch  
 /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	192'	None	Size of
8 1/4	1520'	1520'	Can not see.
6 5/8	2270'	2270'	Depth set
5 3/16	2890'	2890'	
3			Perf. top
2	3178'	3178'	Perf. bottom
Liners Used			Perf. top
4" x 4 1/2"	173'	173'	Perf. bottom

CASING CEMENTED No SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 1030 FEET 60 INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor			10'				
Pittsburgh Coal			1025	1030'			
Little Dunkard Sand			1350	1380			
Big Dunkard Sand			1460	1500			
Salt Sand			1760	1820			
Big Lime			2240	2290			
Maxon Sand			2100	2170			
Big Injun Sand			2290	2430			
Fifty Foot Sand			2885	2900			
Thirty Foot Sand			2960	2985			
Stray Sand			3038	3098			
Gordon Sand			3110	3134			
1st Pay			3122				
Total Depth				3178			

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date February 20, 196

APPROVED RAAD SUPPLY COMPANY, Owner

By J. M. Rood - Manager, Owner  
(Title)

