



New Location
 Drill Deeper
 Abandonment

033-31087

No Streams
or Buildings

Company William Moses
 Address 189 W Main St. Salem W.Va
 Farm John Tucker
 Tract _____ Acres 23 Lease No. _____

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL RECORD

Permit No. _____

Oil or Gas Well ()

Company *Williams Bros*
 Address *Salisbury, W. Va*
 Farm *S. L. Jones Acres 23*
 Location (waters) _____
 Well No. *400* Elev. *1232*
 District *Clay* County *West Virginia*
 The surface of tract is owned in fee by *South River Natural Gas Co.* Address *Richwood, W. Va*
 Mineral rights are owned by *Andrew Menning Co.* Address *Menning, W. Va*
 Drilling commenced *4-18-1916*
 Drilling completed *6-11-1916*
 Date Shut From To _____
 With _____
 Open Flow /10ths Water in _____ Inch
 /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls. 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packers
16			
13			
10		<i>273</i>	Size of
8 1/2		<i>1323</i>	
6 3/4		<i>1762</i>	Depth set
5 3/16		<i>1782</i>	
5			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT *246* FEET _____ INCHES

FEET	INCHES	FEET	INCHES
_____	_____	_____	_____
_____	_____	_____	_____

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
<i>Path's Coal</i>			<i>240</i>	<i>245</i>			
<i>S. Lumber</i>			<i>660</i>	<i>700</i>			
<i>B. Lumber</i>			<i>800</i>	<i>840</i>			
<i>Gas Sand</i>			<i>1000</i>	<i>1035</i>			
<i>Salt Sand</i>			<i>1050</i>	<i>1095</i>			
<i>Sand Salt S. S.</i>			<i>1145</i>	<i>1190</i>			
<i>Maxon</i>			<i>1200</i>	<i>1270</i>			
<i>B. Sand</i>			<i>1663</i>	<i>1739</i>			
<i>B. Injun</i>			<i>1739</i>	<i>1863</i>			
<i>Truffy Foot</i>			<i>2255</i>	<i>2318</i>			
<i>Total S. H.</i>				<i>2346</i>			

JUN 1916
 DEPARTMENT OF MINES

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 INSPECTOR'S PLUGGING REPORT

Permit No. *1097*

Well No. *1*

COMPANY *J. M. Mason*

ADDRESS *Salem, W. Va.*

FARM *S. A. Gause*

DISTRICT *10*

COUNTY *Harrison*

Filling Material Used

Line	Location	Amount	Packet	Location
PLUGS USED AND DEPTH PLACED				
CEMENT THICKNESS		WOOD SIZE	LEAD	CONSTRUCTION LOCATION
BRIDGES				
CASKING AND TUBING				
				RECOVERED SIZE LOST
				1400 6 1/2 302
				1100 8 1/4 228
				60 10 213

Drillers' Names *Chas. Buckley & Ed. Robinson*

Remarks
*Job completed. Enclosed will
 be record*

7-3-47
DATE

I hereby certify I visited the above well on this date



J. F. Brown
DISTRICT WELL INSPECTOR

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE. ONE COPY SHALL BE TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY AND EXTRA COPIES IF REQUIRED, SHALL BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Francis Mining Co.
COAL OPERATOR OR OWNER
 Morgantown, Va.
ADDRESS

William Jones
NAME OF WELL OPERATOR
 Salem, Va.
COMPLETE ADDRESS

COAL OPERATOR OR OWNER

June 11, 1947
WELL AND LOCATION

ADDRESS

Clay District

South Well Natural Gas Co.
LESSOR OR PROPERTY OWNER

Larrison County

Farmington, Va.
ADDRESS

Well No. One

S.A. Jones, Farm

STATE INSPECTOR SUPERVISING PLUGGING I.P. Desist

AFFIDAVIT

STATE OF WEST VIRGINIA

County of Larrison

Alb Bailey

and Ted Robinson,

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by William Jones, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 11 day of June, 1947, and that the well was plugged and filled in the following manner:

BAND OR ZONE RECORD	FILLING MATERIAL			PLUGS USED	CASING	
	DEPTH	FROM	TO		LOG	LOG
	Clay	2346	2235			
	Cement	2235	2225			
	Crushed Stone	2225	2220			
	Clay	2220	2006			
	Cement	2006	1996		1986	5-3/16"
	Clay	1996	1710			
	Cement	1720	1710	Crushed Stone to		
	Bridged	1355	1705		1700-6-6/8"	
	Clay	1355	1030		1000-8 1/2" 3/4"	
	Cement	1030	1020	5' Crushed Stone		
	Bridged	840-5'	Crushed Stone			
	Clay	835	600			
	Bridged at	300			Left in 203'-10"	
	Clay	300	278		60' 10"	
	Cement	278	270			
COAL BEAMS	Clay	220 to	Surface.			
(NAME)					DESCRIPTION OF MONUMENT	
(NAME)					Directed marker according	
(NAME)					to log.	
(NAME)						

and that the work of plugging and filling said well was completed on the 20th day of July, 1947

And further deponents saith not

Sworn to and subscribed before me this 10 day of July

Alb Bailey
Ted Robinson

S. A. JAMES NO. 1 WELL.

33-31087A

Clay District, Harrison County, W. Va.

By William Moses, Salem, W. Va.

Abandoned under permit Har-.....-AT

On 23 acres.

Elevation, 1282' L.

Surface owned by South Penn Natural Gas Co., Parkersburg, W. Va., and minerals by Francis Mining Co., Monongah, W. Va.

Drilling commenced April 18, 1910; completed June 11, 1910.

10" casing, 273'; 8 1/2" 1328'; 6 3/8" 1702'; 5 1/2" 1986'.

Coal was encountered at 240-248'.

Oil well. Abandonment reported to Dept. of Mines (stamped) June 13, 1947.

Record to RCT from Mrs. Griffith Aug. 20, 1947. Old File No. 897.

	Top.	Bottom.
Pittsburgh Coal	240	- 248
Little Dunkard Sand	660	- 700
Big Dunkard Sand	800	- 840
Gas Sand	1000	- 1035
Salt Sand	1050	- 1095
2nd Salt Sand	1145	- 1190
Marton Sand	1200	- 1270
Big Line	1663	- 1739
Big Injun Sand	1739	- 1863
Fifty-foot Sand	2255	- 2318
Total depth		2346

HAR-1087A (7)