



CH2S
2.410

0.42 S
2.95 W

New Location
 Drill Deeper
 Abandonment

Company A.M. Snider
 Address Hundred W. Va.
 Farm E. D. Fittro
 Tract ONE Acres 61 Lease No. _____
 Well (Farm) No. 4 Serial No. _____
 Elevation (Spirit Level) 932'
 Quadrangle Clarksburg
 County Harrison District Tenmile
 Engineer A.L. Headley
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date 5-27-1948 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAR-1232-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

C. (B?) D. FITTRO NO. 4 WELL.

E. D.

1232A

Tennile District, Harrison County, W. Va.

By A. M. Snider, Hundred, W. Va.

Abandoned under permit Har-.....-A?

On acres.

Elevation,' L.

Drilling completed April 19, 1902.

6 3/4" casing, 1635'.

Coal was encountered at 130-138'.

Record to Dept. of Mines stamped Aug. 19, 1948.

Record to RCF from Mrs. Griffith Oct. 11, 1948. Old File No. 1041.

	Top.	Bottom.
Pittsburgh Coal	130	- 138
Dunkard Sand	630	- 695
Salt Sand	1000	- 1090
Maxton Sand	1350	- 1410
Big Lime	1435	- 1520
Big Injun Sand	1525	- 1600
50-Ft. Sand	2080	- 2130
Gordon Sand	2235	- 2280
5th Sand	2500	- 2508
Total depth		2536



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1041

WELL RECORD

Permit No. 1232-A

Oil or Gas Well _____
(KIND)

Company G. M. Guder
 Address Hemlock Ave
 Farm E. D. Feltus Acres _____
 Location (waters) _____
 Well No. 4 Elev. _____
 District Iron Mills County Harman
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced _____
 Drilling completed 4/19/1942
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Size of
10			
8 1/4			Depth set
6 1/2		1635	
5 3/16			Perf. top
3			Perf. bottom
2			Perf. top
Liners Used			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 130 FEET 96 INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pgh Coal			130	138			
Beulah			630	695			
Salt Sand			1000	1090			
Mixon			1350	1410			
By Linn			1435	1520			
" Juyun			1525	1600			
50 ft			2080	2130			
Gordon			2235	2280			
5th			2500	2508			
2nd at Depth				2536			

