



Surf: Fred C. Gump,  
R.F.D. #2, Wallace, W. Va.  
Coal: Consolidation Coal Co.  
Box 1632, Fairmont, W. Va.

3.49S  
0.43W

- New Location
- Drill Deeper
- Abandonment

Map N 49 N 1 E 6

Company South Penn Natural Gas Co.  
 Address Parkersburg, W. Va.  
 Farm J. L. Lambert  
 Tract \_\_\_\_\_ Acres 81<sup>2</sup> Lease No. 32499  
 Well (Farm) No. 4 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 1345.11 floor  
 Quadrangle Centerpoint  
 County Harrison District Sardis  
 Engineer A. C. Hillbert  
 Engineer's Registration No. 2534  
 File No. 1026 Drawing No. \_\_\_\_\_  
 Date Aug. 5, 1959 Scale 1" = 400'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

**WELL LOCATION MAP**  
FILE NO. HAR-1731-R

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



1612

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle Centerpoint  
Permit No. 173KA

WELL RECORD

Oil or Gas Well Oil (KIND)

Company SOUTH PEEN NATURAL GAS COMPANY  
Address P. O. Box 1280, Parkersburg, W. Va.  
Farm J. L. Lambert Acres 81  
Location (waters) Middle Run  
Well No. 4 Elev 1345.11  
District Sartin County Harrison  
The surface of tract is owned in fee by Fred C. Camp  
B. F. D. #2 Address Wallace, W. Va.  
Mineral rights are owned by Donald C. Pratt, et al.  
247 Richmond Avenue Address Horgantown, W. Va.  
Drilling commenced Nov. 15, 1903  
Drilling completed Feb. 22, 1904  
Date Shot Shot & timed in Gordon Sand  
With \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_  
WELL FRACTURED \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			<u>Callahan Core</u>
13			Size of <u>4" x 5 3/16"</u>
10	<u>412</u>	<u>None</u>	Depth set <u>3060</u>
8 1/4	<u>1605</u>	<u>None</u>	
6 3/8	<u>2260</u>	<u>2260</u>	
5 3/16	<u>2876</u>	<u>2876</u>	
3			Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
<u>4 1/2"</u>	<u>460</u>		Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 1195 FEET 60 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Conductor				<u>16</u>			
Pgh. Coal			<u>1195</u>	<u>1200</u>			
Shankland			<u>2044</u>	<u>2088</u>			
Dunford			<u>1790</u>	<u>1835</u>			
Gas Sand			<u>1948</u>	<u>1980</u>			
Salt Sand			<u>2085</u>	<u>2228</u>			
Norton			<u>2265</u>	<u>2280</u>			
Big Lime			<u>2380</u>	<u>2465</u>			
Big Injun			<u>2465</u>	<u>2575</u>			
Fifty Foot			<u>3045</u>	<u>3070</u>			
Stray			<u>3284</u>	<u>3264</u>	<u>Gas</u>	<u>3246</u>	
Gordon			<u>3276</u>	<u>3299</u>	<u>Gas</u>	<u>3280</u>	
<b>TOTAL DEPTH</b>				<u>3309</u>			

NOV 1959  
RECEIVED  
WEST VIRGINIA  
DEPT. OF MINES

JUN 29 1960

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date November 25, 1959, 19\_\_

APPROVED SOUTH PENN NATURAL GAS COMPANY, Owner

By George W. Wilman  
 George W. Wilman, (Title) Land Agent