

LATITUDE 39° 20' 00"

00' 52" 08 LONGITUDE

1.282  
0.10W

7'5 OGIS topo location

7.5' loc \_\_\_\_\_ 15' loc 1.78S  
\_\_\_\_\_ (calc.) 0.10W

Company HNB Co (7977)

Farm Samuel Fittro

Clarksburg SW

Quad Wolf Summit 7 1/2

County Harrison

District Coal

WELL LOCATION MAP

File No. 033-31742





1607

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Quadrangle 15A  
Permit No. 1492-1742-A

WELL RECORD

Oil or Gas Well Gas  
(KIND)

Company Richard Jackson, Inc.  
Address 614 E. Main St. Clarksburg, W. Va.  
Farm Samuel Fittro Acres 80  
Location (waters) \_\_\_\_\_  
Well No. 7977 Elev. 1125'  
District Coal County Harrison  
The surface of tract is owned in fee by A. M. Snider  
Address Hundred, W. Va.  
Mineral rights are owned by Same  
Address \_\_\_\_\_

Drilling commenced May 22, 1911  
Drilling completed July 28, 1911  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
WELL ACIDIZED \_\_\_\_\_  
WELL FRACTURED \_\_\_\_\_


Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			<u>6x8 B.H. 1470</u>
10	<u>87'6" cemented</u>		Size of <u>5x6 B.H.</u>
8 1/4	<u>1094' pulled</u>		<u>2211</u>
6 3/4	<u>1477' 1477'</u>		<u>2x5A. 2994</u>
5 3/16	<u>2221' 2221'</u>		Depth set
3			<u>10x15 Shoe</u>
2	<u>3 3/4' 3 3/4'</u>		Perf. top
	<u>2485' pulled</u>		Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

RESULT AFTER TREATMENT \_\_\_\_\_  
ROCK PRESSURE AFTER TREATMENT \_\_\_\_\_  
Fresh Water \_\_\_\_\_ Feet Salt Water \_\_\_\_\_ Feet

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Pitts. Coal			40	46			
Dunkard Sand			525	585			
Gas Sand			624	695			
Salt Sand			733	878			
Mazon Sand			1340	1388			
Injun Sand			1475	1570			
Granite Sand			1875	1920			
50 ft. Sand			1971	2086			
50 ft. Sand			2100	2195			
Stray Sand			2215	2227			
Gordon Sand			2230	2275			
Fourth Sand			2303	2308			
Fifth Sand			2409	2429			
Speechley Sand			3103	3111			
Total Depth				2485			



JUN 29 1960