

LATITUDE

39°00'

54°18'

LONGITUDE

+ 7 1/2'

2.19 South  
0.96 mi West

Permit issued 10-4-35  
abstract issued 1/5/36

\*Location from Oil & Gas Service Map

Company GLENN OIL & GAS Co.

Farm W.S. PROCTER, No. 1

Quad RAVENSWOOD 7 1/2' NE

County JACKSON

District GRANT

WELL LOCATION MAP

File No. JAC-15-P  
(035)

1-0 unnamed (o)

DEEP

DEV. SHALE WELL

JAC-15

RECORD OF W.S. PROCTOR WELL NO. 1

Located in Grant District, Jackson County, on Turkey Run, West Virginia

Elevation of Surface 585 Ft.

Began drilling September 28, 1935

Surface	00	20
Slate	20	60
Sand	60	90
Red Rock	90	130
Slate	130	200
Red Rock	200	240
Slate	240	265
Pittsburgh Sand	265	320
Slate	320	360
Sand	360	370
Slate	370	402
Sand	402	428
Slate	428	456
Pink Rock	456	490
Slate	490	505
Sand	505	530
Slate	530	570
White Slate	570	585
Yellow Cave Slate	585	600
Red Rock	600	650
Slate	650	690
Shells	690	700
White Slate	700	740
Sand	740	755
Black Slate	755	765
Red Rock	765	780
Shell	780	784
White Slate	784	800
Big Dunkard Sand	800	925
Slate	925	1025
Gas Sand	1025	1036
Black Slate	1036	1060
Sand	1060	1075
White Slate	1075	1110
Shell	1110	1115
Slate	1115	1240
Sand	1240	1250
Slate	1250	1330
Salt Sand	1330	1405
Lime - Big lime	1405	1515
Sand	1515	1520
Slate	1520	1570
Keener Sand	1570	1585
Slate and shells	1585	1650
Lime Shell	1650	1654
Slate and shells	1654	1920
Lime Shell	1920	1935
Slate	1935	1963
Coffee Shale	1963	1967
Berea Sand	1967	1968
Slate	1968	2018
Gritty Shells	2018	2218
Slate and Shells	2218	2780

340

w

JAC-15

Record of W. S. PROCTOR WELL NO. 1 Contd.

Light Shale	2780	2790
Slate and shells	2790	3090
Brown Shale	3090	3150
White Slate	3150	3350
Brown Shale - 441	3350	3390
White Slate	3590	3935
Brown Shale	3935	4115
Corniferous Lime - 463	4115	
TOTAL DEPTH	463	4115'

Casing:

13"	48'
10"	490'
8 1/2"	937'
6-5/8"	1650'

Water at 80', 7 bailers - Hole full water 315'  
 Water 1150', 2 bailers hour. - Hole full water 1365'

Little gas in Light shale 2780 - 2790' -  
 Gas 3470 - 3497  
 Pocket of gas 3740'  
 Gas 3956 - 3962 - 50,000 cu.ft.

Top Corniferous lime 4115'

Well was shot 3935-4115 with 1200 Lbs. Gelatin and 40 Qts. glycerine dumped. Well was shot 3350-3590 with 2000 Lbs. gelatin and 20 qts. glycerine. Before shot about 10,000 cu.ft. gas - 20,000 cu.ft. after shot

JAC-15

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. JAC-15 Well No. 1

Glenn Oil & Gas Company Company, of Charleston, West Virginia

on the W. S. Proctor Farm

containing 150 acres. Location Ravenswood,

Grant District, in Jackson County, West Virginia

The surface of the above tract is owned in fee by W. S. Proctor

of Ravenswood, West Virginia address, and the mineral rights are owned by

of

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. issued by the West Virginia Department of Mines, Oil and Gas Division

193.

Elevation of surface at top of well, 585' Barometric.

The number of feet of the different sized casings used in the well.

feet size Wood conductor.

48 feet 13" size, csg. feet sized csg.

490 feet 10" size, csg. feet sized csg.

937 feet 8 1/2" size, csg. feet sized csg.

1650 6-5/8" Casing size, set at

packer of size, set at

in casing perforated at feet to feet

in casing perforated at feet to feet

No Coal was encountered 32 feet; thickness inches, and at

feet; thickness inches; and at feet; thickness inches.

Liners were used as follows: (Give details)

December 12th, 1935 Data.

Approved, Owner.

By (TITLE)