



Abandoned  
Feb. 1948  
3.80 W  
5.52 S

New Location +  
Drill Deeper ...  
Abandonment

Company GODFREY L. CABOT  
 Address 600 UNION BLDG. CHARLESTON W.VA  
 Farm THE PUTNAM COMPANY  
 Part of 22000  
 Tract \_\_\_\_\_ Acres \_\_\_\_\_ Lease No. 3-464  
 Well (Farm) No. 6 Serial No. 941  
 Elevation (Spirit Level) 750° - 739.15  
 Quadrangle KENNA S.W. C  
 County JACKSON District RIPLEY  
 Engineer Charles N. Sturm  
 Engineer's Registration No. 975  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date MARCH 20, 1940 Scale 1" = 1320'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. JAG-76-P

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

6-6-192

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D

Permit No. Jac-76  
Kenna S. 7. Quad.

Gas Well

Company Godfrey L. Cabot, Inc.,  
Address Charleston, W. Va.  
Farm The Putnam Company ACRES -  
Well No. 6 (Serial 941) ELEV. 739.18 Gr.  
District Ripley - Jackson County  
Surface & Mineral -  
Commenced Oct. 18, 1940  
Completed Dec. 21, 1940  
Shot 12/24/40 - 5004-5011 - 15 qts.  
5026-5033 " "  
Gauge before shot 400 M  
25 min. after shot 1,157 M  
1,157 M.C.F.  
Rock Pressure 1350 lbs. 53 hrs. Oriskany  
Water -

CASING & TUBING  
10-3/4 667 667  
8-5/8 1939 -  
7 4921 4921  
2-3/8 3.75 - -  
7" O.D. x 8-1/4 x 15  
Sp. Oriskany B.H.Packer

Volume  
Rock Pressure  
Water

Top	0	50			
Red Rock	50	80	Slate Shells	2338	3565
Lime	80	100	Brown Shale	3565	3676
Red Rock	100	115	Slate Shells	3676	4002
Lime	115	130	Brown Shale	4002	4155
Red Rock	130	155	Slate	4155	4612
Slate Shells	155	210	Brown Shale	4612	4901
Red Rock	210	220	✓Corniferous -463	4901	5001 SL 5001
Lime	220	235	-Oriskany	5001	5040 SL 5040 -
Slate Shells	235	330	-Dark Lime	5040	5059 SL
Red Rock	330	340	Sand	5059	5076 SL 5076
Slate Lime	340	380	Break	5076	5081 SL 5081
Sand	380	420	Total Depth		5081
Slate	420	429			
Red Rock	429	467			
Slate Shells	467	510			
Red Rock	510	525			
Lime	525	555			
Red Rock	555	590			
Lime	590	603			
Red Rock	603	627			
Sand	627	715			
Slate Shells	715	740			
Sand	740	810			
Slate Shells	810	900	SW 855		
Sand	900	917	3 bph		
Slate	917	932			
Sand	932	1032			
Slate	1032	1280			
Sand	1280	1340			
Slate Shells	1340	1330			
✓Salt Sand	1380	1680	W Level 200		
Black Slate	1680	1692			
✓Monon Sand	1692	1824			
✓Big Lime	1824	1865			
Slate	1865	1867			
Sand - Kenna	1867	1882			
Slate	1882	1889			
✓Injun Sand	1889	1914			
Slate	1914	1935			
Lime	1935	1945			
Slate Shells	1945	1985			
Lime	1985	2068			
Slate Shells	2068	2323			
✓Brown Shale	2323	2328			
✓Berona Sand	2328	2338	Sh. Gas	2330	

GAUGES IN ORISKANY SAND

Before shot			
12/4	189m	At 5005-7	
12/18	84M		before drilling
12/18	327M		5007-10
12/18	327M		5116
12/19	310M		5021
12/19	298M		5027
12/19	492M		5028-30
12/19	492M		5032
12/19	440M		5036
12/19	440M		5042
12/20	440M		5049
12/20	440M		5058
12/21	440M		5064
12/21	440M		5068
12/21	381M		5075
12/22	381M		5081

Gauges after shot  
12/24 25 min. after shot 1,157 M