

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION 6

WELL RECORD

Quadrangle Belleville

Permit No. JAC 874

Oil or Gas Well Dry
(KWS)

Company Talbot Gas Company
Address Rinley, W. Va.
Farm U.G. Talbott Acres 140
Location (waters) Skull Run
Well No. 1 Elev. 840
District ~~Grant~~ GRANT County Jackson
The surface of tract is owned in fee by U.G. Talbott
Address Murraysville, W. Va.
Mineral rights are owned by U.G. Talbott
Address Murraysville, W. Va.
Drilling commenced November 15, 1954
Drilling completed January 24, 1955
Date Shot - From - To -
With -

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13	30 Ft		
10	768 Ft	pulled out	Size of
8 1/4	1250	"	
7"	2018	left in	Depth set
5 3/16	4478	"	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow /10ths Water in Inch
/10ths Merc. in Inch
Volume Cu. Ft.
Rock Pressure lbs. hrs.
Oil bbls., 1st 24 hrs.
Fresh water feet feet
Salt water 1682 feet 1693 feet
5 barrels per hr.

CASING CEMENTED SIZE No. Ft. Date
COAL WAS ENCOUNTERED AT FEET INCHES
 FEET INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	50			
slate shells	white	soft -H	50	450			
slate	white	soft	450	463			
red rock	red	hard	463	480			
gray slate	gray	soft	480	550			
lime shells	white	hard	550	575			
red rock	red	hard	575	585			
gray slate	gray	soft	585	630			
sand	white	hard	630	655			
slate shells	white	soft -H	655	730			
sand	white	hard	730	760			
slateshells	white	soft -H	760	790			
red rock	red	hard	790	900			
slateshells	white	soft -H	900	960			
red rock	red	hard	960	972			
slateshells	white	soft -H	972	980			
red rock	red	hard	980	1000			
lime shells	white	hard	1000	1062			
sand	white	hard	1062	1070			
slate	soft	soft	1070	1078			
red rock	red	hard	1078	1085			
gritty lime	white	hard	1085	1110			
gray slate	gray	soft	1110	1160			
sand	white	hard	1160	1195			
slate	white	soft	1195	1200			
white lime	white	hard	1200	1206			
sand	white	hard	1206	1250			
slate shells	white	soft -H	1250	1320			
sand	white	hard	1320	1365			
slateshells	white	soft -H	1365	1373			
sand	white	hard	1373	1465			
slateshells	white	soft -H	1465	1535			
sand	white	hard	1535	1544			
blue slate	blue	soft	1544	1560			
gritty lime	white	hard	1560	1572			
slate shells	white	soft -H	1572	1682			
sand	white	hard	1682	1693			
slate shells	white	soft -H	1693	1747			

(Over)

Formation	Color	Hard or Soft	Top ⁶	Bottom	Oil, Gas or Water	Depth Found	Remarks
big lime	white	hard	1747	1810			
slate shells	white	soft -h	1810	1962			
hard lime	white	hard	1962	1972			
site shells	w	hard	1972	1980			
lime	white	hard	1980	2034			
slate shells	white	soft-h	2034	2230			
brown shale	brown	soft	2230	2255			
berea sand	white	hard	2255	2256			
lime	white	hard	2256	2318			
slate shells	white	soft -h	2318	3390			
brown shells	brown	hard-441	3390	3505			
lime shells	white	hard	3505	3535			
slate "	white	soft-H	3535	3690			
brown shale	brown	soft	3690	3865		3700-3710 show of gas	
white shale	white	soft	3865	4200			
brown shale	brown	soft	4200	4430			
cornice rous	lime	hard-463	4430	4542			
eriskany sand		hard	4542	4560			
lime-Need	white	hard	4560	4606			
Total Dept				4606			
	(485)						
					4430	4542	4560
					840	840	840
					3590	3700	3720

METT RECORD

Date _____, 19__

APPROVED _____

Owner

DEPARTMENT OF MINES

STATE OF MISSOURI